DETAIL MAP - 4621761.2S



0 1/16 1/8 1/4 Miles

- Target Property
- Sites at elevations higher than or equal to the target property
- Sites at elevations lower than the target property
- Manufactured Gas Plants
- Sensitive Receptors
- National Priority List Sites
- Dept. Defense Sites
- Indian Reservations BIA
- 100-year flood zone
- 500-year flood zone
- National Wetland Inventory
- State Wetlands

This report includes Interactive Map Layers to display and/or hide map information. The legend includes only those icons for the default map view.

SITE NAME: West Haven, CT, VA Medical Center Fisher House ADDRESS: 950 Campbell Avenue West Haven CT 06516 LAT/LONG: 41.283665 / 72.960451	CLIENT: Mabbett & Assoc. CONTACT: Michael Horton INQUIRY #: 4621761.2s DATE: May 18, 2016 11:37 am

Copyright © 2016 EDR, Inc. © 2015 TomTom Rel. 2015.

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
STANDARD ENVIRONMENTAL RECORDS								
) HGHUDO13/ VILM OWW								
NPL	1.000		0	0	0	0	NR	0
Proposed NPL	1.000		0	0	0	0	NR	0
NPL LIENS	TP		NR	NR	NR	NR	NR	0
) HGHUDO HOWMG13/ VILM OWW								
Delisted NPL	1.000		0	0	0	0	NR	0
) HGHUDO&(5&/,6 OWW								
FEDERAL FACILITY	0.500		0	0	0	NR	NR	0
SEMS	0.500	1	0	0	0	NR	NR	1
) HGHUDO&(5&/,6 1) 5$3 VILM OWW								
SEMS-ARCHIVE	0.500		0	0	0	NR	NR	0
) HGHUDO5&5$ &2 55$&76 IDFLOWLHV OWW								
CORRACTS	1.000		0	0	0	0	NR	0
) HGHUDO5&5$ QRQ&2 55$&76 76' IDFLOWLHV OWW								
RCRA-TSDF	0.500		0	0	0	NR	NR	0
) HGHUDO5&5$ JHQHUDWRUV OWW								
RCRA-LQG	0.250	1	0	0	NR	NR	NR	1
RCRA-SQG	0.250		0	0	NR	NR	NR	0
RCRA-CESQG	0.250		0	0	NR	NR	NR	0
) HGHUDOLQVWLWXWLRQDOFRQWUROV HQJLQHHULQJ FRQWUROV UHJLVWULHV								
LUCIS	0.500		0	0	0	NR	NR	0
US ENG CONTROLS	0.500		0	0	0	NR	NR	0
US INST CONTROL	0.500		0	0	0	NR	NR	0
) HGHUDO(516 OWW								
ERNS	TP	2	NR	NR	NR	NR	NR	2
6WDWH DQG WULEDO HTXLYDOHQW&(5&/,6								
CT SHWS	1.000		0	0	0	0	NR	0
CT SDADB	0.500		0	1	0	NR	NR	1
6WDWH DQG WULEDOOD QGILOODQG RU VROLG Z DVWH GLVSRVDOVLWH OWW								
CT SWF/LF	0.500		0	0	0	NR	NR	0
6WDWH DQG WULEDOOHDNLQJ VWRUDJH WDQN OWW								
CT LUST	0.500	1	0	2	6	NR	NR	9
INDIAN LUST	0.500		0	0	0	NR	NR	0
6WDWH DQG WULEDOUHJLVWHUHG VWRUDJH WDQN OWW								
FEMA UST	0.250		0	0	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
CT UST	0.250	1	0	4	NR	NR	NR	5
CT AST	0.250		0	0	NR	NR	NR	0
INDIAN UST	0.250		0	0	NR	NR	NR	0
***6 WDWH DQG WUHDWPHQW XQGHUJURXQG &RQWDLQHUHG &RQGLWLRQV &&&&

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
EPA WATCH LIST	TP		NR	NR	NR	NR	NR	0
2020 COR ACTION	0.250		0	0	NR	NR	NR	0
TSCA	TP		NR	NR	NR	NR	NR	0
TRIS	TP		NR	NR	NR	NR	NR	0
SSTS	TP		NR	NR	NR	NR	NR	0
ROD	1.000		0	0	0	0	NR	0
RMP	TP		NR	NR	NR	NR	NR	0
RAATS	TP		NR	NR	NR	NR	NR	0
PRP	TP		NR	NR	NR	NR	NR	0
PADS	TP		NR	NR	NR	NR	NR	0
ICIS	TP	1	NR	NR	NR	NR	NR	1
FTTS	TP	1	NR	NR	NR	NR	NR	1
MLTS	TP	1	NR	NR	NR	NR	NR	1
COAL ASH DOE	TP		NR	NR	NR	NR	NR	0
COAL ASH EPA	0.500		0	0	0	NR	NR	0
PCB TRANSFORMER	TP		NR	NR	NR	NR	NR	0
RADINFO	TP		NR	NR	NR	NR	NR	0
HIST FTTS	TP	1	NR	NR	NR	NR	NR	1
DOT OPS	TP		NR	NR	NR	NR	NR	0
CONSENT	1.000		0	0	0	0	NR	0
INDIAN RESERV	1.000		0	0	0	0	NR	0
FUSRAP	1.000		0	0	0	0	NR	0
UMTRA	0.500		0	0	0	NR	NR	0
LEAD SMELTERS	TP		NR	NR	NR	NR	NR	0
US AIRS	TP	1	NR	NR	NR	NR	NR	1
US MINES	0.250		0	0	NR	NR	NR	0
FINDS	TP	1	NR	NR	NR	NR	NR	1
UXO	1.000		0	0	0	0	NR	0
DOCKET HWC	TP	1	NR	NR	NR	NR	NR	1
CT AIRS	TP	1	NR	NR	NR	NR	NR	1
CT CPCS	0.500		0	3	3	NR	NR	6
CT DRYCLEANERS	0.250		0	0	NR	NR	NR	0
CT ENF	TP	1	NR	NR	NR	NR	NR	1
CT Financial Assurance	TP		NR	NR	NR	NR	NR	0
CT LEAD	TP		NR	NR	NR	NR	NR	0
CT LWDS	0.250		0	0	NR	NR	NR	0
CT MANIFEST	0.250	5	0	3	NR	NR	NR	8
NY MANIFEST	0.250	2	0	0	NR	NR	NR	2
CT NPDES	TP	2	NR	NR	NR	NR	NR	2
CT SEH	0.500		0	0	0	NR	NR	0
FUELS PROGRAM	0.250		0	0	NR	NR	NR	0
ECHO	TP	2	NR	NR	NR	NR	NR	2
EDR HIGH RISK HISTORICAL RECORDS								
(' 5 ([FQXVLYH 5 HFRUGV								
EDR MGP	1.000		0	0	0	0	NR	0
EDR Hist Auto	0.125		0	NR	NR	NR	NR	0
EDR Hist Cleaner	0.125		0	NR	NR	NR	NR	0
EDR RECOVERED GOVERNMENT ARCHIVES								
([FQXVLYH 5 HFRYHUHG * RYW$ UFKLYHV								
CT RGA HWS	TP		NR	NR	NR	NR	NR	0

MAP FINDINGS SUMMARY

Database	Search Distance (Miles)	Target Property	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
CT RGA LUST	TP	1	NR	NR	NR	NR	NR	1
- Totals --		53	0	14	9	0	0	76

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

A1 Target Property | **VA CONNECTICUT HEALTHCARE SYSTEM**
950 CAMPBELL AVENUE
WEST HAVEN, CT 06516 | **US AIRS** | **1016083781**
N/A

Site 1 of 41 in cluster A

Actual: 127 ft.

US AIRS (AFS):

Envid:	1016083781
Region Code:	01
County Code:	CT009
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
D and B Number:	Not reported
Facility Site Name:	VA CONNECTICUT HEALTHCARE SYSTEM
Primary SIC Code:	8062
NAICS Code:	622110
Default Air Classification Code:	SMI
Facility Type of Ownership Code:	FDF
Air CMS Category Code:	SMI
HPV Status:	Not reported

US AIRS (AFS):

Region Code:	01
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	Federally-Enforceable State Operating Permit - Non Title V
Activity Date:	2003-02-28 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported

Region Code:	01
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	Federally-Enforceable State Operating Permit - Non Title V
Activity Date:	2006-07-31 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported

Region Code:	01
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	Federally-Enforceable State Operating Permit - Non Title V
Activity Date:	2011-02-09 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported

Region Code:	01
Programmatic ID:	AIR CT0000000900908040

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **1016083781**

Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	New Source Review Permit Requirements
Activity Date:	2006-07-31 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported

Region Code:	01
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1986-03-07 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported

Region Code:	01
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1988-04-15 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported

Region Code:	01
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1993-01-22 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported

Region Code:	01
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1995-01-11 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **1016083781**

Region Code: 01
Programmatic ID: AIR CT0000000900908040
Facility Registry ID: 110045681295
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1996-03-12 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR CT0000000900908040
Facility Registry ID: 110045681295
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1997-07-30 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR CT0000000900908040
Facility Registry ID: 110045681295
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 1999-02-19 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR CT0000000900908040
Facility Registry ID: 110045681295
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2003-02-28 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring
Activity Type: Inspection/Evaluation
Activity Status: Not reported

Region Code: 01
Programmatic ID: AIR CT0000000900908040
Facility Registry ID: 110045681295
Air Operating Status Code: OPR
Default Air Classification Code: SMI
Air Program: State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date: 2006-07-31 00:00:00
Activity Status Date: Not reported
Activity Group: Compliance Monitoring

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **1016083781**

Activity Type:	Inspection/Evaluation
Activity Status:	Not reported
Region Code:	01
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	2011-02-09 00:00:00
Activity Status Date:	Not reported
Activity Group:	Compliance Monitoring
Activity Type:	Inspection/Evaluation
Activity Status:	Not reported
Region Code:	01
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1994-02-22 00:00:00
Activity Status Date:	1994-02-22 00:00:00
Activity Group:	Enforcement Action
Activity Type:	Administrative - Formal
Activity Status:	Final Order Issued
Region Code:	01
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1986-03-27 00:00:00
Activity Status Date:	1986-03-27 00:00:00
Activity Group:	Enforcement Action
Activity Type:	Administrative - Informal
Activity Status:	Achieved
Region Code:	01
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1988-04-29 00:00:00
Activity Status Date:	1988-04-29 00:00:00
Activity Group:	Enforcement Action
Activity Type:	Administrative - Informal
Activity Status:	Achieved
Region Code:	01
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **1016083781**

Activity Date:	1995-05-30 00:00:00
Activity Status Date:	1995-05-30 00:00:00
Activity Group:	Enforcement Action
Activity Type:	Administrative - Informal
Activity Status:	Achieved

Region Code:	01
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1996-04-17 00:00:00
Activity Status Date:	1996-04-17 00:00:00
Activity Group:	Enforcement Action
Activity Type:	Administrative - Informal
Activity Status:	Achieved

Region Code:	01
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1997-08-22 00:00:00
Activity Status Date:	1997-08-22 00:00:00
Activity Group:	Enforcement Action
Activity Type:	Administrative - Informal
Activity Status:	Achieved

Region Code:	01
Programmatic ID:	AIR CT0000000900908040
Facility Registry ID:	110045681295
Air Operating Status Code:	OPR
Default Air Classification Code:	SMI
Air Program:	State Implementation Plan for National Primary and Secondary Ambient Air Quality Standards
Activity Date:	1999-09-17 00:00:00
Activity Status Date:	1999-09-17 00:00:00
Activity Group:	Enforcement Action
Activity Type:	Administrative - Informal
Activity Status:	Achieved

A2 **CT SPILLS** **S109377537**
Target Property **950 CAMPELL AVENUE** **N/A**
WEST HAVEN, CT

Site 2 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2008
Case Number:	200807338
Who Took Spill:	205
Assigned To:	922
Report Date:	11/19/2008
Report Time:	14:07:03
Date Release:	11/19/2008
Time Responded:	Not reported

(Continued) **S109377537**

Reported By:	elizabeth leslie, ext 5122
Phone:	203 9325711 - 203 5008967
Representing:	VA. Hospt.
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	POLY AROMATIC HYDROCARBONS
Qty:	0 (Gallons)
Emergency Measure:	Two 20k ust, and soil samples exceeding criteria.
Water Body:	n/a
Discharger:	VA CT HEALTHCARE SYSTEM
Telephone:	203 9325711
Responsible Party:	YES
RP Address 1:	950 CAMPBELL AVENUE
RP City,St,Zip:	WEST HAVEN, CT 06516
Historic:	False
Waterbody:	False
Time Stamp:	2009-01-20 09:32:36
Sr Inspector:	Cox, Michael
At Inspctor:	Aceto, John
User Stamp:	mgranill
Comments:	Not reported
Action:	Removed Tank
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Inground Tank Failure
Other Cause:	Not reported
Media ID:	Other
Other Media:	subsurface
Class ID:	Governmental
Other Class:	Not reported
Release Type:	chemical
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

A3 Target Property **VA CONNECTICUT HEALTHCARE SYSTEM**
950 CAMPBELL AVE
WEST HAVEN, CT 06516

CT ENF **S117397120**
N/A

Site 3 of 41 in cluster A

Actual: 127 ft.

ENFORCEMENT:

Enforcement Action ID:	AORTWSUST 14-023
Enforcement Type Code:	Red Tag Order
Program Id:	Not reported
Enforcement Action Date:	12/16/2014
Penalty Amount:	$0.00
Sep Amt:	Not reported
Bureau Name:	Materials Management & Compliance Assurance
Program:	Underground Storage Tank Enforcement
Status:	Active
Date of Discovery:	12/16/2014

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **S117397120**

Resolution Date:	Not reported
Resolution Type:	Not reported
Staff:	Wilde Philip
ENF Action Comment:	Not reported
Number Violations:	Not reported
Civil Penalty:	Not reported
SEP Description:	Not reported
Associated EIs:	Not reported
Client Affiliation Type:	Respondent
Affiliation Name:	JOSEPH SIMONETTA
Affiliation Address Line1:	950 CAMPBELL AVE
Affiliation Address Line2:	Not reported
Affiliation City/State/Zip:	WEST HAVEN, CT 06516 2770
Contact Title:	Not reported
Contact Name:	.
Contact EMail:	joseph.simonetta2@va.gov

A4 **CT SPILLS** **S112073256**
Target Property **950 COMPBELL AVE** **N/A**
WEST HAVEN, CT

Site 4 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2012
Case Number:	201202463
Who Took Spill:	208
Assigned To:	0
Report Date:	05/17/2012
Report Time:	14:59:29
Date Release:	05/17/2012
Time Responded:	Not reported
Reported By:	ling xu ext 4197
Phone:	203 9325711
Representing:	va ct health care system
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	GASOLINE
Qty:	1 (Gallons)
Emergency Measure:	sanded
Water Body:	Not reported
Discharger:	Not reported
Telephone:	Not reported
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2012-05-18 13:12:51
Sr Inspector:	Monarca, Vincent
At Inspctor:	**NO RESPONSE
User Stamp:	GuzmanCa
Comments:	Not reported
Action:	Cleaned
Other Action:	Not reported

(Continued) **S112073256**

Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: MV Accident
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Private
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported

A5 **CT SPILLS** **S113456972**
Target Property **950 CAMPBELL AVE** **N/A**
WEST HAVEN, CT

Site 5 of 41 in cluster A

Actual: 127 ft.

SPILLS:
Year of Database: 2013
Case Number: 201301541
Who Took Spill: 205
Assigned To: 0
Report Date: 04/04/2013
Report Time: 12:16:57
Date Release: 04/04/2013
Time Responded: 12:06:00
Reported By: ling xu
Phone: 203 9325711
Representing: VA Hospital
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: HYDRAULIC OIL
Qty: 0.25 (Gallons)
Emergency Measure: speedi dry
Water Body: n/a
Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2013-04-04 15:56:33
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: GuzmanCa
Comments: Not reported
Action: Removed
Other Action: Not reported
Action: Contained
Other Action: Not reported
Action: Sanded
Other Action: Not reported

(Continued) **S113456972**

Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Hose Failure
Other Cause:	Not reported
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Governmental
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

A6 Target Property **V A MEDICAL CENTER** **NY MANIFEST** **1009220136**
950 CAMPBELL AVE **N/A**
WEST HAVEN, CT 06516

Site 6 of 41 in cluster A

Actual: 127 ft.

NY MANIFEST:

EPA ID:	CTP000013981
Country:	USA
Location Address 1:	950 CAMPBELL AVE
Location Address 2:	Not reported
Location City:	WEST HAVEN
Location State:	CT
Location Zip Code:	06516
Location Zip Code 4:	Not reported

Mailing Info:

Name:	V A MEDICAL CENTER
Contact:	ELLIOT STEIN
Address:	950 CAMPBELL AVE
City/State/Zip:	WEST HAVEN, CT 06516
Country:	USA
Phone:	203-937-3717

Manifest:

Document ID:	NYB2187774
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	PD5193
Trans2 State ID:	Not reported
Generator Ship Date:	09/08/1993
Trans1 Recv Date:	09/08/1993
Trans2 Recv Date:	/ /
TSD Site Recv Date:	09/08/1993
Part A Recv Date:	10/21/1993
Part B Recv Date:	10/01/1993
Generator EPA ID:	CTP000013981
Trans1 EPA ID:	NYD077444263
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	03920
Units:	P - Pounds

V A MEDICAL CENTER (Continued) **1009220136**

Number of Containers:	058
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	F001 - UNKNOWN
Quantity:	00750
Units:	P - Pounds
Number of Containers:	004
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	1993

Document ID:	NYB2187810
Manifest Status:	Completed after the designated time period for a TSDF to get a copy to the DEC
Trans1 State ID:	NYPD1011
Trans2 State ID:	Not reported
Generator Ship Date:	09/08/1993
Trans1 Recv Date:	09/08/1993
Trans2 Recv Date:	/ /
TSD Site Recv Date:	09/08/1993
Part A Recv Date:	10/19/1993
Part B Recv Date:	10/01/1993
Generator EPA ID:	CTP000013981
Trans1 EPA ID:	NYD077444263
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	01230
Units:	P - Pounds
Number of Containers:	009
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	D009 - MERCURY 0.2 MG/L TCLP
Quantity:	01400
Units:	P - Pounds
Number of Containers:	007
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	D002 - NON-LISTED CORROSIVE WASTES
Quantity:	00230
Units:	P - Pounds
Number of Containers:	002
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00200
Units:	P - Pounds
Number of Containers:	001
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	1993

V A MEDICAL CENTER (Continued) **1009220136**

Document ID:	NYB2187801
Manifest Status:	Completed copy
Trans1 State ID:	NYPD1011
Trans2 State ID:	Not reported
Generator Ship Date:	09/09/1993
Trans1 Recv Date:	09/09/1993
Trans2 Recv Date:	/ /
TSD Site Recv Date:	09/09/1993
Part A Recv Date:	10/19/1993
Part B Recv Date:	10/01/1993
Generator EPA ID:	CTP000013981
Trans1 EPA ID:	NYD077444263
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	01320
Units:	P - Pounds
Number of Containers:	028
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	D009 - MERCURY 0.2 MG/L TCLP
Quantity:	00090
Units:	P - Pounds
Number of Containers:	003
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Waste Code:	D002 - NON-LISTED CORROSIVE WASTES
Quantity:	00090
Units:	P - Pounds
Number of Containers:	003
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	T Chemical, physical, or biological treatment.
Specific Gravity:	100
Waste Code:	U121 - TRICHLOROMONOFLUOROMETHANE
Quantity:	00045
Units:	G - Gallons (liquids only)* (8.3 pounds)
Number of Containers:	004
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	1993

Document ID:	NYB2187792
Manifest Status:	Completed copy
Trans1 State ID:	NYPD1011
Trans2 State ID:	Not reported
Generator Ship Date:	09/09/1993
Trans1 Recv Date:	09/09/1993
Trans2 Recv Date:	/ /
TSD Site Recv Date:	09/09/1993
Part A Recv Date:	10/19/1993
Part B Recv Date:	10/01/1993
Generator EPA ID:	CTP000013981
Trans1 EPA ID:	NYD077444263

V A MEDICAL CENTER (Continued) **1009220136**

Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	D001 - NON-LISTED IGNITABLE WASTES
Quantity:	00015
Units:	P - Pounds
Number of Containers:	003
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	100
Year:	1993

EPA ID:	CTD000001545
Country:	USA
Location Address 1:	950 CAMPBELL AVE
Location Address 2:	Not reported
Location City:	WEST HAVEN
Location State:	CT
Location Zip Code:	06516
Location Zip Code 4:	Not reported

Mailing Info:

Name:	VA CT HEALTH CARE SYSTEMS
Contact:	KENNETH MILLER
Address:	950 CAMPBELL AVE
City/State/Zip:	WEST HAVEN, CT 06516
Country:	USA
Phone:	203-932-5711

Manifest:

Document ID:	NYG2249262
Manifest Status:	Not reported
Trans1 State ID:	J28171CT
Trans2 State ID:	Not reported
Generator Ship Date:	03/17/2000
Trans1 Recv Date:	03/17/2000
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	03/22/2000
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CTD000001545
Trans1 EPA ID:	CTR000003806
Trans2 EPA ID:	Not reported
TSDF ID:	NY0000343889
Waste Code:	D009 - MERCURY 0.2 MG/L TCLP
Quantity:	00400
Units:	P - Pounds
Number of Containers:	009
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	01.00
Year:	2000

A7 **CT SPILLS** **S117539336**
Target Property **950 CAMPBELL AVE** **N/A**
WEST HAVEN, CT

Site 7 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2014
Case Number:	201405882
Who Took Spill:	205
Assigned To:	0
Report Date:	11/18/2014
Report Time:	10:22:37
Date Release:	11/18/2014
Time Responded:	Not reported
Reported By:	tom hemenway
Phone:	203 9325711
Representing:	VA CT Health
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	HYDRAULIC OIL
Qty:	2 (Gallons)
Emergency Measure:	speedi dry
Water Body:	n/a
Discharger:	saa
Telephone:	Not reported
Responsible Party:	YES
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2014-11-25 16:00:38
Sr Inspector:	Cox, Michael
At Inspctor:	**NO RESPONSE
User Stamp:	Guzmanca
Comments:	Not reported
Action:	Removed
Other Action:	Not reported
Action:	Contained
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Other
Other Cause:	lift fitting failure
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Commercial
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

A8
Target Property

950 CAMPBELL AVE
WEST HAVEN, CT

CT SPILLS **S117340861**
N/A

Site 8 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2014
Case Number:	201403997
Who Took Spill:	202
Assigned To:	0
Report Date:	08/12/2014
Report Time:	08:53:19
Date Release:	08/12/2014
Time Responded:	Not reported
Reported By:	ling xu
Phone:	203 9325711
Representing:	va hospital
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	MOTOR OIL
Qty:	2 (Gallons)
Emergency Measure:	hospital hiring a vendor to pump generator and do clean up. contained and no water ways.
Water Body:	Not reported
Discharger:	Not reported
Telephone:	Not reported
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2014-08-15 09:25:13
Sr Inspector:	Landry, Robin
At Inspctor:	**NO RESPONSE
User Stamp:	Guzmanca
Comments:	Not reported
Action:	Contained
Other Action:	Not reported
Action:	Sanded
Other Action:	Not reported
Action:	Pumped Out
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Other
Other Cause:	abandonded generator
Media ID:	Inside Building
Other Media:	Not reported
Class ID:	Governmental
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported
Waterbody:	Other

(Continued) **S117340861**

Other Wtrbody: none

A9 Target Property | **VETERANS ADMINISTRATION HOSPITAL**
950 CAMPBELL AVE
WEST HAVEN, CT 06516 | **CT SPILLS** / **CT MANIFEST** | **S109721991** / **N/A**

Site 9 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2013
Case Number:	201302525
Who Took Spill:	209
Assigned To:	0
Report Date:	05/24/2013
Report Time:	09:01:13
Date Release:	05/24/2013
Time Responded:	Not reported
Reported By:	darlene
Phone:	203 6406498
Representing:	west haven va
Terminated:	NO
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	GASOLINE
Qty:	1 (Gallons)
Emergency Measure:	Not reported
Water Body:	Not reported
Discharger:	saa
Telephone:	Not reported
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2013-05-24 15:24:44
Sr Inspector:	WELCH, THOMAS
At Inspctor:	**NO RESPONSE
User Stamp:	GuzmanCa
Comments:	Not reported
Action:	Other
Other Action:	fd in route
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Agency ID:	LOCAL FIRE DEPARTMENT
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Fuel Tank Failure
Other Cause:	Not reported
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Transportation
Other Class:	Not reported
Class ID:	Private

VETERANS ADMINISTRATION HOSPITAL (Continued) **S109721991**

Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2013
Case Number: 201303102
Who Took Spill: 205
Assigned To: 928
Report Date: 06/19/2013
Report Time: 07:09:38
Date Release: 06/19/2013
Time Responded: 06:30:00
Reported By: Darlene Powell
Phone: 203 6406498
Representing: West Haven VA
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: ANTIFREEZE
Qty: 30 (Gallons)
Emergency Measure: Speedi dry.
Water Body: n/a
Discharger: VA HOSPITAL
Telephone: 203 6406498
Responsible Party: YES
RP Address 1: 950 CAMPBELL AVENUE
RP City,St,Zip: WEST HAVEN, CT 06516
Historic: False
Waterbody: False
Time Stamp: 2013-10-08 09:08:45
Sr Inspector: Cox, Michael
At Inspctor: POYNTON, DAVE
User Stamp: GranilloM
Comments: Not reported
Action: Contained
Other Action: Not reported
Action: Contracted
Other Action: Not reported
Action: Other
Other Action: triumverate
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Agency ID: LOCAL FIRE DEPARTMENT
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Hose Failure
Other Cause: Not reported
Media ID: Inside Building
Other Media: Not reported
Class ID: Governmental

VETERANS ADMINISTRATION HOSPITAL (Continued) **S109721991**

Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2013
Case Number: 201303118
Who Took Spill: 201
Assigned To: 0
Report Date: 06/19/2013
Report Time: 16:07:39
Date Release: 06/19/2013
Time Responded: Not reported
Reported By: ling xu
Phone: 203 9325711 - 203 8237028
Representing: va hospital
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: HYDRAULIC OIL
Qty: 0.25 (Gallons)
Emergency Measure: Not reported
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2013-06-20 09:31:37
Sr Inspector: Burkey, Rachael
At Inspctor: **NO RESPONSE
User Stamp: GuzmanCa
Comments: Not reported
Action: Contained
Other Action: Not reported
Action: Sanded
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Hose Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Transportation
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported

Year of Database: 2010
Case Number: 201006029

VETERANS ADMINISTRATION HOSPITAL (Continued) **S109721991**

Who Took Spill: 202
Assigned To: 928
Report Date: 10/06/2010
Report Time: 18:01:07
Date Release: 10/06/2010
Time Responded: Not reported
Reported By: michael murdzia
Phone: 203 9881008
Representing: VA of CT health care
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: MERCURY
Qty: 0 (Gallons)
Emergency Measure: 15 mercury containing light bulbs broke inside a storage closet. Area has been isolated and a contracter has been contacted for clean up.
Water Body: Not reported
Discharger: FEDERAL GOVERNMENT / VETERAN HOSPITAL
Telephone: 203 9881088
Responsible Party: YES
RP Address 1: 950 CAMPBELL AVENUE
RP City,St,Zip: WEST HAVEN, CT 06516
Historic: False
Waterbody: False
Time Stamp: 2010-12-14 11:05:59
Sr Inspector: Landry, Robin
At Inspctor: POYNTON, DAVE
User Stamp: mgranill
Comments: Not reported
Action: Contained
Other Action: Not reported
Action: Contracted
Other Action: Not reported
Action: Other
Other Action: Triumvirate-environmental company for cl
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Media ID: Inside Building
Other Media: Not reported
Release Type: hazardous waste
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

CT MANIFEST:

Detail:
Year: 2007
Manifest Id: 003833725JJK
EPA ID: CT5000001545
TSDF EPA ID: OHD048415665
TSDF Name: ROSS INCINERATION SERVICES INC
TSDF Address: Not reported

VETERANS ADMINISTRATION HOSPITAL (Continued) **S109721991**

TSDF City,St,Zip:	GRAFTON, OH
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	12/12/2007
Transporter EPA ID:	MAD985286988
Transporter Name:	TRIUMVIRATE ENVIRONMENTAL INC
Transporter Address:	61 INNER BELT ROAD,
Transporter City,St,Zip:	SOMERVILLE, MA 02143
Transporter Country:	USA
Transporter Phone:	(617)628-8098
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	Not reported
Trans 2 Country:	Not reported
Trans 2 Phone:	Not reported
Generator Phone:	2039325711
Generator Mailing Addr:	950 CAMPBELL AVE
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	12/12/2007
Date Received:	Not reported
Last modified date:	01/08/2009
Last modified by:	DMG
Comments:	Not reported

Detail:

Year:	2006
Manifest Id:	001019487jjk
EPA ID:	ct5000001545
TSDF EPA ID:	IND000646943
TSDF Name:	POLLUTION CONTROL INDUSTRIES INC
TSDF Address:	4343 KENNEDY AVE
TSDF City,St,Zip:	EAST CHICAGO, IN 46312
TSDF Country:	USA
TSDF Telephone:	(219)397-3951
Transport Date:	09/28/2006
Transporter EPA ID:	MAD985286988
Transporter Name:	TRIUMVIRATE ENVIRONMENTAL INC
Transporter Address:	61 INNER BELT RD
Transporter City,St,Zip:	SOMERVILLE, MA 02143
Transporter Country:	USA
Transporter Phone:	(617)628-8098
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	2039325711
Generator Mailing Addr:	950 CAMPBELL AVE
Generator Mailing City/State/Zip:	06516

VETERANS ADMINISTRATION HOSPITAL (Continued) **S109721991**

Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	09/28/2006
Date Received:	Not reported
Last modified date:	03/03/2008
Last modified by:	DMG
Comments:	Not reported

Waste:

Year:	2006
Manifest Id:	001019487jjk
Waste Occurence:	1
UNNA:	1993
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUIDS, N.O.S.
No of Containers:	002
Container Type:	DM
Quantity:	650
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2008-03-03 00:00:00
DEO Who Last Modified Record:	DMG
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2008-03-03 00:00:00
EPA Waste Code:	D009
Recycled Waste?:	False
Date Record Was Last Modified:	2008-03-03 00:00:00
Year:	2006
Manifest Id:	001019487jjk
Waste Occurence:	2
UNNA:	2809
Hazard Class:	8
US Dot Description:	MERCURY
No of Containers:	001
Container Type:	DF
Quantity:	30
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2008-03-03 00:00:00
DEO Who Last Modified Record:	DMG
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2008-03-03 00:00:00
EPA Waste Code:	D009
Recycled Waste?:	False
Date Record Was Last Modified:	2008-03-03 00:00:00

Detail:

VETERANS ADMINISTRATION HOSPITAL (Continued) **S109721991**

Year:	2006
Manifest Id:	CTF1206761
EPA ID:	CT5000001545
TSDF EPA ID:	NCD000648451
TSDF Name:	CLEAN HARBORS REIDSVILLE LLC
TSDF Address:	208 WATLINGTON INDUSTRIAL DR
TSDF City,St,Zip:	REIDSVILLE, NC 27320-
TSDF Country:	USA
TSDF Telephone:	(336)342-6160
Transport Date:	01/17/2006
Transporter EPA ID:	MAD039322250
Transporter Name:	CLEAN HARBORS ENVIRONMENTAL SERVICES INC
Transporter Address:	PO BOX 9149
Transporter City,St,Zip:	NORWELL, MA 02061-9149
Transporter Country:	USA
Transporter Phone:	(781)792-5000
Trans 2 Date:	Not reported
Trans 2 EPA ID:	NJD986607380
Trans 2 Name:	MAUMEE EXPRESS, INC.
Trans 2 Address:	P.O. BOX 278
Trans 2 City,St,Zip:	SOMERVILLE, NJ 08854
Trans 2 Country:	USA
Trans 2 Phone:	(267)590-0043
Generator Phone:	2039325711
Generator Mailing Addr:	950 CAMPBELL AVE
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	01/17/2006
Date Received:	01/19/2006
Last modified date:	07/23/2007
Last modified by:	DMG
Comments:	Not reported

Waste:

Year:	2006
Manifest Id:	CTF1206761
Waste Occurence:	1
UNNA:	1992
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUIDS, TOXIC, N.O.S.
No of Containers:	001
Container Type:	DF
Quantity:	7
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2007-07-16 00:00:00
DEO Who Last Modified Record:	DMG
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00

EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00

VETERANS ADMINISTRATION HOSPITAL (Continued) **S109721991**

EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00
Year:	2006
Manifest Id:	CTF1206761
Waste Occurence:	2
UNNA:	1992
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUIDS, TOXIC, N.O.S.
No of Containers:	002
Container Type:	DM
Quantity:	700
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2007-07-16 00:00:00
DEO Who Last Modified Record:	DMG
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00
Year:	2006
Manifest Id:	CTF1206761
Waste Occurence:	3
UNNA:	2924
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUIDS, CORROSIVE, N.O.S.
No of Containers:	001
Container Type:	DF
Quantity:	12
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2007-07-16 00:00:00
DEO Who Last Modified Record:	DMG
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00
EPA Waste Code:	D001

VETERANS ADMINISTRATION HOSPITAL (Continued) **S109721991**

Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00
Year:	2006
Manifest Id:	CTF1206761
Waste Occurence:	4
UNNA:	3286
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUIDS, TOXIC, CORROSIVE, N.O.S.
No of Containers:	001
Container Type:	DM
Quantity:	135
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2007-07-16 00:00:00
DEO Who Last Modified Record:	DMG
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2007-07-16 00:00:00

Detail:

Year:	2005
Manifest Id:	ctf1181985
EPA ID:	ct5000001545
TSDF EPA ID:	NCD000648451
TSDF Name:	CLEAN HARBORS REIDSVILLE LLC
TSDF Address:	208 WATLINGTON INDUSTRIAL DRIVE
TSDF City,St,Zip:	REIDSVILLE, NC 27320-
TSDF Country:	USA
TSDF Telephone:	(336)342-6160
Transport Date:	01/05/2005
Transporter EPA ID:	MAD039322250
Transporter Name:	CLEAN HARBORS ENVIRONMENTAL SERVICES, INC.
Transporter Address:	1501 WASHINGTON STREET
Transporter City,St,Zip:	BRAINTREE, MA 02184-

VETERANS ADMINISTRATION HOSPITAL (Continued) **S109721991**

Transporter Country:	USA
Transporter Phone:	(781)849-1800
Trans 2 Date:	01/05/2005
Trans 2 EPA ID:	NJD986607380
Trans 2 Name:	MAUMEE EXPRESS, INC.
Trans 2 Address:	P.O.BOX 278
Trans 2 City,St,Zip:	SOMERVILLE, NJ 08854
Trans 2 Country:	USA
Trans 2 Phone:	(732)424-8441
Generator Phone:	2039325711
Generator Mailing Addr:	950 CAMPBELL AVE
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	01/05/2005
Date Received:	01/10/2005
Last modified date:	02/27/2006
Last modified by:	CYF
Comments:	Not reported

Waste:

Year:	2005
Manifest Id:	ctf1181985
Waste Occurence:	1
UNNA:	1993
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUIDS, N.O.S.
No of Containers:	1
Container Type:	DF
Quantity:	49
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2006-02-27 00:00:00
DEO Who Last Modified Record:	CYF
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00
Year:	2005
Manifest Id:	ctf1181985
Waste Occurence:	2
UNNA:	1992
Hazard Class:	3

VETERANS ADMINISTRATION HOSPITAL (Continued) **S109721991**

US Dot Description:	FLAMMABLE LIQUIDS, TOXIC, N.O.S.
No of Containers:	1
Container Type:	DM
Quantity:	300
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2006-02-27 00:00:00
DEO Who Last Modified Record:	CYF
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00
Year:	2005
Manifest Id:	ctf1181985
Waste Occurence:	3
UNNA:	1992
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUIDS, TOXIC, N.O.S.
No of Containers:	1
Container Type:	DM
Quantity:	300
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2006-02-27 00:00:00
DEO Who Last Modified Record:	CYF
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00
Year:	2005
Manifest Id:	ctf1181985

VETERANS ADMINISTRATION HOSPITAL (Continued) **S109721991**

Waste Occurence:	4
UNNA:	2213
Hazard Class:	4.1
US Dot Description:	PARAFORMALDEHYDE
No of Containers:	1
Container Type:	DF
Quantity:	4
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2006-02-27 00:00:00
DEO Who Last Modified Record:	CYF
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2006-02-27 00:00:00

Detail:

Year:	2005
Manifest Id:	il10410142
EPA ID:	CT5000001545
TSDF EPA ID:	ILD000608471
TSDF Name:	CLEAN HARBORS SVCS INC
TSDF Address:	11800 S STONY ISLAND AVE
TSDF City,St,Zip:	CHICAGO, IL 60617-
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	02/16/2005
Transporter EPA ID:	MAD039322250
Transporter Name:	CLEAN HARBORS ENVIRONMENTAL SERVICES, INC.
Transporter Address:	PO BOX 9149
Transporter City,St,Zip:	NORWELL, MA 02061-9149
Transporter Country:	USA
Transporter Phone:	(781)792-5764
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	2039325711
Generator Mailing Addr:	950 CAMPBELL AVE
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA

VETERANS ADMINISTRATION HOSPITAL (Continued) **S109721991**

Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	02/16/2005
Date Received:	02/24/2005
Last modified date:	02/07/2007
Last modified by:	JEB
Comments:	Not reported

Waste:

Year:	2005
Manifest Id:	il10410142
Waste Occurence:	1
UNNA:	2811
Hazard Class:	6.1
US Dot Description:	TOXIC SOLIDS, ORGANIC, N.O.S.
No of Containers:	1
Container Type:	DF
Quantity:	1
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2007-01-02 00:00:00
DEO Who Last Modified Record:	JEB
EPA Waste Code:	F027
Recycled Waste?:	False
Date Record Was Last Modified:	2007-01-02 00:00:00

Detail:

Year:	1999
Manifest Id:	CTF0638742
EPA ID:	CTP000022214
TSDF EPA ID:	RID040098352
TSDF Name:	NORTHLAND ENVIRONMENTAL (STABLEX)
TSDF Address:	252 - 275 ALLENS AVE
TSDF City,St,Zip:	PROVIDENCE, RI 02905
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	01/20/1999
Transporter EPA ID:	CTR000003939
Transporter Name:	ENVIRONMENTAL MAINT SVCS
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	Not reported
Generator Mailing Addr:	950 CAMPBELL AVE
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA

VETERANS ADMINISTRATION HOSPITAL (Continued) **S109721991**

Special Handling:	Not reported
Discrepancies:	No
Date Shipped:	01/20/1999
Date Received:	01/21/1999
Last modified date:	04/26/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Year:	1999
Manifest Id:	CTF0638742
Waste Occurence:	1
UNNA:	3077
Hazard Class:	9
US Dot Description:	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID
No of Containers:	003
Container Type:	DM
Quantity:	1200
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-26 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D008
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00

Detail:

Year:	1997
Manifest Id:	CTF0593179
EPA ID:	CT5000001545
TSDF EPA ID:	CTD021816889
TSDF Name:	UNITED OIL RECOVERY DBA ADV LIQ REC
TSDF Address:	136 GRACEY AVE
TSDF City,St,Zip:	MERIDEN, CT 06451
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	10/07/1997
Transporter EPA ID:	CTR000003806
Transporter Name:	EARTH TECHNOLOGY INC
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	8039333817
Generator Mailing Addr:	950 CAMPBELL AVE BLDG 15
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA

VETERANS ADMINISTRATION HOSPITAL (Continued) **S109721991**

Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	10/07/1997
Date Received:	Not reported
Last modified date:	04/26/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Year:	1997
Manifest Id:	CTF0593179
Waste Occurence:	1
UNNA:	1170
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUID N.O.S.
No of Containers:	011
Container Type:	DM
Quantity:	55
Weight/Volume:	G
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-26 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00

Detail:

Year:	1995
Manifest Id:	LAA3310909
EPA ID:	CT5000001545
TSDF EPA ID:	LAD981057706
TSDF Name:	MARINE SHALE PROCESSORS INC
TSDF Address:	HIGHWAY 90 EAST
TSDF City,St,Zip:	MORGAN CITY, LA 70380
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	08/30/1995
Transporter EPA ID:	NYD980761191
Transporter Name:	ENVIRONMENTAL PRODUCTS AND SERVICES INC
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	09/01/1995
Trans 2 EPA ID:	INY98076119
Trans 2 Name:	ID NOT IN TRANSPORTER FILE
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	8039333817
Generator Mailing Addr:	950 CAMPBELL AVE BLDG 15
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA

VETERANS ADMINISTRATION HOSPITAL (Continued) **S109721991**

Special Handling:	Not reported
Discrepancies:	Yes
Date Shipped:	08/30/1995
Date Received:	09/27/1995
Last modified date:	04/26/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Year:	1995
Manifest Id:	LAA3310909
Waste Occurence:	1
UNNA:	1671
Hazard Class:	6.1
US Dot Description:	WASTE PHENOL SOLID
No of Containers:	001
Container Type:	DF
Quantity:	5
Weight/Volume:	G
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-26 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	U188
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00
EPA Waste Code:	D002
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00
Year:	1995
Manifest Id:	LAA3310909
Waste Occurence:	2
UNNA:	1760
Hazard Class:	8
US Dot Description:	WASTE CORROSIVE LIQUID
No of Containers:	001
Container Type:	DF
Quantity:	5
Weight/Volume:	G
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-26 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	U188
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00
EPA Waste Code:	D002
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00

A10
Target Property

950 CAMPBELL AVE.
WEST HAVEN, CT

CT SPILLS **S109721992**
N/A

Site 10 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	1997
Case Number:	9704417
Who Took Spill:	935
Assigned To:	0
Report Date:	08/12/1997
Report Time:	08:40:00
Date Release:	08/12/1997
Time Responded:	08:00:00
Reported By:	nick libretti
Phone:	203 4679284
Representing:	f&n transport
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	Closed
Continuous Spill:	False
Released Substance:	#2 FUEL OIL
Qty:	2 (Gallons)
Emergency Measure:	va hospital, filling aboveground tank, faulty truck check valve in containment area
Water Body:	none
Discharger:	F&N
Telephone:	Not reported
Responsible Party:	YES
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	1997-08-12 08:44:40
Sr Inspector:	Torres, Neil
At Inspctor:	**NO RESPONSE
User Stamp:	Not reported
Comments:	Not reported
Action:	Removed
Other Action:	Not reported
Action:	Contained
Other Action:	Not reported
Agency ID:	DEP
Other Agency:	Not reported
DEP Bureau:	BUREAU OF WASTE MANAGEMENT
DEP Agency:	OIL AND CHEMICAL SPILL RESPONSE
Cause ID:	Hose Failure
Other Cause:	Not reported
Media ID:	Ground Surface
Other Media:	Not reported
Release Type:	petroleum
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	n

Year of Database:	2006
Case Number:	200602873

(Continued) **S109721992**

Who Took Spill: 915
Assigned To: 0
Report Date: 05/17/2006
Report Time: 11:56:58
Date Release: 05/17/2006
Time Responded: 10:00:00
Reported By: leo kokoszka
Phone: 203 9325711
Representing: veteran affairs health care system
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: HYDRAULIC OIL
Qty: 3 (Gallons)
Emergency Measure: contained, contractog retained; Clean Harbors, Inc.
Water Body: na
Discharger: waste management
Telephone: 203 0000000
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: NEW HAVEN, CT 06510
Historic: False
Waterbody: False
Time Stamp: 2006-05-24 09:50:02
Sr Inspector: Capuano, Mike
At Inspctor: **NO RESPONSE
User Stamp: mgranill
Comments: Not reported
Action: Removed
Other Action: Not reported
Action: Contained
Other Action: Not reported
Action: Contracted
Other Action: Not reported
Cause ID: Hose Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Commercial
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Catch Basin
Other Wtrbody: Not reported

A11 **CT SPILLS** **S117540013**
Target Property **950 CAMPBELL AVE** **N/A**
WEST HAVEN, CT

Site 11 of 41 in cluster A

Actual: 127 ft.

SPILLS:
Year of Database: 2014
Case Number: 201406559
Who Took Spill: 205
Assigned To: 927

(Continued) **S117540013**

Report Date:	12/22/2014
Report Time:	10:26:58
Date Release:	12/22/2014
Time Responded:	Not reported
Reported By:	dispatch
Phone:	203 9331616
Representing:	whfd
Terminated:	NO
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	gasoline
Qty:	0 (Gallons)
Emergency Measure:	ongoing leaking mv to catch basin from mva at VA Hospital
Water Body:	Not reported
Discharger:	unk
Telephone:	Not reported
Responsible Party:	YES
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2015-03-06 10:05:41
Sr Inspector:	Cox, Michael
At Inspctor:	THIGPEN, DONNELL
User Stamp:	Granillom
Comments:	Not reported
Action:	Investigated
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Agency ID:	LOCAL FIRE DEPARTMENT
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	MV Accident
Other Cause:	Not reported
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Transportation
Other Class:	Not reported
Class ID:	Private
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported
Waterbody:	Catch Basin
Other Wtrbody:	Not reported

A12 Target Property | **VA HOSPITAL**
950 CAMPBELL AVENUE
WEST HAVEN, CT | **CT RGA LUST** | **S116039122**
N/A

Site 12 of 41 in cluster A

Actual: 127 ft.

RGA LUST:

2012	VA HOSPITAL	950 CAMPBELL AVENUE
2011	VA HOSPITAL	950 CAMPBELL AVENUE
2010	VA HOSPITAL	950 CAMPBELL AVENUE
2009	VA HOSPITAL	950 CAMPBELL AVENUE

A13 Target Property | **950 CAMPBELL AVE**
WEST HAVEN, CT | **CT SPILLS** | **S117340795**
N/A

Site 13 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2014
Case Number:	201403931
Who Took Spill:	204
Assigned To:	0
Report Date:	08/08/2014
Report Time:	12:31:23
Date Release:	08/08/2014
Time Responded:	Not reported
Reported By:	tom hemmingway
Phone:	203 9325711
Representing:	va ct healthcare
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	PAINT & ROOFING TAR
Qty:	0 (Gallons)
Emergency Measure:	Not reported
Water Body:	Not reported
Discharger:	Not reported
Telephone:	Not reported
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2014-08-13 17:24:08
Sr Inspector:	therrien, adam
At Inspctor:	**NO RESPONSE
User Stamp:	Guzmanca
Comments:	Not reported
Action:	Cleaned
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Dumping
Other Cause:	Not reported
Media ID:	Ground Surface

(Continued) **S117340795**

Other Media: Not reported
Class ID: Commercial
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported

A14 Target Property | **VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS** | **SEMS** | **1016170575**
950 CAMPBELL AVENUE | **RCRA-LQG** | **CT5000001545**
WEST HAVEN, CT 06516 | **NY MANIFEST**

Site 14 of 41 in cluster A

Actual: 127 ft.

SEMS:
Site ID: 106160
EPA ID: CT5000001545
Federal Facility: Y
NPL: Not on the NPL
Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

Following information was gathered from the prior CERCLIS update completed in 10/2013:
Site ID: 0106160
EPA ID: CT5000001545
Facility County: NEW HAVEN
Short Name: VA CT HEALTH CARE SYSTEM
Congressional District: Not reported
IFMS ID: Not reported
SMSA Number: Not reported
USGC Hydro Unit: Not reported
Federal Facility: Federal Facility
DMNSN Number: 0.00000
Site Orphan Flag: Not reported
RCRA ID: CT5000001545
USGS Quadrangle: Not reported
Site Init By Prog: S
NFRAP Flag: Not reported
Parent ID: Not reported
RST Code: Not reported
EPA Region: 01
Classification: Not reported
Site Settings Code: Not reported
NPL Status: Not on the NPL
DMNSN Unit Code: Not reported
RBRAC Code: Not reported
RResp Fed Agency Code: VAAA
Non NPL Status: Fed Fac Preliminary Assessment Review Start Needed
Non NPL Status Date: 07/22/13
Site Fips Code: 09009
CC Concurrence Date: / /
CC Concurrence FY: Not reported
Alias EPA ID: Not reported
Site FUDS Flag: Not reported

CERCLIS Site Alias Name(s):
Alias ID: 13000248
Alias Name: VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS
Alias Address: 900 CAMPBELL AVENUE
WEST HAVEN, CT 06516

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Alias Comments: Not reported
Site Description: Not reported

CERCLIS Assessment History:

Action Code: 001
Action: DISCOVERY
Date Started: / /
Date Completed: 03/18/13
Priority Level: Not reported
Operable Unit: SITEWIDE
Primary Responsibility: EPA In-House
Planning Status: Not reported
Urgency Indicator: Not reported
Action Anomaly: Not reported

RCRA-LQG:
Date form received by agency: 02/25/2014
Facility name: VA CT HEALTHCARE SYSTEM
Facility address: 950 CAMPBELL AVE
WEST HAVEN, CT 06516
EPA ID: CT5000001545
Mailing address: CAMPBELL AVE
SAFETY OFFICE MS 138S
WEST HAVEN, CT 06516
Contact: LING XU
Contact address: CAMPBELL AVE SAFETY OFFICE MS 138S
WEST HAVEN, CT 06516
Contact country: US
Contact telephone: (203) 932-5711
Telephone ext.: 4197
Contact email: LING.XU@VA.GOV
EPA Region: 01
Land type: Federal
Classification: Large Quantity Generator
Description: Handler: generates 1,000 kg or more of hazardous waste during any calendar month; or generates more than 1 kg of acutely hazardous waste during any calendar month; or generates more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generates 1 kg or less of acutely hazardous waste during any calendar month, and accumulates more than 1 kg of acutely hazardous waste at any time; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates more than 100 kg of that material at any time

Owner/Operator Summary:
Owner/operator name: U S DEPT OF VETERANS AFFAIRS
Owner/operator address: CAMPBELL AVE
WEST HAVEN, CT 06516
Owner/operator country: US
Owner/operator telephone: (203) 932-5711
Legal status: Federal
Owner/Operator Type: Owner

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Owner/Op start date: 01/01/1920
Owner/Op end date: Not reported

Owner/operator name: U S DEPT OF VETERANS AFFAIRS
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Federal
Owner/Operator Type: Operator
Owner/Op start date: 09/13/1953
Owner/Op end date: Not reported

Owner/operator name: US DEPT OF VETERANS AFFAIRS
Owner/operator address: VERMONT AVE NW
WASHINGTON, DC 20420
Owner/operator country: US
Owner/operator telephone: Not reported
Legal status: Federal
Owner/Operator Type: Owner
Owner/Op start date: 01/01/1920
Owner/Op end date: Not reported

Owner/operator name: VETERANS ADMINISTRATION CT HEALTHCARE SY
Owner/operator address: Not reported
Not reported
Owner/operator country: Not reported
Owner/operator telephone: Not reported
Legal status: Federal
Owner/Operator Type: Operator
Owner/Op start date: 01/01/1920
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): Yes
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D004

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

. Waste name: ARSENIC

. Waste code: D005
. Waste name: BARIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D009
. Waste name: MERCURY

. Waste code: D010
. Waste name: SELENIUM

. Waste code: D011
. Waste name: SILVER

. Waste code: D013
. Waste name: LINDANE (1,2,3,4,5,6-HEXA-CHLOROCYCLOHEXANE, GAMMA ISOMER)

. Waste code: D018
. Waste name: BENZENE

. Waste code: D022
. Waste name: CHLOROFORM

. Waste code: D024
. Waste name: M-CRESOL

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: P001
. Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

. Waste code: P012
. Waste name: ARSENIC OXIDE AS2O3 (OR) ARSENIC TRIOXIDE

. Waste code: P024
. Waste name: BENZENAMINE, 4-CHLORO- (OR) P-CHLORANILINE

. Waste code: P042
. Waste name: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)- (OR) EPINEPHRINE

. Waste code: P075
. Waste name: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

. Waste code: P081
. Waste name: 1,2,3-PROPANETRIOL, TRINITRATE (R) (OR) NITROGLYCERINE (R)

. Waste code: P188
. Waste name: BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO[2,3-B]INDOL- -YL METHYLCARBAMATE ESTER (1:1) (OR) PHYSOSTIGMINE SALICYLATE

. Waste code: P204
. Waste name: PHYSOSTIGMINE (OR) PYRROLO[2,3-B]INDOL-5-OL, 1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYL-METHYLCARBAMATE (ESTER), (3AS-CIS)-

. Waste code: U010
. Waste name: AZIRINO [2',3':3,4]PYRROLO[1,2-A]INDOLE-4,7-DIONE, 6-AMINO-8-[[(AMINOCARBONYL)OXY]METHYL]-1,1A,2,8,8A,8B-HEXAHYDRO-8A-MET OXY-5-METHYL-, [1AS-(1AALPHA, 8BETA, 8AALPHA, 8BALPHA)]- (OR) MITOMYCIN C

. Waste code: U035
. Waste name: BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL

. Waste code: U044
. Waste name: CHLOROFORM (OR) METHANE, TRICHLORO-

. Waste code: U058
. Waste name: 2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

. Waste code: U059
. Waste name: 5,12-NAPHTHACENEDIONE, 8-ACETYL-10-[(3-AMINO-2,3,6-TRIDEOXY)-ALPHA-L-LYXO-HEXOPYRANOSYL)OXY]-,8,9,10-TETRAHYDRO-6,8,11-TRIHYDROXY-1-METHOXY-, (8S-CIS)- (OR) DAUNOMYCIN

. Waste code: U089
. Waste name: DIETHYLSTILBESTEROL (OR) PHENOL, 4,4'-(1,2-DIETHYL-1,2-ETHENEDIYL)BIS, (E)-

. Waste code: U121
. Waste name: METHANE, TRICHLOROFLUORO- (OR) TRICHLOROMONOFLUOROMETHANE

. Waste code: U129
. Waste name: CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE

. Waste code: U150
. Waste name: L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN

. Waste code: U182
. Waste name: 1,3,5-TRIOXANE, 2,4,6-TRIMETHYL- (OR) PARALDEHYDE

. Waste code: U187
. Waste name: ACETAMIDE, N-(4-ETHOXYPHENYL)- (OR) PHENACETIN

. Waste code: U188
. Waste name: PHENOL

. Waste code: U200
. Waste name: RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-

. Waste code: U201
. Waste name: 1,3-BENZENEDIOL (OR) RESORCINOL

. Waste code: U205
. Waste name: SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)

. Waste code: U206
. Waste name: D-GLUCOSE, 2-DEOXY-2-[[(METHYLNITROSOAMINO)-CARBONYL]AMINO]- (OR) GLUCOPYRANOSE, 2-DEOXY-2-(3-METHYL-3-NITROSOUREIDO)-,D- (OR) STREPTOZOTOCIN

. Waste code: U237
. Waste name: 2,4-(1H,3H)-PYRIMIDINEDIONE, 5-[BIS(2-CHLOROETHYL)AMINO]- (OR) URACIL MUSTARD

Historical Generators:
Date form received by agency: 02/23/2012
Site name: VA CT HEALTHCARE SYSTEM
Classification: Large Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D003
. Waste name: REACTIVE WASTE

. Waste code: D004
. Waste name: ARSENIC

. Waste code: D005
. Waste name: BARIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D009
. Waste name: MERCURY

. Waste code: D010
. Waste name: SELENIUM

. Waste code: D011
. Waste name: SILVER

. Waste code: D013
. Waste name: LINDANE (1,2,3,4,5,6-HEXA-CHLOROCYCLOHEXANE, GAMMA ISOMER)

. Waste code: D018
. Waste name: BENZENE

. Waste code: D022
. Waste name: CHLOROFORM

. Waste code: D024
. Waste name: M-CRESOL

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: D039
. Waste name: TETRACHLOROETHYLENE

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: P001
. Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

. Waste code: P012
. Waste name: ARSENIC OXIDE AS2O3 (OR) ARSENIC TRIOXIDE

. Waste code: P042
. Waste name: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)- (OR) EPINEPHRINE

. Waste code: P075
. Waste name: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

. Waste code: P081
. Waste name: 1,2,3-PROPANETRIOL, TRINITRATE (R) (OR) NITROGLYCERINE (R)

. Waste code: P105
. Waste name: SODIUM AZIDE

. Waste code: P188
. Waste name: BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO[2,3-B]INDOL--YL METHYLCARBAMATE ESTER (1:1) (OR) PHYSOSTIGMINE SALICYLATE

. Waste code: P204
. Waste name: PHYSOSTIGMINE (OR) PYRROLO[2,3-B]INDOL-5-OL, 1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYL-METHYLCARBAMATE (ESTER), (3AS-CIS)-

. Waste code: U007
. Waste name: 2-PROPENAMIDE (OR) ACRYLAMIDE

. Waste code: U010
. Waste name: AZIRINO [2',3':3,4]PYRROLO[1,2-A]INDOLE-4,7-DIONE,

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

6-AMINO-8-[[(AMINOCARBONYL)OXY]METHYL]-1,1A,2,8,8A,8B-HEXAHYDRO-8A-METOXY-5-METHYL-, [1AS-(1AALPHA, 8BETA, 8AALPHA, 8BALPHA)]- (OR) MITOMYCIN C

. Waste code: U031
. Waste name: 1-BUTANOL (I) (OR) N-BUTYL ALCOHOL (I)

. Waste code: U035
. Waste name: BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL

. Waste code: U044
. Waste name: CHLOROFORM (OR) METHANE, TRICHLORO-

. Waste code: U056
. Waste name: BENZENE, HEXAHYDRO- (I) (OR) CYCLOHEXANE (I)

. Waste code: U058
. Waste name: 2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE

. Waste code: U059
. Waste name: 5,12-NAPHTHACENEDIONE, 8-ACETYL-10-[(3-AMINO-2,3,6-TRIDEOXY)-ALPHA-L-LYXO-HEXOPYRANOSYL)OXY]-,8,9,10-TETRAHYDRO-6,8,11-TRIHYDROXY-1-METHOXY-, (8S-CIS)- (OR) DAUNOMYCIN

. Waste code: U061
. Waste name: BENZENE, 1,1'-(2,2,2-TRICHLOROETHYLIDENE)BIS[4-CHLORO- (OR) DDT

. Waste code: U080
. Waste name: METHANE, DICHLORO- (OR) METHYLENE CHLORIDE

. Waste code: U089
. Waste name: DIETHYLSTILBESTEROL (OR) PHENOL, 4,4'-(1,2-DIETHYL-1,2-ETHENEDIYL)BIS, (E)-

. Waste code: U117
. Waste name: ETHANE, 1,1'-OXYBIS-(I) (OR) ETHYL ETHER (I)

. Waste code: U121
. Waste name: METHANE, TRICHLOROFLUORO- (OR) TRICHLOROMONOFLUOROMETHANE

. Waste code: U122
. Waste name: FORMALDEHYDE

. Waste code: U123
. Waste name: FORMIC ACID (C,T)

. Waste code: U129
. Waste name: CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE

. Waste code: U150
. Waste name: L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN

. Waste code: U161
. Waste name: 4-METHYL-2-PENTANONE (I) (OR) METHYL ISOBUTYL KETONE (I) (OR)

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

PENTANOL, 4-METHYL-

. Waste code: U162
. Waste name: 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER (I,T) (OR) METHYL METHACRYLATE (I,T)

. Waste code: U182
. Waste name: 1,3,5-TRIOXANE, 2,4,6-TRIMETHYL- (OR) PARALDEHYDE

. Waste code: U187
. Waste name: ACETAMIDE, N-(4-ETHOXYPHENYL)- (OR) PHENACETIN

. Waste code: U188
. Waste name: PHENOL

. Waste code: U200
. Waste name: RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-

. Waste code: U201
. Waste name: 1,3-BENZENEDIOL (OR) RESORCINOL

. Waste code: U205
. Waste name: SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)

. Waste code: U206
. Waste name: D-GLUCOSE, 2-DEOXY-2-[[(METHYLNITROSOAMINO)-CARBONYL]AMINO]- (OR) GLUCOPYRANOSE, 2-DEOXY-2-(3-METHYL-3-NITROSOUREIDO)-,D- (OR) STREPTOZOTOCIN

. Waste code: U226
. Waste name: ETHANE, 1,1,1-TRICHLORO- (OR) METHYL CHLOROFORM

. Waste code: U227
. Waste name: 1,1,2-TRICHLOROETHANE (OR) ETHANE, 1,1,2-TRICHLORO-

. Waste code: U228
. Waste name: ETHENE, TRICHLORO- (OR) TRICHLOROETHYLENE

. Waste code: U237
. Waste name: 2,4-(1H,3H)-PYRIMIDINEDIONE, 5-[BIS(2-CHLOROETHYL)AMINO]- (OR) URACIL MUSTARD

. Waste code: U404
. Waste name: ETHANAMINE, N,N-DIETHYL- (OR) TRIETHYLAMINE

Date form received by agency: 05/28/2010
Site name: V A CT HEALTHCARE SYSTEM WEST HAVEN
Classification: Large Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

. Waste code: D003
. Waste name: REACTIVE WASTE

. Waste code: D004
. Waste name: ARSENIC

. Waste code: D005
. Waste name: BARIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D009
. Waste name: MERCURY

. Waste code: D010
. Waste name: SELENIUM

. Waste code: D011
. Waste name: SILVER

. Waste code: D018
. Waste name: BENZENE

. Waste code: D019
. Waste name: CARBON TETRACHLORIDE

. Waste code: D022
. Waste name: CHLOROFORM

. Waste code: D024
. Waste name: M-CRESOL

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: D040
. Waste name: TRICHLORETHYLENE

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: P001
. Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

. Waste code: P012
. Waste name: ARSENIC OXIDE AS2O3 (OR) ARSENIC TRIOXIDE

. Waste code: P042
. Waste name: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)- (OR) EPINEPHRINE

. Waste code: P075
. Waste name: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

. Waste code: P081
. Waste name: 1,2,3-PROPANETRIOL, TRINITRATE (R) (OR) NITROGLYCERINE (R)

. Waste code: P105
. Waste name: SODIUM AZIDE

. Waste code: P188
. Waste name: BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO[2,3-B]INDOL--YL METHYLCARBAMATE ESTER (1:1) (OR) PHYSOSTIGMINE SALICYLATE

. Waste code: P204
. Waste name: PHYSOSTIGMINE (OR) PYRROLO[2,3-B]INDOL-5-OL, 1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYL-METHYLCARBAMATE (ESTER), (3AS-CIS)-

. Waste code: U007
. Waste name: 2-PROPENAMIDE (OR) ACRYLAMIDE

. Waste code: U010
. Waste name: AZIRINO [2’,3’:3,4]PYRROLO[1,2-A]INDOLE-4,7-DIONE, 6-AMINO-8-[[(AMINOCARBONYL)OXY]METHYL]-1,1A,2,8,8A,8B-HEXAHYDRO-8A-MET OXY-5-METHYL-, [1AS-(1AALPHA, 8BETA, 8AALPHA, 8BALPHA)]- (OR) MITOMYCIN C

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

. Waste code: U035
. Waste name: BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL

. Waste code: U044
. Waste name: CHLOROFORM (OR) METHANE, TRICHLORO-

. Waste code: U058
. Waste name: 2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE

. Waste code: U059
. Waste name: 5,12-NAPHTHACENEDIONE, 8-ACETYL-10-[(3-AMINO-2,3,6-TRIDEOXY)-ALPHA-L-LYXO-HEXOPYRANOSYL)OXY]-,8,9,10-TETRAHYDRO-6,8,11-TRIHYDROXY-1-METHOXY-, (8S-CIS)- (OR) DAUNOMYCIN

. Waste code: U089
. Waste name: DIETHYLSTILBESTEROL (OR) PHENOL, 4,4'-(1,2-DIETHYL-1,2-ETHENEDIYL)BIS, (E)-

. Waste code: U117
. Waste name: ETHANE, 1,1'-OXYBIS-(I) (OR) ETHYL ETHER (I)

. Waste code: U121
. Waste name: METHANE, TRICHLOROFLUORO- (OR) TRICHLOROMONOFLUOROMETHANE

. Waste code: U122
. Waste name: FORMALDEHYDE

. Waste code: U123
. Waste name: FORMIC ACID (C,T)

. Waste code: U129
. Waste name: CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA, 2ALPHA, 3BETA, 4ALPHA, 5ALPHA, 6BETA)- (OR) LINDANE

. Waste code: U150
. Waste name: L-PHENYLALANINE, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) MELPHALAN

. Waste code: U182
. Waste name: 1,3,5-TRIOXANE, 2,4,6-TRIMETHYL- (OR) PARALDEHYDE

. Waste code: U188
. Waste name: PHENOL

. Waste code: U200
. Waste name: RESERPINE (OR) YOHIMBAN-16-CARBOXYLIC ACID, 11,17-DIMETHOXY-18-[(3,4,5-TRIMETHOXYBENZOYL)OXY]-, METHYL ESTER, (3BETA, 16BETA, 17ALPHA, 18BETA, 20ALPHA)-

. Waste code: U201
. Waste name: 1,3-BENZENEDIOL (OR) RESORCINOL

. Waste code: U205
. Waste name: SELENIUM SULFIDE (OR) SELENIUM SULFIDE SES2 (R,T)

. Waste code: U206

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

. Waste name: D-GLUCOSE, 2-DEOXY-2-[[(METHYLNITROSOAMINO)-CARBONYL]AMINO]- (OR) GLUCOPYRANOSE, 2-DEOXY-2-(3-METHYL-3-NITROSOUREIDO)-,D- (OR) STREPTOZOTOCIN

. Waste code: U211
. Waste name: CARBON TETRACHLORIDE (OR) METHANE, TETRACHLORO-

. Waste code: U213
. Waste name: FURAN, TETRAHYDRO-(I) (OR) TETRAHYDROFURAN (I)

. Waste code: U226
. Waste name: ETHANE, 1,1,1-TRICHLORO- (OR) METHYL CHLOROFORM

. Waste code: U228
. Waste name: ETHENE, TRICHLORO- (OR) TRICHLOROETHYLENE

. Waste code: U246
. Waste name: CYANOGEN BROMIDE (CN)BR

Date form received by agency: 03/01/2010
Site name: VACHS VETERANS ADMIN CT HEALTHCARE SYSTEM
Classification: Large Quantity Generator

. Waste code: CR01
. Waste name: WASTE PCBs

. Waste code: CR04
. Waste name: WASTE CHEMICAL LIQUIDS

. Waste code: CR05
. Waste name: WASTE CHEMICAL SOLID

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D003
. Waste name: REACTIVE WASTE

. Waste code: D004
. Waste name: ARSENIC

. Waste code: D005
. Waste name: BARIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D009
. Waste name: MERCURY

. Waste code: D010

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

. Waste name: SELENIUM

. Waste code: D011
. Waste name: SILVER

. Waste code: D018
. Waste name: BENZENE

. Waste code: D019
. Waste name: CARBON TETRACHLORIDE

. Waste code: D022
. Waste name: CHLOROFORM

. Waste code: D024
. Waste name: M-CRESOL

. Waste code: D035
. Waste name: METHYL ETHYL KETONE

. Waste code: D040
. Waste name: TRICHLORETHYLENE

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F005
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: P001
. Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS,

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3% (OR) WARFARIN, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%

. Waste code: P002
. Waste name: 1-ACETYL-2-THIOUREA (OR) ACETAMIDE, N-(AMINOTHIOXOMETHYL)-

. Waste code: P042
. Waste name: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)- (OR) EPINEPHRINE

. Waste code: P075
. Waste name: NICOTINE, & SALTS (OR) PYRIDINE, 3-(1-METHYL-2-PYRROLIDINYL)-,(S)-, & SALTS

. Waste code: P081
. Waste name: 1,2,3-PROPANETRIOL, TRINITRATE (R) (OR) NITROGLYCERINE (R)

. Waste code: P105
. Waste name: SODIUM AZIDE

. Waste code: P188
. Waste name: BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO[2,3-B]INDOL--YL METHYLCARBAMATE ESTER (1:1) (OR) PHYSOSTIGMINE SALICYLATE

. Waste code: P204
. Waste name: PHYSOSTIGMINE (OR) PYRROLO[2,3-B]INDOL-5-OL, 1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYL-METHYLCARBAMATE (ESTER), (3AS-CIS)-

. Waste code: U002
. Waste name: 2-PROPANONE (I) (OR) ACETONE (I)

. Waste code: U007
. Waste name: 2-PROPENAMIDE (OR) ACRYLAMIDE

. Waste code: U010
. Waste name: AZIRINO [2',3':3,4]PYRROLO[1,2-A]INDOLE-4,7-DIONE, 6-AMINO-8-[[(AMINOCARBONYL)OXY]METHYL]-1,1A,2,8,8A,8B-HEXAHYDRO-8A-MET OXY-5-METHYL-, [1AS-(1AALPHA, 8BETA, 8AALPHA, 8BALPHA)]- (OR) MITOMYCIN C

. Waste code: U035
. Waste name: BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]- (OR) CHLORAMBUCIL

. Waste code: U041
. Waste name: EPICHLOROHYDRIN (OR) OXIRANE, (CHLOROMETHYL)-

. Waste code: U044
. Waste name: CHLOROFORM (OR) METHANE, TRICHLORO-

. Waste code: U058
. Waste name: 2H-1,3,2-OXAZAPHOSPHORIN-2-AMINE, N,N-BIS(2-CHLOROETHYL)TETRAHYDRO-, 2-OXIDE (OR) CYCLOPHOSPHAMIDE

. Waste code: U059
. Waste name: 5,12-NAPHTHACENEDIONE,

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

8-ACETYL-10-[(3-AMINO-2,3,6-TRIDEOXY)-ALPHA-L-LYXO-HEXOPYRANOSYL)OXY]-,8,9,10-TETRAHYDRO-6,8,11-TRIHYDROXY-1-METHOXY-, (8S-CIS)- (OR) DAUNOMYCIN

. Waste code: U089
. Waste name: DIETHYLSTILBESTEROL (OR) PHENOL, 4,4'-(1,2-DIETHYL-1,2-ETHENEDIYL)BIS, (E)-

. Waste code: U121
. Waste name: METHANE, TRICHLOROFLUORO- (OR) TRICHLOROMONOFLUOROMETHANE

. Waste code: U122
. Waste name: FORMALDEHYDE

. Waste code: U177
. Waste name: N-NITROSO-N-METHYLUREA (OR) UREA, N-METHYL-N-NITROSO-

. Waste code: U188
. Waste name: PHENOL

. Waste code: U236
. Waste name: 2,7-NAPHTHALENEDISULFONIC ACID,3,3'-[(3,3'-DIMETHYL[1,1'-BIPHENYL]-4,4'-DIYL)BIS(AZO)BIS[5-AMINO 4-HYDROXY]-, TETRASODIUM SALT (OR) TRYPAN BLUE

. Waste code: U246
. Waste name: CYANOGEN BROMIDE (CN)BR

Date form received by agency: 02/08/2008
Site name: VACHS VETERANS ADMIN CT HEALTHCARE SYSTEM
Classification: Large Quantity Generator

. Waste code: CR01
. Waste name: WASTE PCBs

. Waste code: CR04
. Waste name: WASTE CHEMICAL LIQUIDS

. Waste code: CR05
. Waste name: WASTE CHEMICAL SOLID

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D003
. Waste name: REACTIVE WASTE

. Waste code: D005
. Waste name: BARIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D009

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

. Waste name: MERCURY

. Waste code: D011
. Waste name: SILVER

. Waste code: D018
. Waste name: BENZENE

. Waste code: D022
. Waste name: CHLOROFORM

. Waste code: U002
. Waste name: 2-PROPANONE (I) (OR) ACETONE (I)

. Waste code: U007
. Waste name: 2-PROPENAMIDE (OR) ACRYLAMIDE

. Waste code: U041
. Waste name: EPICHLOROHYDRIN (OR) OXIRANE, (CHLOROMETHYL)-

. Waste code: U188
. Waste name: PHENOL

. Waste code: U236
. Waste name: 2,7-NAPHTHALENEDISULFONIC ACID,3,3'-[(3,3'-DIMETHYL[1,1'-BIPHENYL]-4,4'-DIYL)BIS(AZO)BIS[5-AMINO 4-HYDROXY]-, TETRASODIUM SALT (OR) TRYPAN BLUE

. Waste code: U246
. Waste name: CYANOGEN BROMIDE (CN)BR

Date form received by agency: 02/26/2004
Site name: US VETERANS ADMIN CT HEALTH MEDICAL SYS
Classification: Large Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D003
. Waste name: REACTIVE WASTE

. Waste code: D004
. Waste name: ARSENIC

. Waste code: D005
. Waste name: BARIUM

. Waste code: D006
. Waste name: CADMIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

. Waste name: LEAD

. Waste code: D009
. Waste name: MERCURY

. Waste code: D022
. Waste name: CHLOROFORM

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: P087
. Waste name: OSMIUM OXIDE OSO4, (T-4)- (OR) OSMIUM TETROXIDE

. Waste code: P098
. Waste name: POTASSIUM CYANIDE (OR) POTASSIUM CYANIDE K(CN)

. Waste code: P105
. Waste name: SODIUM AZIDE

. Waste code: P106
. Waste name: SODIUM CYANIDE (OR) SODIUM CYANIDE NA(CN)

. Waste code: U001
. Waste name: ACETALDEHYDE (I) (OR) ETHANAL (I)

. Waste code: U002
. Waste name: 2-PROPANONE (I) (OR) ACETONE (I)

. Waste code: U007
. Waste name: 2-PROPENAMIDE (OR) ACRYLAMIDE

. Waste code: U034
. Waste name: ACETALDEHYDE, TRICHLORO- (OR) CHLORAL

. Waste code: U044
. Waste name: CHLOROFORM (OR) METHANE, TRICHLORO-

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

. Waste code: U080
. Waste name: METHANE, DICHLORO- (OR) METHYLENE CHLORIDE

. Waste code: U115
. Waste name: ETHYLENE OXIDE (I,T) (OR) OXIRANE (I,T)

. Waste code: U151
. Waste name: MERCURY

Date form received by agency: 02/27/2002
Site name: US V A CT HEALTH MEDICAL SYS
Classification: Small Quantity Generator

. Waste code: D001
. Waste name: IGNITABLE WASTE

. Waste code: D002
. Waste name: CORROSIVE WASTE

. Waste code: D003
. Waste name: REACTIVE WASTE

. Waste code: D006
. Waste name: CADMIUM

. Waste code: D007
. Waste name: CHROMIUM

. Waste code: D008
. Waste name: LEAD

. Waste code: D009
. Waste name: MERCURY

. Waste code: D011
. Waste name: SILVER

. Waste code: D022
. Waste name: CHLOROFORM

. Waste code: F002
. Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2, TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: F003
. Waste name: THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NONHALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NONHALOGENATED SOLVENTS, AND A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.

. Waste code: U007
. Waste name: 2-PROPENAMIDE (OR) ACRYLAMIDE

. Waste code: U115
. Waste name: ETHYLENE OXIDE (I,T) (OR) OXIRANE (I,T)

. Waste code: U122
. Waste name: FORMALDEHYDE

. Waste code: U188
. Waste name: PHENOL

. Waste code: U219
. Waste name: THIOUREA

Date form received by agency: 02/22/1995
Site name: US V A CT HEALTH MEDICAL SYS
Classification: Small Quantity Generator

Biennial Reports:

Last Biennial Reporting Year: 2013

Annual Waste Handled:
Waste code: D001
Waste name: IGNITABLE HAZARDOUS WASTES ARE THOSE WASTES WHICH HAVE A FLASHPOINT OF LESS THAN 140 DEGREES FAHRENHEIT AS DETERMINED BY A PENSKY-MARTENS CLOSED CUP FLASH POINT TESTER. ANOTHER METHOD OF DETERMINING THE FLASH POINT OF A WASTE IS TO REVIEW THE MATERIAL SAFETY DATA SHEET, WHICH CAN BE OBTAINED FROM THE MANUFACTURER OR DISTRIBUTOR OF THE MATERIAL. LACQUER THINNER IS AN EXAMPLE OF A COMMONLY USED SOLVENT WHICH WOULD BE CONSIDERED AS IGNITABLE HAZARDOUS WASTE.
Amount (Lbs): 15498.8

Waste code: D002
Waste name: A WASTE WHICH HAS A PH OF LESS THAN 2 OR GREATER THAN 12.5 IS CONSIDERED TO BE A CORROSIVE HAZARDOUS WASTE. SODIUM HYDROXIDE, A CAUSTIC SOLUTION WITH A HIGH PH, IS OFTEN USED BY INDUSTRIES TO CLEAN OR DEGREASE PARTS. HYDROCHLORIC ACID, A SOLUTION WITH A LOW PH, IS USED BY MANY INDUSTRIES TO CLEAN METAL PARTS PRIOR TO PAINTING. WHEN THESE CAUSTIC OR ACID SOLUTIONS BECOME CONTAMINATED AND MUST BE DISPOSED, THE WASTE WOULD BE A CORROSIVE HAZARDOUS WASTE.
Amount (Lbs): 6400.2

Waste code: D003
Waste name: A MATERIAL IS CONSIDERED TO BE A REACTIVE HAZARDOUS WASTE IF IT IS NORMALLY UNSTABLE, REACTS VIOLENTLY WITH WATER, GENERATES TOXIC GASES WHEN EXPOSED TO WATER OR CORROSIVE MATERIALS, OR IF IT IS CAPABLE OF DETONATION OR EXPLOSION WHEN EXPOSED TO HEAT OR A FLAME. ONE EXAMPLE OF SUCH WASTE WOULD BY WASTE GUNPOWDER.
Amount (Lbs): 1144

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Waste code: D004
Waste name: ARSENIC
Amount (Lbs): 2980

Waste code: D005
Waste name: BARIUM
Amount (Lbs): 1000

Waste code: D007
Waste name: CHROMIUM
Amount (Lbs): 4260

Waste code: D008
Waste name: LEAD
Amount (Lbs): 1289.4

Waste code: D009
Waste name: MERCURY
Amount (Lbs): 1270

Waste code: D010
Waste name: SELENIUM
Amount (Lbs): 1944

Waste code: D011
Waste name: SILVER
Amount (Lbs): 3534

Waste code: D013
Waste name: LINDANE
Amount (Lbs): 1390

Waste code: D018
Waste name: BENZENE
Amount (Lbs): 3248

Waste code: D022
Waste name: CHLOROFORM
Amount (Lbs): 3534

Waste code: D024
Waste name: M-CRESOL
Amount (Lbs): 2390

Waste code: D035
Waste name: METHYL ETHYL KETONE
Amount (Lbs): 3694

Waste code: D039
Waste name: TETRACHLOROETHYLENE
Amount (Lbs): 896

Waste code: D040
Waste name: TRICHLOROETHYLENE
Amount (Lbs): 1144

Waste code: F002

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Waste name: THE FOLLOWING SPENT HALOGENATED SOLVENTS: TETRACHLOROETHYLENE, METHYLENE CHLORIDE, TRICHLOROETHYLENE, 1,1,1-TRICHLOROETHANE, CHLOROBENZENE, 1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE, ORTHO-DICHLOROBENZENE, TRICHLOROFLUOROMETHANE, AND 1,1,2-TRICHLOROETHANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE HALOGENATED SOLVENTS OR THOSE LISTED IN F001, F004, OR F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Amount (Lbs): 4638

Waste code: F003
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: XYLENE, ACETONE, ETHYL ACETATE, ETHYL BENZENE, ETHYL ETHER, METHYL ISOBUTYL KETONE, N-BUTYL ALCOHOL, CYCLOHEXANONE, AND METHANOL; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONLY THE ABOVE SPENT NON-HALOGENATED SOLVENTS; AND ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS, AND, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THOSE SOLVENTS LISTED IN F001, F002, F004, AND F005, AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Amount (Lbs): 9595.8

Waste code: F005
Waste name: THE FOLLOWING SPENT NON-HALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NITROPROPANE; ALL SPENT SOLVENT MIXTURES/BLENDS CONTAINING, BEFORE USE, A TOTAL OF TEN PERCENT OR MORE (BY VOLUME) OF ONE OR MORE OF THE ABOVE NON-HALOGENATED SOLVENTS OR THOSE SOLVENTS LISTED IN F001, F002, OR F004; AND STILL BOTTOMS FROM THE RECOVERY OF THESE SPENT SOLVENTS AND SPENT SOLVENT MIXTURES.
Amount (Lbs): 3377.8

Waste code: P001
Waste name: 2H-1-BENZOPYRAN-2-ONE, 4-HYDROXY-3-(3-OXO-1-PHENYLBUTYL)-, & SALTS, WHEN PRESENT AT CONCENTRATIONS GREATER THAN 0.3%
Amount (Lbs): 1390

Waste code: P012
Waste name: ARSENIC OXIDE AS2O3
Amount (Lbs): 1390

Waste code: P042
Waste name: 1,2-BENZENEDIOL, 4-[1-HYDROXY-2-(METHYLAMINO)ETHYL]-, (R)-
Amount (Lbs): 1390

Waste code: P075
Waste name: NICOTINE, & SALTS
Amount (Lbs): 1390

Waste code: P081
Waste name: NITROGLYCERINE (R)
Amount (Lbs): 1390

Waste code: P105
Waste name: SODIUM AZIDE

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Amount (Lbs): 25

Waste code: P188
Waste name: BENZOIC ACID, 2-HYDROXY-, COMPD. WITH (3AS-CIS)-1,2,3,3A,8,8A-HEXAHYDRO-1,3A,8-TRIMETHYLPYRROLO[2,3-
Amount (Lbs): 1390

Waste code: U007
Waste name: ACRYLAMIDE
Amount (Lbs): 446

Waste code: U010
Waste name: AZIRINO[2',3':3,4]PYRROLO[1,2-A]INDOLE-4,7-DIONE, 6-AMINO-8-[[(AMINOCARBONYL)OXY]METHYL]- 1,1A,2,8,8A,8B-HEXAHYDRO-8A-METHOXY-5-METHYL-, [1AS-(1AALPHA, 8BETA,8AALPHA,8BALPHA)]-
Amount (Lbs): 1944

Waste code: U031
Waste name: 1-BUTANOL (I)
Amount (Lbs): 446

Waste code: U035
Waste name: BENZENEBUTANOIC ACID, 4-[BIS(2-CHLOROETHYL)AMINO]-
Amount (Lbs): 1944

Waste code: U044
Waste name: CHLOROFORM
Amount (Lbs): 1836

Waste code: U056
Waste name: BENZENE, HEXAHYDRO- (I)
Amount (Lbs): 446

Waste code: U058
Waste name: CYCLOPHOSPHAMIDE
Amount (Lbs): 1944

Waste code: U059
Waste name: DAUNOMYCIN
Amount (Lbs): 1944

Waste code: U061
Waste name: BENZENE, 1,1'-(2,2,2-TRICHLOROETHYLIDENE)BIS[4-CHLORO-
Amount (Lbs): 446

Waste code: U080
Waste name: METHANE, DICHLORO-
Amount (Lbs): 446

Waste code: U089
Waste name: DIETHYLSTILBESTEROL
Amount (Lbs): 1944

Waste code: U117
Waste name: ETHANE, 1,1'-OXYBIS-(I)
Amount (Lbs): 446

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Waste code: U121
Waste name: METHANE, TRICHLOROFLUORO-
Amount (Lbs): 1944

Waste code: U122
Waste name: FORMALDEHYDE
Amount (Lbs): 446

Waste code: U123
Waste name: FORMIC ACID (C,T)
Amount (Lbs): 446

Waste code: U129
Waste name: CYCLOHEXANE, 1,2,3,4,5,6-HEXACHLORO-, (1ALPHA,2ALPHA,3BETA,4ALPHA,5ALPHA,6BETA)-
Amount (Lbs): 1944

Waste code: U150
Waste name: MELPHALAN
Amount (Lbs): 1944

Waste code: U161
Waste name: METHYL ISOBUTYL KETONE (I)
Amount (Lbs): 446

Waste code: U162
Waste name: METHYL METHACRYLATE (I,T)
Amount (Lbs): 446

Waste code: U182
Waste name: PARALDEHYDE
Amount (Lbs): 1944

Waste code: U187
Waste name: ACETAMIDE, N-(4-ETHOXYPHENYL)-
Amount (Lbs): 1390

Waste code: U188
Waste name: PHENOL
Amount (Lbs): 2390

Waste code: U200
Waste name: RESERPINE
Amount (Lbs): 1944

Waste code: U201
Waste name: 1,3-BENZENEDIOL
Amount (Lbs): 1944

Waste code: U205
Waste name: SELENIUM SULFIDE
Amount (Lbs): 1944

Waste code: U206
Waste name: GLUCOPYRANOSE, 2-DEOXY-2-(3-METHYL-3-NITROSOUREIDO)-, D-
Amount (Lbs): 1944

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Waste code: U226
Waste name: ETHANE, 1,1,1-TRICHLORO-
Amount (Lbs): 446

Waste code: U227
Waste name: ETHANE, 1,1,2-TRICHLORO-
Amount (Lbs): 446

Waste code: U228
Waste name: ETHENE, TRICHLORO-
Amount (Lbs): 446

Waste code: U237
Waste name: 2,4-(1H,3H)-PYRIMIDINEDIONE, 5-[BIS(2-CHLOROETHYL)AMINO]-
Amount (Lbs): 1390

Waste code: U404
Waste name: ETHANAMINE, N,N-DIETHYL- (OR) TRIETHYLAMINE
Amount (Lbs): 446

Facility Has Received Notices of Violations:

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 05/07/2013
Date achieved compliance: 02/11/2014
Violation lead agency: EPA
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 12/03/2013
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: State Statute or Regulation
Date violation determined: 12/02/2011
Date achieved compliance: 12/27/2011
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 12/02/2011
Enf. disposition status: Action Satisfied (Case Closed)
Enf. disp. status date: 12/27/2011
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: Not reported
Area of violation: Generators - General
Date violation determined: 04/27/2009
Date achieved compliance: 10/08/2010
Violation lead agency: State
Enforcement action: WRITTEN INFORMAL
Enforcement action date: 07/23/2009

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Enf. disposition status: Action Satisfied (Case Closed)
Enf. disp. status date: 10/08/2010
Enforcement lead agency: State
Proposed penalty amount: Not reported
Final penalty amount: Not reported
Paid penalty amount: Not reported

Regulation violated: SR - 22a-449(c)-105(a)(1) 102(b)(2)
Area of violation: Generators - Pre-transport
Date violation determined: 03/12/1996
Date achieved compliance: 04/07/1997
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 82375
Paid penalty amount: Not reported

Regulation violated: SR - 22a-449(c)-105(a)(1) 102(b)(2)
Area of violation: Generators - Pre-transport
Date violation determined: 03/12/1996
Date achieved compliance: 04/07/1997
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 63387
Paid penalty amount: 15387

Regulation violated: SR - 449(c)-105(a)(1) 265.31
Area of violation: Generators - General
Date violation determined: 03/12/1996
Date achieved compliance: 04/07/1997
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 63387
Paid penalty amount: 15387

Regulation violated: SR - 22a-449(c)-102(a)(1) 262.11
Area of violation: Generators - General
Date violation determined: 03/12/1996
Date achieved compliance: 04/07/1997
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 82375
Paid penalty amount: Not reported

Regulation violated: SR - 449(c)-105(a)(1) 265.31
Area of violation: Generators - General
Date violation determined: 03/12/1996
Date achieved compliance: 04/07/1997
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 82375
Paid penalty amount: Not reported

Regulation violated: FR - 268.7(a)
Area of violation: LDR - General
Date violation determined: 03/12/1996
Date achieved compliance: 04/07/1997
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 82375
Paid penalty amount: Not reported

Regulation violated: SR - 22a-449(c)-105(a)(1) 265.16
Area of violation: Generators - Pre-transport
Date violation determined: 03/12/1996
Date achieved compliance: 05/27/1997
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 82375
Paid penalty amount: Not reported

Regulation violated: SR - 22a-449(c)-105(a)(1) 265.51
Area of violation: Generators - Pre-transport
Date violation determined: 03/12/1996
Date achieved compliance: 05/27/1997
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 63387
Paid penalty amount: 15387

Regulation violated: SR - 22a-449(c)-102(a)(1) 262.11
Area of violation: Generators - General
Date violation determined: 03/12/1996
Date achieved compliance: 04/07/1997
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 63387
Paid penalty amount: 15387

Regulation violated: SR - 22a-449(c)-102(a)(1)&(a)(2)(E)
Area of violation: Generators - Pre-transport
Date violation determined: 03/12/1996
Date achieved compliance: 04/07/1997
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 82375
Paid penalty amount: Not reported

Regulation violated: SR - 22a-449(c)-105(a)(1) 265.51
Area of violation: Generators - Pre-transport
Date violation determined: 03/12/1996
Date achieved compliance: 05/27/1997
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 82375
Paid penalty amount: Not reported

Regulation violated: SR - 22a-449(c)-105(a)(1)
Area of violation: Generators - Pre-transport
Date violation determined: 03/12/1996
Date achieved compliance: 04/07/1997
Violation lead agency: EPA
Enforcement action: INITIAL 3008(A) COMPLIANCE
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Proposed penalty amount: Not reported
Final penalty amount: 82375
Paid penalty amount: Not reported

Regulation violated: SR - 22a-449(c)-105(a)(1) 265.16
Area of violation: Generators - Pre-transport
Date violation determined: 03/12/1996
Date achieved compliance: 05/27/1997
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 63387
Paid penalty amount: 15387

Regulation violated: SR - 22a-449(c)-105(a)(1)
Area of violation: Generators - Pre-transport
Date violation determined: 03/12/1996
Date achieved compliance: 04/07/1997
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 63387
Paid penalty amount: 15387

Regulation violated: FR - 268.7(a)
Area of violation: LDR - General
Date violation determined: 03/12/1996
Date achieved compliance: 04/07/1997
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported
Final penalty amount: 63387
Paid penalty amount: 15387

Regulation violated: SR - 22a-449(c)-102(a)(1)&(a)(2)(E)
Area of violation: Generators - Pre-transport
Date violation determined: 03/12/1996
Date achieved compliance: 04/07/1997
Violation lead agency: EPA
Enforcement action: FINAL 3008(A) COMPLIANCE ORDER
Enforcement action date: 03/31/1997
Enf. disposition status: Not reported
Enf. disp. status date: Not reported
Enforcement lead agency: EPA
Proposed penalty amount: Not reported

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Final penalty amount: 63387
Paid penalty amount: 15387

Evaluation Action Summary:

Evaluation date: 05/07/2013
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 02/11/2014
Evaluation lead agency: EPA

Evaluation date: 12/02/2011
Evaluation: CASE DEVELOPMENT INSPECTION
Area of violation: State Statute or Regulation
Date achieved compliance: 12/27/2011
Evaluation lead agency: State

Evaluation date: 04/27/2009
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 10/08/2010
Evaluation lead agency: State

Evaluation date: 03/12/1996
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: LDR - General
Date achieved compliance: 04/07/1997
Evaluation lead agency: EPA

Evaluation date: 03/12/1996
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Pre-transport
Date achieved compliance: 04/07/1997
Evaluation lead agency: EPA

Evaluation date: 03/12/1996
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - Pre-transport
Date achieved compliance: 05/27/1997
Evaluation lead agency: EPA

Evaluation date: 03/12/1996
Evaluation: COMPLIANCE EVALUATION INSPECTION ON-SITE
Area of violation: Generators - General
Date achieved compliance: 04/07/1997
Evaluation lead agency: EPA

NY MANIFEST:

EPA ID: CT5000001545
Country: USA
Location Address 1: 950 CAMPBELL AVENUE
Location Address 2: Not reported
Location City: WEST HAVEN
Location State: CT
Location Zip Code: 06516
Location Zip Code 4: Not reported

Mailing Info:

Name: VA CT HEALTHCARE SYSTEMS

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Contact:	GAYATRI RAO
Address:	950 CAMPBELL AVENUE
City/State/Zip:	WEST HAVEN, CT 06516
Country:	USA
Phone:	203-932-5711

Manifest:

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	01/28/2009
Trans1 Recv Date:	01/28/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/09/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	5.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	005084708JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	03/25/2009
Trans1 Recv Date:	03/25/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/06/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	9.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	005084644JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	Y
Discr Full Reject Ind:	N
Manifest Ref Num:	004716965JJK
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	01/28/2009
Trans1 Recv Date:	01/28/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	02/09/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	5.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	005084708JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	03/25/2009
Trans1 Recv Date:	03/25/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/06/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	10.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	005084644JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	Y
Discr Full Reject Ind:	N
Manifest Ref Num:	004716965JJK
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	03/25/2009
Trans1 Recv Date:	03/25/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/06/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	12.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	1.0

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Year:	2009
Manifest Tracking Num:	005084644JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	Y
Discr Full Reject Ind:	N
Manifest Ref Num:	004716965JJK
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	03/25/2009
Trans1 Recv Date:	03/25/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/06/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	6.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	005084644JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	Y
Discr Full Reject Ind:	N
Manifest Ref Num:	004716965JJK
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	03/25/2009
Trans1 Recv Date:	03/25/2009

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/06/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	4.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	005084644JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	Y
Discr Full Reject Ind:	N
Manifest Ref Num:	004716965JJK
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	03/25/2009
Trans1 Recv Date:	03/25/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/06/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	7.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DM - Metal drums, barrels
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	005084644JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Discr Residue Ind:	N
Discr Partial Reject Ind:	Y
Discr Full Reject Ind:	N
Manifest Ref Num:	004716965JJK
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	03/25/2009
Trans1 Recv Date:	03/25/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/06/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	8.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	005084644JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	Y
Discr Full Reject Ind:	N
Manifest Ref Num:	004716965JJK
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	03/25/2009
Trans1 Recv Date:	03/25/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/06/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	9.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	005084644JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	Y
Discr Full Reject Ind:	N
Manifest Ref Num:	004716965JJK
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	03/25/2009
Trans1 Recv Date:	03/25/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	04/06/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	9.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	005084644JJK
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	Y
Discr Full Reject Ind:	N
Manifest Ref Num:	004716965JJK
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Mgmt Method Type Code: H141

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: MER000500595
Trans2 State ID: Not reported
Generator Ship Date: 12/14/2009
Trans1 Recv Date: 12/14/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 12/15/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: CT5000001545
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: NYD049836679
Waste Code: Not reported
Quantity: 2420.0
Units: P - Pounds
Number of Containers: 1.0
Container Type: CM - Metal boxes, cases, roll-offs
Handling Method: L Landfill.
Specific Gravity: 1.0
Year: 2009
Manifest Tracking Num: 005982142JJK
Import Ind: N
Export Ind: N
Discr Quantity Ind: Y
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N
Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H132

Document ID: Not reported
Manifest Status: Not reported
Trans1 State ID: MAD985286988
Trans2 State ID: Not reported
Generator Ship Date: 06/03/2009
Trans1 Recv Date: 06/03/2009
Trans2 Recv Date: Not reported
TSD Site Recv Date: 06/09/2009
Part A Recv Date: Not reported
Part B Recv Date: Not reported
Generator EPA ID: CT5000001545
Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: NYD077444263
Waste Code: Not reported
Quantity: 47.0
Units: P - Pounds
Number of Containers: 1.0

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	002495749FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	06/03/2009
Trans1 Recv Date:	06/03/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/09/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	12.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	002495749FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Trans2 State ID:	Not reported
Generator Ship Date:	06/03/2009
Trans1 Recv Date:	06/03/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/09/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	7.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	002495749FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	06/03/2009
Trans1 Recv Date:	06/03/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/09/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	141.0
Units:	P - Pounds
Number of Containers:	2.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	002495749FLE
Import Ind:	N

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	06/03/2009
Trans1 Recv Date:	06/03/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/09/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	5.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	002495749FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	06/03/2009
Trans1 Recv Date:	06/03/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/09/2009
Part A Recv Date:	Not reported

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	6.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	R Material recovery of more than 75 percent of the total material.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	002495749FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	06/03/2009
Trans1 Recv Date:	06/03/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/09/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	5.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	002495749FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N

VA CT HEALTH CARE SYSTEM WEST HAVEN CAMPUS (Continued) **1016170575**

Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

Document ID:	Not reported
Manifest Status:	Not reported
Trans1 State ID:	MAD985286988
Trans2 State ID:	Not reported
Generator Ship Date:	06/03/2009
Trans1 Recv Date:	06/03/2009
Trans2 Recv Date:	Not reported
TSD Site Recv Date:	06/09/2009
Part A Recv Date:	Not reported
Part B Recv Date:	Not reported
Generator EPA ID:	CT5000001545
Trans1 EPA ID:	Not reported
Trans2 EPA ID:	Not reported
TSDF ID:	NYD077444263
Waste Code:	Not reported
Quantity:	8.0
Units:	P - Pounds
Number of Containers:	1.0
Container Type:	DF - Fiberboard or plastic drums (glass)
Handling Method:	B Incineration, heat recovery, burning.
Specific Gravity:	1.0
Year:	2009
Manifest Tracking Num:	002495749FLE
Import Ind:	N
Export Ind:	N
Discr Quantity Ind:	N
Discr Type Ind:	N
Discr Residue Ind:	N
Discr Partial Reject Ind:	N
Discr Full Reject Ind:	N
Manifest Ref Num:	Not reported
Alt Fac RCRA Id:	Not reported
Alt Fac Sign Date:	Not reported
Mgmt Method Type Code:	H141

A15 **CT SPILLS** **S110962700**
Target Property **950 CAMPBELL AVENUE, CT HEALTH CARE SYSTEM** **N/A**
WEST HAVEN, CT

Site 15 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2011
Case Number:	201102339
Who Took Spill:	205
Assigned To:	0
Report Date:	05/06/2011
Report Time:	12:01:37
Date Release:	05/06/2011
Time Responded:	11:30:00
Reported By:	Ling Xu x. 4197
Phone:	203 9325711

(Continued) **S110962700**

Representing:	CT Health Care System Safety Office
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	BATTERY ACID
Qty:	1 (Gallons)
Emergency Measure:	Not reported
Water Body:	n/a
Discharger:	saa
Telephone:	Not reported
Responsible Party:	YES
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2011-05-09 10:20:11
Sr Inspector:	Cox, Michael
At Inspctor:	**NO RESPONSE
User Stamp:	cguzman
Comments:	Not reported
Action:	Removed
Other Action:	Not reported
Action:	Contained
Other Action:	Not reported
Action:	Other
Other Action:	speedi dry
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Container Failure
Other Cause:	Not reported
Media ID:	Ground Surface
Other Media:	Not reported
Media ID:	Other
Other Media:	concrete
Class ID:	Governmental
Other Class:	Not reported
Release Type:	chemical
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

A16 **CT SPILLS** **S110478768**
Target Property **VA HOSPITAL 950 CAMPBELL AVE** **N/A**
WEST HAVEN, CT

Site 16 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2010
Case Number:	201003838
Who Took Spill:	205
Assigned To:	0
Report Date:	06/28/2010
Report Time:	12:58:38

(Continued) **S110478768**

Date Release:	06/28/2010
Time Responded:	Not reported
Reported By:	Chris Roberts
Phone:	203 9325711
Representing:	Va Hospital
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	MOTOR OIL
Qty:	0.5 (Gallons)
Emergency Measure:	Not reported
Water Body:	n/a
Discharger:	saa
Telephone:	Not reported
Responsible Party:	YES
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2010-06-29 10:16:57
Sr Inspector:	Cox, Michael
At Inspctor:	**NO RESPONSE
User Stamp:	CGuzman
Comments:	Not reported
Action:	Removed
Other Action:	Not reported
Action:	Other
Other Action:	speedi dry
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Other
Other Cause:	disabled mv
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Transportation
Other Class:	Not reported
Class ID:	Private
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

A17 **CT SPILLS** **S111285021**
Target Property **950 CAMPBELL AVE.-VA HOSPITAL** **N/A**
WEST HAVEN, CT

Site 17 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2011
Case Number:	201105852
Who Took Spill:	203
Assigned To:	0

(Continued) **S111285021**

Report Date:	09/21/2011
Report Time:	15:43:16
Date Release:	09/21/2011
Time Responded:	Not reported
Reported By:	Ling Su
Phone:	203 9325711
Representing:	VA
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	HYDRAULIC OIL
Qty:	0.25 (Gallons)
Emergency Measure:	Cleaned with Speedi-dry
Water Body:	None
Discharger:	Not reported
Telephone:	Not reported
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2011-09-22 17:59:17
Sr Inspector:	SUSAN CAMBELL
At Inspctor:	**NO RESPONSE
User Stamp:	cguzman
Comments:	Not reported
Action:	Cleaned
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Hose Failure
Other Cause:	Not reported
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Governmental
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported

A18 **CT SPILLS** **S112074458**
Target Property **950 CAMPBELL AVE. - VA HOSPITAL** **N/A**
WEST HAVEN, CT

Site 18 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2012
Case Number:	201204034
Who Took Spill:	203
Assigned To:	0
Report Date:	07/27/2012
Report Time:	21:48:08
Date Release:	07/27/2012
Time Responded:	Not reported

(Continued) **S112074458**

Reported By:	Ling Xu
Phone:	203 8237028
Representing:	VA Hospital
Terminated:	NO
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	ALARM - ETHYLENE OXIDE (STERILIZATION AREA)
Qty:	0 (Gallons)
Emergency Measure:	Equipment shut down. Manufacturer to respond on Monday. Staff was evacuated. West Haven FD cleared area.
Water Body:	None
Discharger:	Not reported
Telephone:	Not reported
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2012-07-30 16:53:49
Sr Inspector:	SUSAN CAMBELL
At Inspctor:	**NO RESPONSE
User Stamp:	GuzmanCa
Comments:	Per 937 no response. The on-site ethylene oxide sensors alarmed and returned to zero. The FD did no additional metering and cleared prior to DEEP notification. 937 offered metering assistance to VA, which was refused. 937 advised VA to call when it alarms not after it shuts-down, ventilates and returns to zero. VA unsure if there is a system failure/release or a bad sensor; valves secure when it alarms.
Action:	Contained
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Agency ID:	LOCAL FIRE DEPARTMENT
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Other
Other Cause:	Unknown
Media ID:	Air
Other Media:	Not reported
Class ID:	Governmental
Other Class:	Not reported
Release Type:	chemical
Other Release:	Not reported

A19 Target Property | **VACHS VETERANS ADMIN CT HEALTHCARE SYSTEM**
950 CAMPBELL AVE BLDG 15
WEST HAVEN, CT 06516 | **DOCKET HWC**
ECHO | **1018132232**
N/A

Site 19 of 41 in cluster A

Actual: 127 ft.

DOCKET HWC:

Agency:	VETERANS ADMINISTRATION
Facility ID:	MDL4767 - 3/18/2013
Reporting Mechanism:	RCRA 3010
Status:	On MDL

ECHO:

Envid:	1018132232
Registry ID:	110064805947
DFR URL:	http://echo.epa.gov/detailed_facility_report?fid=110064805947

A20 Target Property | **950 CAMPBELL AVE. - VA HOSPITAL**
WEST HAVEN, CT | **CT SPILLS** | **S118358419**
N/A

Site 20 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2015
Case Number:	201503952
Who Took Spill:	203
Assigned To:	0
Report Date:	08/05/2015
Report Time:	16:11:38
Date Release:	08/05/2015
Time Responded:	15:23:00
Reported By:	Ray
Phone:	203 9331616
Representing:	FD
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	NATURAL GAS
Qty:	0 (Gallons)
Emergency Measure:	Broken 2" main. Building was evacuated. Contained. UPDATE 16:27 - Ling Xu - VA Safety 203-932-5711 x4197. Gas Co. capped and building no longer occupied due to end of day.
Water Body:	None
Discharger:	Not reported
Telephone:	Not reported
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2015-08-06 17:31:48
Sr Inspector:	SUSAN CAMPBELL
At Inspctor:	**NO RESPONSE
User Stamp:	Guzmanca
Comments:	Not reported
Action:	Contained

(Continued) **S118358419**

Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Agency ID:	LOCAL FIRE DEPARTMENT
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Transfer Line Failure
Other Cause:	Not reported
Media ID:	Air
Other Media:	Not reported
Class ID:	Governmental
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported

A21 **CT SPILLS** **S113456859**
Target Property **950 CAMPBELL AVE - VA HOSPITAL** **N/A**
WEST HAVEN, CT

Site 21 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2013
Case Number:	201301426
Who Took Spill:	205
Assigned To:	0
Report Date:	03/28/2013
Report Time:	07:13:58
Date Release:	03/28/2013
Time Responded:	Not reported
Reported By:	dispatch
Phone:	203 9331616
Representing:	WHFD
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	ANTIFREEZE
Qty:	2 (Gallons)
Emergency Measure:	speedi dry
Water Body:	n/a
Discharger:	unk
Telephone:	Not reported
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2013-04-01 11:21:17
Sr Inspector:	Cox, Michael
At Inspctor:	**NO RESPONSE
User Stamp:	GuzmanCa
Comments:	Not reported
Action:	Contained

(Continued) **S113456859**

Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Agency ID:	LOCAL FIRE DEPARTMENT
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	MV Accident
Other Cause:	Not reported
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Transportation
Other Class:	Not reported
Class ID:	Private
Other Class:	Not reported
Release Type:	chemical
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

A22 **CT SPILLS** **S118094888**
Target Property **950 CAMPBELL AVE. - VA CLINIC** **N/A**
WEST HAVEN, CT

Site 22 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2015
Case Number:	201502689
Who Took Spill:	203
Assigned To:	0
Report Date:	06/05/2015
Report Time:	17:49:59
Date Release:	06/05/2015
Time Responded:	13:00:00
Reported By:	Thomas Hemingway
Phone:	203 5064042
Representing:	VA
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	R-22 CHLORODIFLUOROMETHANE
Qty:	0 (Gallons)
Emergency Measure:	Unit repaired and refilled. Per 937 no response.
Water Body:	None
Discharger:	Not reported
Telephone:	Not reported
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2015-06-09 16:38:39
Sr Inspector:	SUSAN CAMPBELL

(Continued) **S118094888**

At Inspctor: **NO RESPONSE
User Stamp: Guzmanca
Comments: Not reported
Action: Dispersed
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Other
Other Cause: Equipment Failure
Media ID: Air
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: chemical
Other Release: Not reported

A23 **CT SPILLS** **S110134618**
Target Property **950 CAMPBEL AVE** **N/A**
WEST HAVEN, CT

Site 23 of 41 in cluster A

Actual: 127 ft.

SPILLS:
Year of Database: 2014
Case Number: 201401549
Who Took Spill: 205
Assigned To: 0
Report Date: 04/10/2014
Report Time: 10:25:00
Date Release: 04/10/2014
Time Responded: Not reported
Reported By: david birk
Phone: 203 9325711
Representing: Veterans Affairs
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: ANTIFREEZE
Qty: 3 (Gallons)
Emergency Measure: cleaned
Water Body: n/a
Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2014-04-10 10:25:59
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: CoxM
Comments: Not reported
Action: Removed

(Continued) **S110134618**

Other Action: Not reported
Action: Contained
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Hose Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Transportation
Other Class: Not reported
Class ID: Private
Other Class: Not reported
Release Type: chemical
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2009
Case Number: 200907205
Who Took Spill: 205
Assigned To: 0
Report Date: 12/17/2009
Report Time: 13:34:15
Date Release: 12/17/2009
Time Responded: Not reported
Reported By: Christopher Roberts ext. 2817
Phone: 203 9325711
Representing: VA Hospital
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: GASOLINE
Qty: 0.5 (Gallons)
Emergency Measure: Not reported
Water Body: n/a
Discharger: UNKNOWN
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2009-12-18 18:26:09
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: CGuzman
Comments: Not reported
Action: Contained
Other Action: Not reported
Action: Other
Other Action: speedi dry
Agency ID: Local Fire Marshal

(Continued) **S110134618**

Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Agency ID: LOCAL FIRE DEPARTMENT
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Other
Other Cause: leaking mv
Media ID: Other
Other Media: asphalt
Class ID: Transportation
Other Class: Not reported
Class ID: Private
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2012
Case Number: 201203770
Who Took Spill: 205
Assigned To: 0
Report Date: 07/17/2012
Report Time: 12:40:39
Date Release: 07/16/2012
Time Responded: 18:00:00
Reported By: Ling Xu
Phone: 203 9325711
Representing: ext 4197 VA Conn Health Care System
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: R-22
Qty: 0 (Gallons)
Emergency Measure: shut off line
Water Body: Not reported
Discharger: saa
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2012-07-18 19:05:41
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: GuzmanCa
Comments: 934 notified
Action: Contracted

(Continued) **S110134618**

Other Action:	Not reported
Action:	Other
Other Action:	service vendor
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Transfer Line Failure
Other Cause:	Not reported
Media ID:	Air
Other Media:	Not reported
Class ID:	Governmental
Other Class:	Not reported
Release Type:	chemical
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

A24 Target Property **VA HEALTH CARE SYSTEM MEDICAL CENTER** **FINDS 1000985470**
950 CAMPBELL AVENUE **ECHO N/A**
WEST HAVEN, CT 06516

Site 24 of 41 in cluster A

Actual: 127 ft.

FINDS:

Registry ID: 110045681295

Environmental Interest/Information System

NCDB (National Compliance Data Base) supports implementation of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and the Toxic Substances Control Act (TSCA). The system tracks inspections in regions and states with cooperative agreements, enforcement actions, and settlements.

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

AIR SYNTHETIC MINOR

COMPLIANCE AND EMISSIONS REPORTING

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

VA HEALTH CARE SYSTEM MEDICAL CENTER (Continued) **1000985470**

HAZARDOUS WASTE BIENNIAL REPORTER

Connecticut Site Information Management System (SIMS) is part of a suite of web-based applications designed to allow the Connecticut Department of Environmental Protection (DEP) staff to harmonize environmental interest information from disparate systems in a single agency-wide data repository (known as CFI). SIMS provides tools for identifying and resolving duplicate data, querying data (using both tabular and geospatial methods), and viewing/maintaining documents associated to the data.

SPCC

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

ECHO:

Envid:	1000985470
Registry ID:	110045681295
DFR URL:	http://echo.epa.gov/detailed_facility_report?fid=110045681295

A25 **VA HEALTH CARE SYSTEM MEDICAL CENTER** **ICIS** **1006050405**
Target **950 CAMPBELL AVENUE** **MLTS** **N/A**
Property **WEST HAVEN, CT 06516**

Site 25 of 41 in cluster A

Actual: 127 ft.

ICIS:

Enforcement Action ID:	01-1997-0053
FRS ID:	110045681295
Program ID:	BR CT5000001545
Action Name:	VETERANS ADMINISTRATION HOSPITAL
Full Address:	950 CAMPBELL AVENUE WEST HAVEN CT 06516
State:	Connecticut
Facility Name:	VA HEALTH CARE SYSTEM MEDICAL CENTER
Facility Address:	950 CAMPBELL AVENUE WEST HAVEN, CT 06516
Enforcement Action Type:	RCRA 3008A AO For Comp And/Or Penalty
Facility County:	NEW HAVEN
EPA Region #:	1

Enforcement Action ID:	01-1997-0053
FRS ID:	110045681295
Program ID:	CEDRI CEDRI3354

VA HEALTH CARE SYSTEM MEDICAL CENTER (Continued) **1006050405**

Action Name:	VETERANS ADMINISTRATION HOSPITAL
Full Address:	950 CAMPBELL AVENUE WEST HAVEN CT 06516
State:	Connecticut
Facility Name:	VA HEALTH CARE SYSTEM MEDICAL CENTER
Facility Address:	950 CAMPBELL AVENUE WEST HAVEN, CT 06516
Enforcement Action Type:	RCRA 3008A AO For Comp And/Or Penalty
Facility County:	NEW HAVEN
EPA Region #:	1

Enforcement Action ID:	01-1997-0053
FRS ID:	110045681295
Program ID:	FRS 110045681295
Action Name:	VETERANS ADMINISTRATION HOSPITAL
Full Address:	950 CAMPBELL AVENUE WEST HAVEN CT 06516
State:	Connecticut
Facility Name:	VA HEALTH CARE SYSTEM MEDICAL CENTER
Facility Address:	950 CAMPBELL AVENUE WEST HAVEN, CT 06516
Enforcement Action Type:	RCRA 3008A AO For Comp And/Or Penalty
Facility County:	NEW HAVEN
EPA Region #:	1

Enforcement Action ID:	01-1997-0053
FRS ID:	110045681295
Program ID:	SIMS 1531136
Action Name:	VETERANS ADMINISTRATION HOSPITAL
Full Address:	950 CAMPBELL AVENUE WEST HAVEN CT 06516
State:	Connecticut
Facility Name:	VA HEALTH CARE SYSTEM MEDICAL CENTER
Facility Address:	950 CAMPBELL AVENUE WEST HAVEN, CT 06516
Enforcement Action Type:	RCRA 3008A AO For Comp And/Or Penalty
Facility County:	NEW HAVEN
EPA Region #:	1

Enforcement Action ID:	01-1997-0053
FRS ID:	110045681295
Program ID:	NCDB I01#19900123CT020 1
Action Name:	VETERANS ADMINISTRATION HOSPITAL
Full Address:	950 CAMPBELL AVENUE WEST HAVEN CT 06516
State:	Connecticut
Facility Name:	VA HEALTH CARE SYSTEM MEDICAL CENTER
Facility Address:	950 CAMPBELL AVENUE WEST HAVEN, CT 06516
Enforcement Action Type:	RCRA 3008A AO For Comp And/Or Penalty
Facility County:	NEW HAVEN
EPA Region #:	1

Enforcement Action ID:	01-1997-0053
FRS ID:	110045681295
Program ID:	OIL R1-CT-00077
Action Name:	VETERANS ADMINISTRATION HOSPITAL
Full Address:	950 CAMPBELL AVENUE WEST HAVEN CT 06516
State:	Connecticut
Facility Name:	VA HEALTH CARE SYSTEM MEDICAL CENTER
Facility Address:	950 CAMPBELL AVENUE

VA HEALTH CARE SYSTEM MEDICAL CENTER (Continued) **1006050405**

	WEST HAVEN, CT 06516
Enforcement Action Type:	RCRA 3008A AO For Comp And/Or Penalty
Facility County:	NEW HAVEN
EPA Region #:	1

Enforcement Action ID:	01-1997-0053
FRS ID:	110045681295
Program ID:	RCRAINFO CT5000001545
Action Name:	VETERANS ADMINISTRATION HOSPITAL
Full Address:	950 CAMPBELL AVENUE WEST HAVEN CT 06516
State:	Connecticut
Facility Name:	VA HEALTH CARE SYSTEM MEDICAL CENTER
Facility Address:	950 CAMPBELL AVENUE
	WEST HAVEN, CT 06516
Enforcement Action Type:	RCRA 3008A AO For Comp And/Or Penalty
Facility County:	NEW HAVEN
EPA Region #:	1

Enforcement Action ID:	01-1997-0053
FRS ID:	110045681295
Program ID:	NCDB C01#01-91-0005
Action Name:	VETERANS ADMINISTRATION HOSPITAL
Full Address:	950 CAMPBELL AVENUE WEST HAVEN CT 06516
State:	Connecticut
Facility Name:	VA HEALTH CARE SYSTEM MEDICAL CENTER
Facility Address:	950 CAMPBELL AVENUE
	WEST HAVEN, CT 06516
Enforcement Action Type:	RCRA 3008A AO For Comp And/Or Penalty
Facility County:	NEW HAVEN
EPA Region #:	1

Program ID:	BR CT5000001545
Facility Name:	VA HEALTH CARE SYSTEM MEDICAL CENTER
Address:	950 CAMPBELL AVENUE
Tribal Indicator:	N
Fed Facility:	Yes
NAIC Code:	Not reported
SIC Code:	Not reported

Program ID:	CEDRI CEDRI3354
Facility Name:	VA HEALTH CARE SYSTEM MEDICAL CENTER
Address:	950 CAMPBELL AVENUE
Tribal Indicator:	N
Fed Facility:	Yes
NAIC Code:	Not reported
SIC Code:	Not reported

Program ID:	FRS 110045681295
Facility Name:	VA HEALTH CARE SYSTEM MEDICAL CENTER
Address:	950 CAMPBELL AVENUE
Tribal Indicator:	N
Fed Facility:	Yes
NAIC Code:	Not reported
SIC Code:	Not reported

Program ID:	NCDB C01#01-91-0005

VA HEALTH CARE SYSTEM MEDICAL CENTER (Continued) **1006050405**

Facility Name: VA HEALTH CARE SYSTEM MEDICAL CENTER
Address: 950 CAMPBELL AVENUE
Tribal Indicator: N
Fed Facility: Yes
NAIC Code: Not reported
SIC Code: Not reported

Program ID: NCDB I01#19900123CT020 1
Facility Name: VA HEALTH CARE SYSTEM MEDICAL CENTER
Address: 950 CAMPBELL AVENUE
Tribal Indicator: N
Fed Facility: Yes
NAIC Code: Not reported
SIC Code: Not reported

Program ID: OIL R1-CT-00077
Facility Name: VA HEALTH CARE SYSTEM MEDICAL CENTER
Address: 950 CAMPBELL AVENUE
Tribal Indicator: N
Fed Facility: Yes
NAIC Code: Not reported
SIC Code: Not reported

Program ID: RCRAINFO CT5000001545
Facility Name: VA HEALTH CARE SYSTEM MEDICAL CENTER
Address: 950 CAMPBELL AVENUE
Tribal Indicator: N
Fed Facility: Yes
NAIC Code: Not reported
SIC Code: Not reported

Program ID: SIMS 1531136
Facility Name: VA HEALTH CARE SYSTEM MEDICAL CENTER
Address: 950 CAMPBELL AVENUE
Tribal Indicator: N
Fed Facility: Yes
NAIC Code: Not reported
SIC Code: Not reported

MLTS:
License Number: 06-00092-05
First License Date: 08/14/80
License Date: 03/17/03
Lic. Expiration Date: 08/31/04
Contact Name: PAUL MCCOOL
Contact Phone: 203-937-3866
Institution Code: 92
Department/Bldg: MEDICAL CENTER VA CONNECTICUT HEALT::CARE SYSTEM-WEST HAVEN CAMPUS
States Allowing Use: Not reported
Store Material Use: No
Redistribution Use: No
Incinerate Use: No
Burial Use: No
Last Inspection Date: 07/01/01
Next Inspection Date: 07/01/03
Licensee Contact: DIR.
Inspector Name: ROBERT REMBISH

A26 **CT SPILLS** **S112194414**
Target Property **950 CAMPBELL AVE VA HOSPITAL BLDG 1** **N/A**
WEST HAVEN, CT

Site 26 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2012
Case Number:	201205424
Who Took Spill:	201
Assigned To:	922
Report Date:	10/03/2012
Report Time:	22:24:42
Date Release:	10/03/2012
Time Responded:	Not reported
Reported By:	katie
Phone:	203 9331616
Representing:	west haven fire dept
Terminated:	Not reported
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	ETHYLENE OXIDE
Qty:	0 (Gallons)
Emergency Measure:	Not reported
Water Body:	Not reported
Discharger:	VETERANS ADMINISTRATION HOSPITAL
Telephone:	203 9325711
Responsible Party:	YES
RP Address 1:	950 CAMPBELL AVENUE
RP City,St,Zip:	WEST HAVEN, CT 06516
Historic:	False
Waterbody:	False
Time Stamp:	2013-03-21 10:07:21
Sr Inspector:	Burkey, Rachael
At Inspctor:	Aceto, John
User Stamp:	GranilloM
Comments:	Not reported
Action:	Other
Other Action:	fd on scene
Action:	Investigated
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Agency ID:	LOCAL FIRE DEPARTMENT
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Other
Other Cause:	gas leak
Media ID:	Inside Building
Other Media:	Not reported
Class ID:	Governmental
Other Class:	Not reported
Release Type:	gas emission
Other Release:	Not reported

A27 Target Property | **VA CONNECTICUT HEALTHCARE SYS**
950 CAMPBELL AVE
WEST HAVEN, CT | **CT SPILLS** | **1007936132**
CT AIRS | **N/A**

Site 27 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2015
Case Number:	201503070
Who Took Spill:	208
Assigned To:	0
Report Date:	06/23/2015
Report Time:	11:32:05
Date Release:	06/23/2015
Time Responded:	Not reported
Reported By:	jim
Phone:	631 5125573
Representing:	J. Kokolakis contracting
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	HYDRAULIC OIL
Qty:	1 (Gallons)
Emergency Measure:	cleaned
Water Body:	Not reported
Discharger:	Not reported
Telephone:	Not reported
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2015-07-30 10:36:16
Sr Inspector:	Monarca, Vincent
At Inspctor:	**NO RESPONSE
User Stamp:	Granillom
Comments:	Not reported
Action:	Cleaned
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	MV Accident
Other Cause:	Not reported
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Commercial
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported

Year of Database:	2011
Case Number:	201100713
Who Took Spill:	209
Assigned To:	0
Report Date:	02/15/2011

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Report Time:	15:16:29
Date Release:	02/15/2011
Time Responded:	Not reported
Reported By:	todd hemmingway ext 5937
Phone:	203 9325711
Representing:	va ct healthcare system
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	MERCURY
Qty:	0 (Gallons)
Emergency Measure:	Not reported
Water Body:	Not reported
Discharger:	Not reported
Telephone:	Not reported
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2011-02-16 14:31:40
Sr Inspector:	WELCH, THOMAS
At Inspctor:	**NO RESPONSE
User Stamp:	cguzman
Comments:	Not reported
Action:	Contained
Other Action:	Not reported
Action:	Contracted
Other Action:	Not reported
Action:	Cleaned
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Other
Other Cause:	bulb break
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Governmental
Other Class:	Not reported
Release Type:	chemical
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

Year of Database:	2012
Case Number:	201203005
Who Took Spill:	201
Assigned To:	918
Report Date:	06/12/2012
Report Time:	22:31:18
Date Release:	06/12/2012
Time Responded:	21:49:00
Reported By:	ray

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Phone:	203 9331616
Representing:	west haven fire dept
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	ETHYLENE OXIDE GAS
Qty:	0 (Gallons)
Emergency Measure:	Not reported
Water Body:	Not reported
Discharger:	va hospital
Telephone:	Not reported
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2014-07-22 10:34:03
Sr Inspector:	Burkey, Rachael
At Inspctor:	LECLERC, KEN
User Stamp:	GranilloM
Comments:	Not reported
Action:	Other
Other Action:	fd on scene
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Agency ID:	LOCAL FIRE DEPARTMENT
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Container Failure
Other Cause:	Not reported
Media ID:	Inside Building
Other Media:	Not reported
Class ID:	Governmental
Other Class:	Not reported
Release Type:	chemical
Other Release:	Not reported
Release Type:	gas emission
Other Release:	Not reported

Year of Database:	2007
Case Number:	200700015
Who Took Spill:	204
Assigned To:	0
Report Date:	01/02/2007
Report Time:	14:09:17
Date Release:	01/02/2007
Time Responded:	Not reported
Reported By:	keith gitter
Phone:	203 9325711 - 203 5064095
Representing:	va ct heath care systems
Terminated:	Not reported
Recovd (Total):	0

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: HYDRAULIC OIL
Qty: 8 (Gallons)
Emergency Measure: ext 3888. REPORTED A SECOND TIME, CASE # 2007-00034.
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2007-01-19 12:20:47
Sr Inspector: therrien,adam
At Inspctor: **NO RESPONSE
User Stamp: mgranill
Comments: Not reported
Action: Sanded
Other Action: Not reported
Action: Cleaned
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Hose Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported

Year of Database: 2010
Case Number: 201002281
Who Took Spill: 205
Assigned To: 0
Report Date: 04/19/2010
Report Time: 11:32:53
Date Release: 04/17/2010
Time Responded: Not reported
Reported By: Ling Xu ext.4197
Phone: 203 9235711
Representing: VA CT Hospital
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: CHEMOTHERAPY 5-SLUOROURACIL
Qty: 0 (Gallons)
Emergency Measure: 14 mililiters.
Water Body: n/a
Discharger: saa

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2010-04-19 12:24:28
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: MCox
Comments: Not reported
Action: Other
Other Action: spill kits
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Hose Failure
Other Cause: Not reported
Media ID: Inside Building
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: chemical
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2010
Case Number: 201000596
Who Took Spill: 205
Assigned To: 0
Report Date: 02/01/2010
Report Time: 12:12:03
Date Release: 02/01/2010
Time Responded: Not reported
Reported By: Christopher Roberts x2817
Phone: 203 9325711
Representing: VA Hospital
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: HYDRAULIC OIL
Qty: 0 (Gallons)
Emergency Measure: 2 tbsp. Released
Water Body: n/a
Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2010-02-01 12:14:42
Sr Inspector: Cox, Michael

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

At Inspctor: **NO RESPONSE
User Stamp: MCox
Comments: 02/01/2010 14:35 Christopher Roberts called to report additional half gallon released.
Action: Removed
Other Action: Not reported
Action: Cleaned
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Container Failure
Other Cause: Not reported
Media ID: Inside Building
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2010
Case Number: 201003949
Who Took Spill: 204
Assigned To: 0
Report Date: 07/02/2010
Report Time: 14:07:37
Date Release: 07/02/2010
Time Responded: Not reported
Reported By: christopher roberts x 2817
Phone: 203 9325711
Representing: va west haven campus
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: GASOLINE
Qty: 1 (Gallons)
Emergency Measure: Not reported
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2010-07-02 14:10:42
Sr Inspector: therrien,adam
At Inspctor: **NO RESPONSE
User Stamp: atherrie
Comments: Not reported
Action: Sanded
Other Action: Not reported

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Agency ID: LOCAL FIRE DEPARTMENT
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Transfer Line Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Private
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported

Year of Database: 2014
Case Number: 201401788
Who Took Spill: 209
Assigned To: 0
Report Date: 04/21/2014
Report Time: 11:27:22
Date Release: 04/21/2014
Time Responded: Not reported
Reported By: ling xu
Phone: 203 9325711
Representing: va hospital
Terminated: NO
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: #2 FUEL OIL
Qty: 2 (Gallons)
Emergency Measure: leak is in 2ndary containment
Water Body: Not reported
Discharger: saa
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2014-04-28 14:30:06
Sr Inspector: WELCH, THOMAS
At Inspctor: **NO RESPONSE
User Stamp: GuzmanCa
Comments: Not reported
Action: Contracted
Other Action: Not reported
Action: Other
Other Action: clean harbors
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Cause ID: Above Ground Tank Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported

Year of Database: 2003
Case Number: 200302293
Who Took Spill: 933
Assigned To: 0
Report Date: 03/19/2003
Report Time: 16:15:22
Date Release: 03/19/2003
Time Responded: Not reported
Reported By: angelo aglieco
Phone: 203 9325711
Representing: veterans administation health system(VA hospital)
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: Closed
Continuous Spill: False
Released Substance: MERCURY
Qty: 0 (Gallons)
Emergency Measure: bldg1 subground east rm 109 A former biomed room,
Water Body: none
Discharger: same
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2003-03-19 16:22:22
Sr Inspector: Santacroce, Jim
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: Contracted
Other Action: Not reported
Action: Other
Other Action: earth technologies inc.
Cause ID: Other
Other Cause: brken monometer
Media ID: Inside Building
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: chemical
Other Release: Not reported

Year of Database: 2012
Case Number: 201201477
Who Took Spill: 205

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Assigned To:	0
Report Date:	03/27/2012
Report Time:	11:05:29
Date Release:	03/27/2012
Time Responded:	10:00:00
Reported By:	Ling Xu
Phone:	203 9325711
Representing:	VA CT Health Care
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	WASHING BUFFER
Qty:	4 (Gallons)
Emergency Measure:	Not reported
Water Body:	n/a
Discharger:	saa
Telephone:	Not reported
Responsible Party:	YES
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2012-03-27 18:00:38
Sr Inspector:	Cox, Michael
At Inspctor:	**NO RESPONSE
User Stamp:	GuzmanCa
Comments:	Not reported
Action:	Cleaned
Other Action:	Not reported
Action:	Other
Other Action:	absorbant pads
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Hose Failure
Other Cause:	Not reported
Media ID:	Inside Building
Other Media:	Not reported
Class ID:	Governmental
Other Class:	Not reported
Release Type:	chemical
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

Year of Database:	1998
Case Number:	9805514
Who Took Spill:	208
Assigned To:	0
Report Date:	08/17/1998
Report Time:	19:31:38
Date Release:	08/17/1998
Time Responded:	Not reported
Reported By:	GAYATRI RAO

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Phone: 203 9325711 - 203 3718061
Representing: VA MEDICAL HOSPITOL EXT 5014
Terminated: NO
Recovd (Total): 0
Total (Water): 0
Facility Status: closed
Continuous Spill: False
Released Substance: OXYGEN
Qty: 0 (Gallons)
Emergency Measure: UNK
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 1998-10-14 13:41:27
Sr Inspector: Monarca, Vincent
At Inspctor: **NO RESPONSE
User Stamp: Not reported
Comments: Not reported
Action: None Required
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Container Failure
Other Cause: Not reported
Media ID: Inside Building
Other Media: Not reported
Release Type: gas emission
Other Release: Not reported

Year of Database: 2011
Case Number: 201102990
Who Took Spill: 209
Assigned To: 0
Report Date: 06/04/2011
Report Time: 11:40:02
Date Release: 06/04/2011
Time Responded: Not reported
Reported By: darlene
Phone: 203 5002186
Representing: va hospital
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: DIESEL FUEL
Qty: 1 (Gallons)
Emergency Measure: Not reported
Water Body: Not reported
Discharger: laurence brunelli

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2011-06-06 12:25:24
Sr Inspector: WELCH, THOMAS
At Inspctor: **NO RESPONSE
User Stamp: cguzman
Comments: Not reported
Action: Contained
Other Action: Not reported
Action: Sanded
Other Action: Not reported
Action: Cleaned
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Other
Other Cause: human error
Media ID: Ground Surface
Other Media: Not reported
Class ID: Commercial
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2008
Case Number: 200801507
Who Took Spill: 204
Assigned To: 0
Report Date: 03/12/2008
Report Time: 15:47:50
Date Release: 03/12/2008
Time Responded: Not reported
Reported By: darlene powell
Phone: 203 9325711
Representing: va
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: ANTIFREEZE & OIL
Qty: 5 (Gallons)
Emergency Measure: Not reported
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Historic: False
Waterbody: False
Time Stamp: 2008-03-19 13:21:32
Sr Inspector: therrien,adam
At Inspctor: **NO RESPONSE
User Stamp: cguzman
Comments: Not reported
Action: Contracted
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Container Failure
Other Cause: Not reported
Media ID: Inside Building
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Release Type: chemical
Other Release: Not reported

Year of Database: 2011
Case Number: 201101824
Who Took Spill: 201
Assigned To: 0
Report Date: 04/13/2011
Report Time: 16:04:52
Date Release: 04/13/2011
Time Responded: Not reported
Reported By: ling sue ext 4197
Phone: 203 9325711
Representing: connecticut health care system
Terminated: Not reported
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: FLORESCENT LIGHTBULB
Qty: 0 (Gallons)
Emergency Measure: Not reported
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2011-04-14 18:42:55
Sr Inspector: Burkey, Rachael
At Inspctor: **NO RESPONSE
User Stamp: cguzman
Comments: 935 Notified, notification only.
Action: Cleaned

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Other
Other Cause: broken light bulb
Media ID: Inside Building
Other Media: Not reported
Class ID: Commercial
Other Class: Not reported
Release Type: chemical
Other Release: Not reported

Year of Database: 2008
Case Number: 200800958
Who Took Spill: 204
Assigned To: 0
Report Date: 02/15/2008
Report Time: 15:14:09
Date Release: 02/15/2008
Time Responded: Not reported
Reported By: darlene powell
Phone: 203 9325711
Representing: ct va
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: ZYLENE
Qty: 1 (Gallons)
Emergency Measure: Not reported
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2008-03-18 10:01:47
Sr Inspector: therrien,adam
At Inspctor: **NO RESPONSE
User Stamp: mgranill
Comments: Not reported
Action: Contracted
Other Action: Not reported
Action: Other
Other Action: triumphent
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Container Failure
Other Cause: Not reported
Media ID: Inside Building

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: chemical
Other Release: Not reported

Year of Database: 2010
Case Number: 201004424
Who Took Spill: 205
Assigned To: 0
Report Date: 07/22/2010
Report Time: 15:24:04
Date Release: 07/22/2010
Time Responded: Not reported
Reported By: chris roberts
Phone: 203 9325711
Representing: VA Hospital
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: MOTOR OIL
Qty: 1 (Gallons)
Emergency Measure: Not reported
Water Body: n/a
Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2010-07-22 15:32:17
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: MCox
Comments: Not reported
Action: Other
Other Action: speedi dry
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Other
Other Cause: unknown
Media ID: Ground Surface
Other Media: Not reported
Class ID: Transportation
Other Class: Not reported
Class ID: Private
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Year of Database:	2015
Case Number:	201506150
Who Took Spill:	202
Assigned To:	0
Report Date:	11/19/2015
Report Time:	10:16:27
Date Release:	11/19/2015
Time Responded:	Not reported
Reported By:	chris
Phone:	917 3303963
Representing:	JKC
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	OIL & GAS STAINING
Qty:	0.25 (Gallons)
Emergency Measure:	Not reported
Water Body:	Not reported
Discharger:	Not reported
Telephone:	Not reported
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2015-11-20 15:14:10
Sr Inspector:	Landry, Robin
At Inspctor:	**NO RESPONSE
User Stamp:	Guzmanca
Comments:	Not reported
Action:	Sanded
Other Action:	Not reported
Action:	Investigated
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Other
Other Cause:	unknown
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Transportation
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

Year of Database:	2013
Case Number:	201305387
Who Took Spill:	205
Assigned To:	0
Report Date:	10/07/2013
Report Time:	16:10:54

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Date Release:	10/07/2013
Time Responded:	Not reported
Reported By:	ling xu
Phone:	203 9325711
Representing:	va hospital
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	ANTIFREEZE
Qty:	2 (Gallons)
Emergency Measure:	speedi dry
Water Body:	n/a
Discharger:	saa
Telephone:	Not reported
Responsible Party:	YES
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2013-10-08 13:05:35
Sr Inspector:	Cox, Michael
At Inspctor:	**NO RESPONSE
User Stamp:	GuzmanCa
Comments:	Not reported
Action:	Contained
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Hose Failure
Other Cause:	Not reported
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Transportation
Other Class:	Not reported
Class ID:	Private
Other Class:	Not reported
Release Type:	chemical
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

Year of Database:	2005
Case Number:	200507494
Who Took Spill:	206
Assigned To:	918
Report Date:	11/02/2005
Report Time:	07:02:18
Date Release:	11/02/2005
Time Responded:	Not reported
Reported By:	ANGELO AGLIECO
Phone:	203 9325711
Representing:	VA MEDICAL HOSPITAL
Terminated:	NO

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: OIL
Qty: 0 (Gallons)
Emergency Measure: WHILE TRANSFERING FUEL BETWEEN 50 TO 200 GALLONS SPILLED SPILL IS CONTAINED.
Water Body: NA
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2006-01-12 09:02:30
Sr Inspector: Kinney, Clarence
At Inspctor: LECLERC, KEN
User Stamp: mgranill
Comments: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Private
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: NA

Year of Database: 2012
Case Number: 201203843
Who Took Spill: 212
Assigned To: 925
Report Date: 07/19/2012
Report Time: 18:46:23
Date Release: 07/19/2012
Time Responded: Not reported
Reported By: Darlene Powell
Phone: 203 6406498
Representing: West Haven VA
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: COMPRESSOR OIL
Qty: 1 (Gallons)
Emergency Measure: Freon vaporized. 1 gal of lubricant. Pavement. Speedy-Dry applied to lubridcant on pavement. Clean Harbors on scene.
Water Body: NONE
Discharger: SAA
Telephone: Not reported

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2012-10-10 10:49:08
Sr Inspector:	JOHNSTON, ALEXANDER
At Inspctor:	LIANO, MARK
User Stamp:	GranilloM
Comments:	Not reported
Action:	Contracted
Other Action:	Not reported
Action:	Sanded
Other Action:	Not reported
Action:	Cleaned
Other Action:	Not reported
Action:	Other
Other Action:	CLEAN HARBORS
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Other
Other Cause:	Freezer was placed in trash compactor.
Media ID:	Air
Other Media:	Not reported
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Governmental
Other Class:	Not reported
Release Type:	chemical
Other Release:	Not reported

Click this hyperlink while viewing on your computer to access
12 additional CT SPILLS: record(s) in the EDR Site Report.

AIRS:

OBS:	2395
Client No.:	1633
Town No.:	203
Prem No.:	23
Contact:	THOMAS VACCARELLI
Phone# Area Code:	2039373817
Mail Street:	950 CAMPBELL AVE
Mail Town:	WEST HAVEN
Mail State:	CT
Mail Zip:	6516
X Utm Grid:	670.899999
Y Utm Grid:	4572
Sic:	8062
Permit No:	40
Description:	BLR CB DL-60 #1
Date Permit Issued:	11/14/1988
Date Permit Expires:	.
Carbon Monoxide Emissions (TPY):	2
Actual Pm10(TPY):	0.20000000
Actual So(TPY):	3.39999999

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Actual Nox(TPY):	3.10000000
Actual Hc(TPY):	0.20000000
Contact Title:	Not reported
Contact Email:	Not reported
Affiliation Type:	Not reported
Permit EI Type:	Not reported
Status:	Not reported
Assigned Staff:	Not reported
Affiliate Add1:	Not reported
Affiliate Add2:	Not reported
Affiliate City:	Not reported
Affiliate State:	Not reported
Affiliate Zip:	Not reported
Contact Add1:	Not reported
Contact City:	Not reported
Contact State:	Not reported
Contact Zip:	Not reported
Annual Fee:	Not reported

OBS:	2396
Client No.:	1633
Town No.:	203
Prem No.:	24
Contact:	THOMAS VACCARELLI
Phone# Area Code:	2039373817
Mail Street:	950 CAMPBELL AVE
Mail Town:	WEST HAVEN
Mail State:	CT
Mail Zip:	6516
X Utm Grid:	670.899999
Y Utm Grid:	4572
Sic:	8062
Permit No:	40
Description:	BLR CB DL-60 #2
Date Permit Issued:	11/14/1988
Date Permit Expires:	.
Carbon Monoxide Emissions (TPY):	2.10000000
Actual Pm10(TPY):	0.20000000
Actual So(TPY):	3
Actual Nox(TPY):	3
Actual Hc(TPY):	0.20000000
Contact Title:	Not reported
Contact Email:	Not reported
Affiliation Type:	Not reported
Permit EI Type:	Not reported
Status:	Not reported
Assigned Staff:	Not reported
Affiliate Add1:	Not reported
Affiliate Add2:	Not reported
Affiliate City:	Not reported
Affiliate State:	Not reported
Affiliate Zip:	Not reported
Contact Add1:	Not reported
Contact City:	Not reported
Contact State:	Not reported
Contact Zip:	Not reported
Annual Fee:	Not reported

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

OBS:	2398
Client No.:	1633
Town No.:	203
Prem No.:	26
Contact:	THOMAS VACCARELLI
Phone# Area Code:	2039373817
Mail Street:	950 CAMPBELL AVE
Mail Town:	WEST HAVEN
Mail State:	CT
Mail Zip:	6516
X Utm Grid:	670.899999
Y Utm Grid:	4572
Sic:	8062
Permit No:	40
Description:	GM 16-567C/A-11 DIESEL GEN #2
Date Permit Issued:	7/2/1991
Date Permit Expires:	.
Carbon Monoxide Emissions (TPY):	0
Actual Pm10(TPY):	0
Actual So(TPY):	0
Actual Nox(TPY):	0.10000000
Actual Hc(TPY):	0
Contact Title:	Not reported
Contact Email:	Not reported
Affiliation Type:	Not reported
Permit EI Type:	Not reported
Status:	Not reported
Assigned Staff:	Not reported
Affiliate Add1:	Not reported
Affiliate Add2:	Not reported
Affiliate City:	Not reported
Affiliate State:	Not reported
Affiliate Zip:	Not reported
Contact Add1:	Not reported
Contact City:	Not reported
Contact State:	Not reported
Contact Zip:	Not reported
Annual Fee:	Not reported

OBS:	2399
Client No.:	1633
Town No.:	203
Prem No.:	42
Contact:	THOMAS VACCARELLI
Phone# Area Code:	2039373817
Mail Street:	950 CAMPBELL AVE
Mail Town:	WEST HAVEN
Mail State:	CT
Mail Zip:	6516
X Utm Grid:	670.899999
Y Utm Grid:	4572
Sic:	8062
Permit No:	40
Description:	EMERGEN DIESEL GEN
Date Permit Issued:	11/3/1995
Date Permit Expires:	.
Carbon Monoxide Emissions (TPY):	0

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Actual Pm10(TPY):	0
Actual So(TPY):	0
Actual Nox(TPY):	0.20000000
Actual Hc(TPY):	0
Contact Title:	Not reported
Contact Email:	Not reported
Affiliation Type:	Not reported
Permit EI Type:	Not reported
Status:	Not reported
Assigned Staff:	Not reported
Affiliate Add1:	Not reported
Affiliate Add2:	Not reported
Affiliate City:	Not reported
Affiliate State:	Not reported
Affiliate Zip:	Not reported
Contact Add1:	Not reported
Contact City:	Not reported
Contact State:	Not reported
Contact Zip:	Not reported
Annual Fee:	Not reported

OBS:	2397
Client No.:	1633
Town No.:	203
Prem No.:	25
Contact:	THOMAS VACCARELLI
Phone# Area Code:	2039373817
Mail Street:	950 CAMPBELL AVE
Mail Town:	WEST HAVEN
Mail State:	CT
Mail Zip:	6516
X Utm Grid:	670.899999
Y Utm Grid:	4572
Sic:	8062
Permit No:	40
Description:	BLR CB DL-60 #3
Date Permit Issued:	11/14/1988
Date Permit Expires:	.
Carbon Monoxide Emissions (TPY):	2.10000000
Actual Pm10(TPY):	0.20000000
Actual So(TPY):	0.70000000
Actual Nox(TPY):	2.60000000
Actual Hc(TPY):	0.10000000
Contact Title:	Not reported
Contact Email:	Not reported
Affiliation Type:	Not reported
Permit EI Type:	Not reported
Status:	Not reported
Assigned Staff:	Not reported
Affiliate Add1:	Not reported
Affiliate Add2:	Not reported
Affiliate City:	Not reported
Affiliate State:	Not reported
Affiliate Zip:	Not reported
Contact Add1:	Not reported
Contact City:	Not reported
Contact State:	Not reported

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Contact Zip:	Not reported
Annual Fee:	Not reported
OBS:	2400
Client No.:	1633
Town No.:	203
Prem No.:	54
Contact:	THOMAS VACCARELLI
Phone# Area Code:	2039373817
Mail Street:	950 CAMPBELL AVE
Mail Town:	WEST HAVEN
Mail State:	CT
Mail Zip:	6516
X Utm Grid:	670.899999
Y Utm Grid:	4572
Sic:	8062
Permit No:	40
Description:	EMERGEN DIESEL GEN GB2-2
Date Permit Issued:	7/23/1998
Date Permit Expires:	.
Carbon Monoxide Emissions (TPY):	0
Actual Pm10(TPY):	0
Actual So(TPY):	0
Actual Nox(TPY):	0.10000000
Actual Hc(TPY):	0
Contact Title:	Not reported
Contact Email:	Not reported
Affiliation Type:	Not reported
Permit EI Type:	Not reported
Status:	Not reported
Assigned Staff:	Not reported
Affiliate Add1:	Not reported
Affiliate Add2:	Not reported
Affiliate City:	Not reported
Affiliate State:	Not reported
Affiliate Zip:	Not reported
Contact Add1:	Not reported
Contact City:	Not reported
Contact State:	Not reported
Contact Zip:	Not reported
Annual Fee:	Not reported
OBS:	2401
Client No.:	1633
Town No.:	203
Prem No.:	55
Contact:	THOMAS VACCARELLI
Phone# Area Code:	2039373817
Mail Street:	950 CAMPBELL AVE
Mail Town:	WEST HAVEN
Mail State:	CT
Mail Zip:	6516
X Utm Grid:	670.899999
Y Utm Grid:	4572
Sic:	8062
Permit No:	40
Description:	EMERGEN DIESEL GEN GB2-1

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Date Permit Issued:	7/23/1998
Date Permit Expires:	.
Carbon Monoxide Emissions (TPY):	0
Actual Pm10(TPY):	0
Actual So(TPY):	0
Actual Nox(TPY):	0.10000000
Actual Hc(TPY):	0
Contact Title:	Not reported
Contact Email:	Not reported
Affiliation Type:	Not reported
Permit EI Type:	Not reported
Status:	Not reported
Assigned Staff:	Not reported
Affiliate Add1:	Not reported
Affiliate Add2:	Not reported
Affiliate City:	Not reported
Affiliate State:	Not reported
Affiliate Zip:	Not reported
Contact Add1:	Not reported
Contact City:	Not reported
Contact State:	Not reported
Contact Zip:	Not reported
Annual Fee:	Not reported

OBS:	2402
Client No.:	1633
Town No.:	203
Prem No.:	56
Contact:	THOMAS VACCARELLI
Phone# Area Code:	2039373817
Mail Street:	950 CAMPBELL AVE
Mail Town:	WEST HAVEN
Mail State:	CT
Mail Zip:	6516
X Utm Grid:	670.899999
Y Utm Grid:	4572
Sic:	8062
Permit No:	40
Description:	EMERGEN DIESEL GEN GB1-1
Date Permit Issued:	7/23/1998
Date Permit Expires:	.
Carbon Monoxide Emissions (TPY):	0.10000000
Actual Pm10(TPY):	0
Actual So(TPY):	0
Actual Nox(TPY):	0.29999999
Actual Hc(TPY):	0
Contact Title:	Not reported
Contact Email:	Not reported
Affiliation Type:	Not reported
Permit EI Type:	Not reported
Status:	Not reported
Assigned Staff:	Not reported
Affiliate Add1:	Not reported
Affiliate Add2:	Not reported
Affiliate City:	Not reported
Affiliate State:	Not reported
Affiliate Zip:	Not reported

VA CONNECTICUT HEALTHCARE SYS (Continued) **1007936132**

Contact Add1: Not reported
Contact City: Not reported
Contact State: Not reported
Contact Zip: Not reported
Annual Fee: Not reported

A28 Target Property **VETERANS ADMINSTRATION HOSPITAL**
950 CAMPBELL AVE.
WEST HAVEN, CT 6516

FTTS **1007298636**
HIST FTTS **N/A**

Site 28 of 41 in cluster A

Actual: 127 ft.

FTTS INSP:
Inspection Number: 19900123CT020 1
Region: 01
Inspection Date: 01/23/90
Inspector: SALIBY
Violation occurred: Yes
Investigation Type: Section 6 PCB State Conducted
Investigation Reason: Neutral Scheme, State
Legislation Code: TSCA
Facility Function: User

HIST FTTS INSP:
Inspection Number: 19900123CT020 1
Region: 01
Inspection Date: Not reported
Inspector: SALIBY
Violation occurred: Yes
Investigation Type: Section 6 PCB State Conducted
Investigation Reason: Neutral Scheme, State
Legislation Code: TSCA
Facility Function: User

A29 Target Property **950 CAMPBELL AVE.**
WEST HAVEN, CT

ERNS **2006797468**
N/A

Site 29 of 41 in cluster A

Actual: 127 ft.

Click this hyperlink while viewing on your computer to access additional ERNS detail in the EDR Site Report.

A30 Target Property | **VA HOSPITAL**
950 CAMPBELL AVENUE
WEST HAVEN, CT 06516 | **CT SPILLS** **S108790132**
CT NPDES **N/A**

Site 30 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2015
Case Number:	201505208
Who Took Spill:	205
Assigned To:	0
Report Date:	10/07/2015
Report Time:	09:39:44
Date Release:	10/07/2015
Time Responded:	Not reported
Reported By:	tom hemenway
Phone:	203 9325711
Representing:	VA CT Health Care
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	BRAKE FLUID
Qty:	0.25 (Gallons)
Emergency Measure:	speedi dry
Water Body:	n/a
Discharger:	saa
Telephone:	Not reported
Responsible Party:	YES
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2015-10-13 16:25:58
Sr Inspector:	Cox, Michael
At Inspctor:	**NO RESPONSE
User Stamp:	Guzmanca
Comments:	Not reported
Action:	Contained
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Hose Failure
Other Cause:	Not reported
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Governmental
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

Year of Database:	2015
Case Number:	201504162
Who Took Spill:	214

VA HOSPITAL (Continued) **S108790132**

Assigned To:	0
Report Date:	08/17/2015
Report Time:	16:55:55
Date Release:	08/17/2015
Time Responded:	16:00:00
Reported By:	ling xu
Phone:	203 9325711
Representing:	VA
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	HYDRAULIC OIL
Qty:	0.5 (Gallons)
Emergency Measure:	leak from compactor stopped. Speedy dry applied
Water Body:	none
Discharger:	Not reported
Telephone:	Not reported
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2015-08-24 17:28:18
Sr Inspector:	Wren, Michael
At Inspctor:	**NO RESPONSE
User Stamp:	Guzmanca
Comments:	Not reported
Action:	Contained
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Hose Failure
Other Cause:	Not reported
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Governmental
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported

Year of Database:	96
Case Number:	850
Who Took Spill:	CIASULLO
Assigned To:	Not reported
Report Date:	02/27/1996
Report Time:	9
Date Release:	Not reported
Time Responded:	Not reported
Reported By:	GAYATRI RAO
Phone:	Not reported
Representing:	STATE VETERAN'S ADMINISTRATION
Terminated:	Y
Recovd (Total):	Not reported

VA HOSPITAL (Continued) **S108790132**

Total (Water): Not reported
Facility Status: Not reported
Continuous Spill: Not reported
Released Substance: Not reported
Qty: 100 (Gallons)
Emergency Measure: Not reported
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: Not reported
Historic: Not reported
Waterbody: Not reported
Time Stamp: Not reported
Sr Inspector: Not reported
At Inspctor: Not reported
User Stamp: Not reported
Comments: Not reported

Year of Database: 2015
Case Number: 201501982
Who Took Spill: 205
Assigned To: 0
Report Date: 05/01/2015
Report Time: 09:12:47
Date Release: 05/01/2015
Time Responded: Not reported
Reported By: tom hemenway
Phone: 203 9325711
Representing: VA Health
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: DIESEL FUEL
Qty: 0 (Gallons)
Emergency Measure: 1 cup; speedi dry
Water Body: n/a
Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2015-05-01 15:33:00
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: Guzmanca
Comments: Not reported
Action: Contained
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported

VA HOSPITAL (Continued) **S108790132**

DEP Agency: Not reported
Cause ID: Other
Other Cause: leaking mv
Media ID: Ground Surface
Other Media: Not reported
Class ID: Transportation
Other Class: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2015
Case Number: 201503806
Who Took Spill: 205
Assigned To: 0
Report Date: 07/29/2015
Report Time: 12:52:17
Date Release: 07/26/2015
Time Responded: Not reported
Reported By: Tom Hemingway
Phone: 203 9325711
Representing: Vet Affairs
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: R22
Qty: 0 (Gallons)
Emergency Measure: Not reported
Water Body: Not reported
Discharger: saa
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2015-07-31 12:55:09
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: Guzmanca
Comments: Not reported
Action: Contracted
Other Action: Not reported
Action: Other
Other Action: Johnson Controls
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Other
Other Cause: unk
Media ID: Air

VA HOSPITAL (Continued) **S108790132**

Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: chemical
Other Release: Not reported

NPDES:

Town Id:	Not reported
Company Name:	Not reported
Permit Number:	GSN002872
Permit Issued Date:	02/17/2015
Permit Expiration Date:	09/30/2018
Application Received Date:	Not reported
Affiliation Type:	Registrant
Permit EI Type:	Stormwater Construction Activities GP locally exempt 1 to <20 acres
App Id:	201412187
Site Address Description:	Not reported
Site Address Line 2:	Not reported
Permit Description:	New Cogen building addition and relocation of parking for site maintenance vehicles.
Status:	Active
Affiliate Address Line 1:	1500 Ocean Ave
Affiliate Address Line 2:	Not reported
Affiliate City/State/Zip:	Bohemia, NY 11716-1924
Contact Name:	TIM MORRIS
Contact Title:	PROJECT MANAGER
Contact EMail:	TMORRIS@JKOKOLAKIS.COM

A31 **CT SPILLS** **S108319883**
Target Property **950 CAMPBELL AVE V.A. MEDICAL CENTER** **N/A**
WEST HAVEN, CT

Site 31 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2007
Case Number:	200700034
Who Took Spill:	205
Assigned To:	0
Report Date:	01/03/2007
Report Time:	09:54:15
Date Release:	01/02/2007
Time Responded:	Not reported
Reported By:	Angelo Agliceo pager
Phone:	203 4773684
Representing:	V.A. Medical Center in West Haven
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	HYDRAULIC OIL
Qty:	8 (Gallons)
Emergency Measure:	SAME AS CASE # 2007-00015.
Water Body:	Not reported
Discharger:	saa
Telephone:	Not reported

(Continued) **S108319883**

Responsible Party:	YES
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2007-01-19 12:22:07
Sr Inspector:	Cox, Michael
At Inspctor:	**NO RESPONSE
User Stamp:	mgranill
Comments:	Not reported
Action:	Removed
Other Action:	Not reported
Action:	Contained
Other Action:	Not reported
Action:	Sanded
Other Action:	Not reported
Action:	Other
Other Action:	asborbant pads
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Transfer Line Failure
Other Cause:	Not reported
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Governmental
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported

A32 **CT SPILLS** **S108301024**
Target Property **950 CAMPBELL AVENUE** **N/A**
WEST HAVEN, CT

Site 32 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2008
Case Number:	200806781
Who Took Spill:	205
Assigned To:	0
Report Date:	10/24/2008
Report Time:	14:47:32
Date Release:	10/24/2008
Time Responded:	12:10:00
Reported By:	darleen powell
Phone:	203 9325711
Representing:	va connecticut
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	HYDRAULIC OIL
Qty:	1 (Gallons)
Emergency Measure:	Not reported
Water Body:	n/a

(Continued) **S108301024**

Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2008-10-27 15:02:56
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: cguzman
Comments: Not reported
Action: Other
Other Action: speedy-dry & absorbant
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Hose Failure
Other Cause: Not reported
Media ID: Other
Other Media: pavement
Class ID: Governmental
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2009
Case Number: 200902013
Who Took Spill: 208
Assigned To: 0
Report Date: 04/21/2009
Report Time: 16:07:50
Date Release: 04/21/2009
Time Responded: Not reported
Reported By: darlene powell, ext-2767
Phone: 203 9325711
Representing: west haven va
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: MERCURY LIGHT BULB
Qty: 0 (Gallons)
Emergency Measure: Mercury light bulbs, triumburent environmental cleaned and light bulbs broken in a basement storage area.
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False

(Continued) **S108301024**

Time Stamp: 2009-04-22 13:24:45
Sr Inspector: Monarca, Vincent
At Inspctor: **NO RESPONSE
User Stamp: CGuzman
Comments: Not reported
Action: Cleaned
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Container Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Private
Other Class: Not reported
Release Type: chemical
Other Release: Not reported

Year of Database: 2009
Case Number: 200902077
Who Took Spill: 209
Assigned To: 0
Report Date: 04/23/2009
Report Time: 17:40:22
Date Release: 04/23/2009
Time Responded: Not reported
Reported By: darlene
Phone: 203 6406498
Representing: West Haven VA
Terminated: Not reported
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: SODIUM 22
Qty: 0 (Gallons)
Emergency Measure: The 500 cc's of sodium 22, 10 microcarrys, in a radioactive storage room, leaked from primary container to secondary container, triumverant and radiation supervisors on sight and no response referred to denny galloway.
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2009-05-26 13:34:14
Sr Inspector: WELCH, THOMAS
At Inspctor: **NO RESPONSE
User Stamp: mgranill
Comments: Not reported
Action: Contained
Other Action: Not reported

(Continued) **S108301024**

Action: Contracted
Other Action: Not reported
Action: Cleaned
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Other
Other Cause: unknown
Media ID: Inside Building
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: biomedical
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2009
Case Number: 200902648
Who Took Spill: 202
Assigned To: 0
Report Date: 05/19/2009
Report Time: 16:24:15
Date Release: 05/19/2009
Time Responded: Not reported
Reported By: ling xu, ext-4197
Phone: 203 9325711
Representing: VA hospital
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: MOTOR OIL
Qty: 0 (Gallons)
Emergency Measure: Two teaspoons.
Water Body: Not reported
Discharger: Johnson Control
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2009-05-19 17:12:13
Sr Inspector: Landry, Robin
At Inspctor: **NO RESPONSE
User Stamp: cguzman
Comments: Not reported
Action: Cleaned
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported

(Continued) **S108301024**

Cause ID: Valve Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Commercial
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2009
Case Number: 200900532
Who Took Spill: 204
Assigned To: 0
Report Date: 02/03/2009
Report Time: 11:19:39
Date Release: 02/03/2009
Time Responded: Not reported
Reported By: christopher roberts, ext-2817
Phone: 203 9325711
Representing: va
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: HYDRAULIC OIL
Qty: 1 (Gallons)
Emergency Measure: Not reported
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: NO
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2009-02-03 14:09:33
Sr Inspector: therrien,adam
At Inspctor: **NO RESPONSE
User Stamp: cguzman
Comments: Not reported
Action: Other
Other Action: pads
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Hose Failure
Other Cause: Not reported
Media ID: Inside Building
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported

(Continued) **S108301024**

Year of Database: 2009
Case Number: 200900578
Who Took Spill: 205
Assigned To: 0
Report Date: 02/05/2009
Report Time: 12:54:09
Date Release: 02/05/2009
Time Responded: Not reported
Reported By: elizabeth lesla, ext-7389
Phone: 203 9325711
Representing: Va Hosptial
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: FLOURESCENT BULB
Qty: 0 (Gallons)
Emergency Measure: Flourecent broken light bulb.
Water Body: n/a
Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2009-02-06 18:22:10
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: cguzman
Comments: Not reported
Action: Contracted
Other Action: Not reported
Action: Other
Other Action: Triumverant Environmental
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Container Failure
Other Cause: Not reported
Media ID: Inside Building
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: chemical
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2009
Case Number: 200900663
Who Took Spill: 205
Assigned To: 0
Report Date: 02/10/2009
Report Time: 11:30:06

(Continued) **S108301024**

Date Release:	02/10/2009
Time Responded:	Not reported
Reported By:	Chris Roberts, Ext-2817
Phone:	203 9325711
Representing:	Va. Hospital
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	DRY BLEACH
Qty:	0 (Gallons)
Emergency Measure:	Two teaspoons.
Water Body:	n/a
Discharger:	saa
Telephone:	Not reported
Responsible Party:	YES
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2009-02-10 18:21:15
Sr Inspector:	Cox, Michael
At Inspctor:	**NO RESPONSE
User Stamp:	cguzman
Comments:	Not reported
Action:	Removed
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Container Failure
Other Cause:	Not reported
Media ID:	Inside Building
Other Media:	Not reported
Media ID:	Other
Other Media:	carpet
Class ID:	Governmental
Other Class:	Not reported
Release Type:	chemical
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

Year of Database:	2009
Case Number:	200902819
Who Took Spill:	205
Assigned To:	0
Report Date:	05/28/2009
Report Time:	11:20:27
Date Release:	05/28/2009
Time Responded:	Not reported
Reported By:	Chistopher Roberts
Phone:	203 9325711
Representing:	VA Hospital
Terminated:	YES

(Continued) **S108301024**

Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: WATER SPRINKLER RESIDUE
Qty: 0 (Gallons)
Emergency Measure: Small amount.
Water Body: n/a
Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2009-05-28 16:12:14
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: CGuzman
Comments: Not reported
Action: Contracted
Other Action: Not reported
Action: Other
Other Action: Triumverate
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Other
Other Cause: unk
Media ID: Ground Surface
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: noen

Year of Database: 2009
Case Number: 200902894
Who Took Spill: 205
Assigned To: 0
Report Date: 06/01/2009
Report Time: 15:02:07
Date Release: 06/01/2009
Time Responded: Not reported
Reported By: darlene powell
Phone: 203 6406498
Representing: VA Hospital
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: DIESEL FUEL & GASOLINE
Qty: 0 (Gallons)

(Continued) **S108301024**

Emergency Measure: A 40k tons.
Water Body: n/a
Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2009-06-02 10:11:56
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: CGuzman
Comments: Not reported
Action: Soil Removed
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Overfill
Other Cause: Not reported
Cause ID: Other
Other Cause: historic overfills
Media ID: Other
Other Media: subsurface
Class ID: Industrial
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2008
Case Number: 200807386
Who Took Spill: 205
Assigned To: 0
Report Date: 11/21/2008
Report Time: 12:30:50
Date Release: 11/21/2008
Time Responded: Not reported
Reported By: elizabeth leslie
Phone: 203 5008967
Representing: VA Hospital
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: 20 ML TRINITRO BENZINE SULFONIC ACID SOLUTION 5% METHANOL
Qty: 0 (Gallons)
Emergency Measure: A 20 ml released inside freezer drawer.
Water Body: Not reported
Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported

(Continued) **S108301024**

RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2008-11-21 18:00:55
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: cguzman
Comments: Not reported
Action: Contracted
Other Action: Not reported
Action: Other
Other Action: triumvirate
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Container Failure
Other Cause: Not reported
Media ID: Inside Building
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: chemical
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2008
Case Number: 200807590
Who Took Spill: 205
Assigned To: 0
Report Date: 12/03/2008
Report Time: 11:01:07
Date Release: 12/03/2008
Time Responded: Not reported
Reported By: christopher roberts, ext 2817
Phone: 203 9325711
Representing: VA Hospt.
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: ANTIFREEZE
Qty: 1 (Gallons)
Emergency Measure: Not reported
Water Body: n/a
Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2008-12-03 17:23:22
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE

(Continued) **S108301024**

User Stamp: cguzman
Comments: Not reported
Action: Contracted
Other Action: Not reported
Action: Other
Other Action: speedy-dry & triumvirate
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Valve Failure
Other Cause: Not reported
Media ID: Other
Other Media: roof
Class ID: Governmental
Other Class: Not reported
Release Type: chemical
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2008
Case Number: 200805407
Who Took Spill: 205
Assigned To: 0
Report Date: 08/26/2008
Report Time: 12:30:46
Date Release: 08/26/2008
Time Responded: Not reported
Reported By: Darlene Powell, ext-276
Phone: 203 9325711
Representing: West Haven VA
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: ANTIFREEZE
Qty: 1 (Gallons)
Emergency Measure: Not reported
Water Body: n/a
Discharger: USA Foods Michael Pighetti, Keith Prevost ext-3992
Telephone: 800 7321732
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2008-08-26 18:08:32
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: cguzman
Comments: Not reported
Action: Contracted
Other Action: Not reported
Action: Other
Other Action: speedy-dry & triumvirate environmental

(Continued) **S108301024**

Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Hose Failure
Other Cause: Not reported
Media ID: Other
Other Media: asphalt
Class ID: Transportation
Other Class: Not reported
Class ID: Commercial
Other Class: Not reported
Release Type: chemical
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2008
Case Number: 200807617
Who Took Spill: 205
Assigned To: 0
Report Date: 12/04/2008
Report Time: 13:09:28
Date Release: 12/04/2008
Time Responded: Not reported
Reported By: darlene powell, ext-2767
Phone: 203 9325711
Representing: VA Hospt.
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: PHENOL
Qty: 0 (Gallons)
Emergency Measure: 15cc released.
Water Body: n/a
Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2008-12-04 18:05:06
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: cguzman
Comments: Not reported
Action: Other
Other Action: spill kit
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Container Failure
Other Cause: Not reported

(Continued) **S108301024**

Media ID: Inside Building
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: chemical
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2008
Case Number: 200805163
Who Took Spill: 202
Assigned To: 0
Report Date: 08/13/2008
Report Time: 18:27:05
Date Release: 08/13/2008
Time Responded: Not reported
Reported By: darlene powell, ext-2767
Phone: 203 9325711
Representing: west haven va health care system
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: ANTIFREEZE
Qty: 1 (Gallons)
Emergency Measure: Not reported
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2008-08-14 18:03:16
Sr Inspector: Landry, Robin
At Inspctor: **NO RESPONSE
User Stamp: cguzman
Comments: Not reported
Action: Contracted
Other Action: Not reported
Action: Other
Other Action: triumvirate environmental
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Hose Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Transportation
Other Class: Not reported
Class ID: Other
Other Class: grounds sweeper

(Continued) **S108301024**

Release Type: chemical
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2009
Case Number: 200905424
Who Took Spill: 207
Assigned To: 0
Report Date: 09/24/2009
Report Time: 12:06:40
Date Release: 09/24/2009
Time Responded: 12:06:00
Reported By: CHRISTOPHER ROBERTS
Phone: 203 9325711 - 000 0000000
Representing: VA HOSPITAL
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: BATTERY ACID
Qty: 1 (Gallons)
Emergency Measure: ABSORBANT PADS APLIED CONTRACTED TRIUMVIRATE ENVIRONMENTAL
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2009-09-25 10:43:23
Sr Inspector: Gilmore, Pete
At Inspctor: **NO RESPONSE
User Stamp: CGuzman
Comments: Not reported
Action: Contracted
Other Action: Not reported
Action: Other
Other Action: ABSORBANT PADS APPLIED
Cause ID: Dumping
Other Cause: Not reported
Media ID: Inside Building
Other Media: Not reported
Class ID: Private
Other Class: Not reported
Release Type: chemical
Other Release: Not reported

Year of Database: 2009
Case Number: 200901693
Who Took Spill: 204
Assigned To: 0
Report Date: 04/07/2009
Report Time: 09:56:59
Date Release: 04/07/2009

(Continued) **S108301024**

Time Responded: Not reported
Reported By: liz leslie, ext-5122
Phone: 203 9325711
Representing: va ct
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: HYDRAULIC OIL
Qty: 1 (Gallons)
Emergency Measure: Not reported
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2009-04-08 17:12:50
Sr Inspector: therrien,adam
At Inspctor: **NO RESPONSE
User Stamp: cguzman
Comments: Not reported
Action: Cleaned
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Other
Other Cause: leaking cylinder
Media ID: Inside Building
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported

Year of Database: 2008
Case Number: 200807297
Who Took Spill: 202
Assigned To: 922
Report Date: 11/17/2008
Report Time: 15:18:10
Date Release: 11/17/2008
Time Responded: Not reported
Reported By: elizabeth leslie, ext-5122
Phone: 203 9325711
Representing: VA - Ct Health Care
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: PAINT

(Continued) **S108301024**

Qty: 40 (Gallons)
Emergency Measure: Paint tinted rain water and pumping out into drums and speedy-dry, around dumpster for containment.
Water Body: Not reported
Discharger: va connecticut healthcare system
Telephone: 203 9325711
Responsible Party: Not reported
RP Address 1: 950 CAMPBELL AVENUE
RP City,St,Zip: WEST HAVEN, CT 06516
Historic: False
Waterbody: False
Time Stamp: 2008-12-17 13:08:20
Sr Inspector: Landry, Robin
At Inspctor: Aceto, John
User Stamp: mgranill
Comments: Not reported
Action: Contained
Other Action: Not reported
Action: Sanded
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Other
Other Cause: improper disposal of paint wheel
Media ID: Ground Surface
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: other
Other Release: PAINT TINT
Waterbody: Other
Other Wtrbody: none

Year of Database: 2008
Case Number: 200807675
Who Took Spill: 203
Assigned To: 0
Report Date: 12/08/2008
Report Time: 16:28:51
Date Release: 12/08/2008
Time Responded: Not reported
Reported By: Darlene Powell
Phone: 203 6406498
Representing: West Haven VA
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: MONOPROPYLENE GLYCOL
Qty: 1 (Gallons)
Emergency Measure: Cup of monopropylene glycol from air handling system, may have affected storm drain, and testing at this time.
Water Body: Not reported
Discharger: West Haven VA

(Continued) **S108301024**

Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2008-12-23 09:37:47
Sr Inspector: SUSAN CAMBELL
At Inspctor: **NO RESPONSE
User Stamp: mgranill
Comments: Not reported
Action: Contained
Other Action: Not reported
Action: Dissipated
Other Action: Not reported
Action: Cleaned
Other Action: Not reported
Action: Other
Other Action: testing
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Pump Failure
Other Cause: Not reported
Media ID: Inside Building
Other Media: Not reported
Media ID: Other
Other Media: Mechanical Space on 10th Floor of Bldg.
Class ID: Governmental
Other Class: Not reported
Release Type: chemical
Other Release: Not reported
Waterbody: Floor Drain
Other Wtrbody: Not reported

Year of Database: 2008
Case Number: 200807729
Who Took Spill: 209
Assigned To: 0
Report Date: 12/10/2008
Report Time: 16:12:59
Date Release: 12/10/2008
Time Responded: Not reported
Reported By: darlene
Phone: 203 6406498
Representing: west haven va
Terminated: Not reported
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: BATTERY ACID
Qty: 0 (Gallons)
Emergency Measure: One lead acid battery cracked inside an apartment, spilled onto he floor, triumphant environmenta cleaned up, notification only.
Water Body: Not reported

(Continued) **S108301024**

Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2008-12-12 17:52:33
Sr Inspector: WELCH, THOMAS
At Inspctor: **NO RESPONSE
User Stamp: cguzman
Comments: Not reported
Action: Removed
Other Action: Not reported
Action: Contained
Other Action: Not reported
Action: Cleaned
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Other
Other Cause: human error
Media ID: Inside Building
Other Media: Not reported
Class ID: Private
Other Class: Not reported
Release Type: hazardous waste
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

A33 **CT SPILLS** **S109165871**
Target Property **950 CAMPBELL AVENUE, WEST HAVEN VETERNS HOSPITAL** **N/A**
WEST HAVEN, CT

Site 33 of 41 in cluster A

Actual: 127 ft.

SPILLS:
Year of Database: 2008
Case Number: 200804416
Who Took Spill: 205
Assigned To: 0
Report Date: 07/14/2008
Report Time: 14:01:15
Date Release: 07/14/2008
Time Responded: Not reported
Reported By: Darlene Powell ext.2767
Phone: 203 9325711
Representing: WHVA
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: ROOFING TAR
Qty: 1 (Gallons)

(Continued) **S109165871**

Emergency Measure:	Roofing tar, greenlock membrane adhesive.
Water Body:	n/a
Discharger:	William copeland DBS Co.
Telephone:	860 5380608
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2008-07-15 16:40:22
Sr Inspector:	Cox, Michael
At Inspctor:	**NO RESPONSE
User Stamp:	cguzman
Comments:	Not reported
Action:	Removed
Other Action:	Not reported
Action:	Cleaned
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Container Failure
Other Cause:	Not reported
Media ID:	Other
Other Media:	pavement
Class ID:	Commercial
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

A34 **ERNS** **2005627617**
Target Property **950 CAMPBELL AVE** **N/A**
WEST HAVEN, CT

Site 34 of 41 in cluster A

Actual: 127 ft.

Click this hyperlink while viewing on your computer to access additional ERNS detail in the EDR Site Report.

A35 **CT SPILLS** **S110699225**
Target Property **950 CAMPBELL AVENUE** **N/A**
WEST HAVEN, CT

Site 35 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2013
Case Number:	201305813
Who Took Spill:	209
Assigned To:	0
Report Date:	11/01/2013
Report Time:	10:25:11
Date Release:	11/01/2013
Time Responded:	Not reported

(Continued) **S110699225**

Reported By: ling xu
Phone: 203 8237028
Representing: va hospital
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: DIESEL FUEL
Qty: 1 (Gallons)
Emergency Measure: Not reported
Water Body: Not reported
Discharger: saa
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2013-11-04 16:44:51
Sr Inspector: WELCH, THOMAS
At Inspctor: **NO RESPONSE
User Stamp: GuzmanCa
Comments: Not reported
Action: Sanded
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Fuel Tank Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Commercial
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2010
Case Number: 201007007
Who Took Spill: 208
Assigned To: 0
Report Date: 11/23/2010
Report Time: 10:58:24
Date Release: 11/23/2010
Time Responded: Not reported
Reported By: lung xu
Phone: 203 9375711
Representing: va hospital
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False

(Continued) **S110699225**

Released Substance:	FLUORESCENT LIGHT BULB
Qty:	0 (Gallons)
Emergency Measure:	triumvirate inc.on scene when light broke.
Water Body:	Not reported
Discharger:	Not reported
Telephone:	Not reported
Responsible Party:	Not reported
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2011-01-28 10:14:24
Sr Inspector:	Monarca, Vincent
At Inspctor:	**NO RESPONSE
User Stamp:	mgranill
Comments:	Not reported
Action:	Contracted
Other Action:	Not reported
Action:	Cleaned
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Other
Other Cause:	light bulb
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Private
Other Class:	Not reported
Release Type:	chemical
Other Release:	Not reported

A36 Target Property **US V AT HEALTH MEDICAL SYS** **CT MANIFEST** **S109721989**
950 CAMPBELL AVE BLDG 15 ENGINEERING S V C **N/A**
WEST HAVEN, CT 06516

Site 36 of 41 in cluster A

Actual: 127 ft.

CT MANIFEST:

Detail:

Year:	2004
Manifest Id:	CTF1200029
EPA ID:	CT5000001545
TSDF EPA ID:	NCD000648451
TSDF Name:	CLEAN HARBORS REIDSVILLE LLC
TSDF Address:	208 WATLINGTON IND DR
TSDF City,St,Zip:	REIDSVILLE, NC 27320-
TSDF Country:	USA
TSDF Telephone:	(336)342-6160
Transport Date:	12/07/2004
Transporter EPA ID:	MAD039322250
Transporter Name:	CLEAN HARBORS ENVIRONMENTAL SVS
Transporter Address:	1501 WASHINGTON ST
Transporter City,St,Zip:	BRAINTREE, MA 02184-
Transporter Country:	USA
Transporter Phone:	(781)849-1800

US V AT HEALTH MEDICAL SYS (Continued) **S109721989**

Trans 2 Date:	12/09/2004
Trans 2 EPA ID:	NJD986607380
Trans 2 Name:	MAUMEE EXPRESS, INC.
Trans 2 Address:	P.O. BOX 278
Trans 2 City,St,Zip:	SOMERVILLE, NJ 08854
Trans 2 Country:	USA
Trans 2 Phone:	(732)424-8441
Generator Phone:	2039373817
Generator Mailing Addr:	950 CAMPBELL AVE BLDG 15
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	12/07/2004
Date Received:	12/13/2004
Last modified date:	05/26/2005
Last modified by:	CJS
Comments:	Not reported

Waste:

Year:	2004
Manifest Id:	CTF1200029
Waste Occurence:	1
UNNA:	1950
Hazard Class:	2.1
US Dot Description:	AEROSOLS, FLAMMABLE
No of Containers:	1
Container Type:	DF
Quantity:	1
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2005-05-26 00:00:00
DEO Who Last Modified Record:	CJS
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2005-05-26 00:00:00

Year:	2004
Manifest Id:	CTF1200029
Waste Occurence:	2
UNNA:	3286
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUIDS, TOXIC, CORROSIVE, N.O.S.
No of Containers:	1
Container Type:	DF
Quantity:	80
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2005-05-26 00:00:00
DEO Who Last Modified Record:	CJS
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2005-05-26 00:00:00

Year:	2004

US V AT HEALTH MEDICAL SYS (Continued) **S109721989**

Manifest Id:	CTF1200029
Waste Occurence:	3
UNNA:	3286
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUIDS, TOXIC, CORROSIVE, N.O.S.
No of Containers:	1
Container Type:	DF
Quantity:	200
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2005-05-26 00:00:00
DEO Who Last Modified Record:	CJS
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2005-05-26 00:00:00

Year:	2004
Manifest Id:	CTF1200029
Waste Occurence:	4
UNNA:	1992
Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUIDS, TOXIC, N.O.S.
No of Containers:	2
Container Type:	DM
Quantity:	800
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2005-05-26 00:00:00
DEO Who Last Modified Record:	CJS
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2005-05-26 00:00:00

Detail:

Year:	2004
Manifest Id:	mam746606
EPA ID:	ct5000001545
TSDF EPA ID:	MAD047075734
TSDF Name:	JONES ENV SERVICES NE INC
TSDF Address:	263 HOWARD ST
TSDF City,St,Zip:	LOWELL, MA 01852-
TSDF Country:	USA
TSDF Telephone:	(978)453-7772
Transport Date:	08/06/2004
Transporter EPA ID:	CTD983896341
Transporter Name:	WASTE MGT NEET INC
Transporter Address:	PO BOX 144
Transporter City,St,Zip:	PORTLAND, CT 06480
Transporter Country:	USA
Transporter Phone:	(860)342-0667
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported

US V AT HEALTH MEDICAL SYS (Continued) **S109721989**

Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	2039373817
Generator Mailing Addr:	950 CAMPBELL AVE BLDG 15
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	08/06/2004
Date Received:	08/09/2004
Last modified date:	07/19/2005
Last modified by:	JEB
Comments:	Not reported

Waste:

Year:	2004
Manifest Id:	mam746606
Waste Occurence:	1
UNNA:	3028
Hazard Class:	8
US Dot Description:	BATTERIES, dry containing potassium
No of Containers:	1
Container Type:	DF
Quantity:	30
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2005-07-18 00:00:00
DEO Who Last Modified Record:	CJS
EPA Waste Code:	D006
Recycled Waste?:	False
Date Record Was Last Modified:	2005-07-18 00:00:00
EPA Waste Code:	D006
Recycled Waste?:	False
Date Record Was Last Modified:	2005-07-18 00:00:00
Year:	2004
Manifest Id:	mam746606
Waste Occurence:	2
UNNA:	Not reported
Hazard Class:	Not reported
US Dot Description:	Not reported
No of Containers:	Not reported
Container Type:	Not reported
Quantity:	Not reported
Weight/Volume:	Not reported
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2005-07-19 00:00:00
DEO Who Last Modified Record:	JEB
EPA Waste Code:	D006
Recycled Waste?:	False
Date Record Was Last Modified:	2005-07-18 00:00:00
EPA Waste Code:	D006

US V AT HEALTH MEDICAL SYS (Continued) **S109721989**

Recycled Waste?: False
Date Record Was Last Modified: 2005-07-18 00:00:00

A37 Target Property **US V A MEDICALENTER** **CT MANIFEST** **S109721988**
950 CAMPBELL AVE BLDG 15 **N/A**
WEST HAVEN, CT 06516

Site 37 of 41 in cluster A

Actual: 127 ft.

CT MANIFEST:

Detail:

Year:	2008
Manifest Id:	003828583JJK
EPA ID:	CT5000001545
TSDF EPA ID:	OHD980613541
TSDF Name:	HERITAGE WTI INC
TSDF Address:	1250 george st
TSDF City,St,Zip:	EAST LIVERPOOL, OH
TSDF Country:	USA
TSDF Telephone:	(330)385-7337
Transport Date:	08/20/2008
Transporter EPA ID:	MAD985286988
Transporter Name:	TRIUMVIRATE ENVIRONMENTAL INC
Transporter Address:	61 INNER BELT RD
Transporter City,St,Zip:	SOMERVILLE, MA 02143
Transporter Country:	USA
Transporter Phone:	(617)628-8098
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	2039325711
Generator Mailing Addr:	950 CAMPBELL AVE BLDG 15
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	08/20/2008
Date Received:	09/09/2008
Last modified date:	05/09/2011
Last modified by:	CYF
Comments:	Not reported

Detail:

Year:	2003
Manifest Id:	AR1399154
EPA ID:	CT5000001545
TSDF EPA ID:	ARD069748192
TSDF Name:	TERIS LLC (DBA ENSCO)
TSDF Address:	309 AMERICAN CIR
TSDF City,St,Zip:	EL DORADO, AR 71730
TSDF Country:	USA

US V A MEDICALENTER (Continued) **S109721988**

TSDF Telephone:	Not reported
Transport Date:	10/28/2003
Transporter EPA ID:	MAD985286988
Transporter Name:	TRIUMVIRATE ENVIRONMENTAL INC
Transporter Address:	61 INNER BELT RD
Transporter City,St,Zip:	SOMERVILLE, MA 02143
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	8039333817
Generator Mailing Addr:	950 CAMPBELL AVE BLDG 15
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	10/28/2003
Date Received:	Not reported
Last modified date:	05/26/2004
Last modified by:	IG
Comments:	Not reported

Detail:

Year:	2002
Manifest Id:	CTF0986572
EPA ID:	CT5000001545
TSDF EPA ID:	CTD983896341
TSDF Name:	WASTE MGT N E ENV TRANSPORT INC
TSDF Address:	203 PICKERING ST
TSDF City,St,Zip:	PORTLAND, CT 06480
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	07/16/2002
Transporter EPA ID:	CTD983896341
Transporter Name:	WASTE MGT N E ENV TRANSPORT INC
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	8039333817
Generator Mailing Addr:	950 CAMPBELL AVE BLDG 15
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported

US V A MEDICALENTER (Continued) **S109721988**

Discrepancies:	Yes
Date Shipped:	07/16/2002
Date Received:	07/16/2002
Last modified date:	04/27/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Year:	2002
Manifest Id:	CTF0986572
Waste Occurence:	1
UNNA:	3077
Hazard Class:	9
US Dot Description:	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID
No of Containers:	001
Container Type:	CM
Quantity:	3225
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D008
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00

Detail:

Year:	2001
Manifest Id:	NJA3240787
EPA ID:	CT5000001545
TSDF EPA ID:	NJD002200046
TSDF Name:	CYCLE CHEM INC
TSDF Address:	217 S 1ST ST
TSDF City,St,Zip:	ELIZABETH, NJ 07206
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	10/18/2001
Transporter EPA ID:	NJ0000027193
Transporter Name:	CLEAN VENTURE INC
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	10/25/2001
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	8039333817
Generator Mailing Addr:	950 CAMPBELL AVE BLDG 15
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported

US V A MEDICALENTER (Continued) **S109721988**

Discrepancies:	Yes
Date Shipped:	10/18/2001
Date Received:	10/29/2001
Last modified date:	04/27/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Year:	2001
Manifest Id:	NJA3240787
Waste Occurence:	1
UNNA:	1992
Hazard Class:	3
US Dot Description:	flammable liquid toxic nos
No of Containers:	007
Container Type:	DM
Quantity:	1400
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D003
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D003
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00
Year:	2001
Manifest Id:	NJA3240787
Waste Occurence:	2
UNNA:	3093
Hazard Class:	8
US Dot Description:	CORROSIVE LIQUID, OXIDIZING N.O.S.
No of Containers:	001
Container Type:	DF
Quantity:	50
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D001

US V A MEDICALENTER (Continued) **S109721988**

Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D003
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D003
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00
Year:	2001
Manifest Id:	NJA3240787
Waste Occurence:	3
UNNA:	1935
Hazard Class:	6.1
US Dot Description:	CYANIDE SOLUTIONS NOS
No of Containers:	001
Container Type:	DF
Quantity:	60
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D003
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D003
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00
Year:	2001
Manifest Id:	NJA3240787
Waste Occurence:	4
UNNA:	1410
Hazard Class:	4.3
US Dot Description:	WASTE LITHIUM ALUMINUM HYDRIDE
No of Containers:	001
Container Type:	DF
Quantity:	1
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D001
Recycled Waste?:	False

US V A MEDICALENTER (Continued) **S109721988**

Date Record Was Last Modified: 2004-04-27 00:00:00

EPA Waste Code: D001
Recycled Waste?: False
Date Record Was Last Modified: 2004-04-27 00:00:00

EPA Waste Code: D003
Recycled Waste?: False
Date Record Was Last Modified: 2004-04-27 00:00:00

EPA Waste Code: D003
Recycled Waste?: False
Date Record Was Last Modified: 2004-04-27 00:00:00

Detail:

Year:	2000
Manifest Id:	CTF0820591
EPA ID:	CT5000001545
TSDF EPA ID:	CTD021816889
TSDF Name:	UNITED OIL RECOVERY DBA ADV LIQ REC
TSDF Address:	136 GRACEY AVE
TSDF City,St,Zip:	MERIDEN, CT 06451
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	04/03/2000
Transporter EPA ID:	CTR000003806
Transporter Name:	EARTH TECHNOLOGY INC
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	8039333817
Generator Mailing Addr:	950 CAMPBELL AVE BLDG 15
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	No
Date Shipped:	04/03/2000
Date Received:	04/04/2000
Last modified date:	04/27/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Year:	2000
Manifest Id:	CTF0820591
Waste Occurence:	1
UNNA:	1993

US V A MEDICALENTER (Continued) **S109721988**

Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUID N.O.S.
No of Containers:	007
Container Type:	DF
Quantity:	35
Weight/Volume:	G
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00

Detail:

Year:	1999
Manifest Id:	NJA3019091
EPA ID:	CT5000001545
TSDF EPA ID:	NJD002200046
TSDF Name:	CYCLE CHEM INC
TSDF Address:	217 S 1ST ST
TSDF City,St,Zip:	ELIZABETH, NJ 07206
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	05/13/1999
Transporter EPA ID:	NJ0000027193
Transporter Name:	CLEAN VENTURE INC
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	8039333817
Generator Mailing Addr:	950 CAMPBELL AVE BLDG 15
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	No
Date Shipped:	05/13/1999
Date Received:	05/13/1999
Last modified date:	04/26/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Year:	1999
Manifest Id:	NJA3019091
Waste Occurence:	1
UNNA:	2924

US V A MEDICALENTER (Continued) **S109721988**

Hazard Class:	3
US Dot Description:	FLAMMABLE LIQUID CORROSIVE N.O.S.
No of Containers:	001
Container Type:	DF
Quantity:	10
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-26 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D002
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00
EPA Waste Code:	D008
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00
Year:	1999
Manifest Id:	NJA3019091
Waste Occurence:	2
UNNA:	1344
Hazard Class:	4.1
US Dot Description:	WASTE PICRIC ACID WET
No of Containers:	001
Container Type:	DF
Quantity:	5
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-26 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D002
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00
EPA Waste Code:	D008
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00
Year:	1999
Manifest Id:	NJA3019091
Waste Occurence:	3
UNNA:	3077
Hazard Class:	9
US Dot Description:	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID
No of Containers:	001
Container Type:	DF
Quantity:	150

US V A MEDICALENTER (Continued) **S109721988**

Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-26 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D002
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00
EPA Waste Code:	D008
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00

Detail:

Year:	1998
Manifest Id:	NYB2768940
EPA ID:	CT5000001545
TSDF EPA ID:	NY0000343889
TSDF Name:	AMERICAN LAMP RECYCLING LLC
TSDF Address:	22 STAGE DOOR RD
TSDF City,St,Zip:	FISHKILL, NY 12524
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	07/17/1998
Transporter EPA ID:	CTR000003806
Transporter Name:	EARTH TECHNOLOGY INC
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	07/31/1998
Trans 2 EPA ID:	CTD982191942
Trans 2 Name:	BECHEM TRANSPORT, INC
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	8039333817
Generator Mailing Addr:	950 CAMPBELL AVE BLDG 15
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	No
Date Shipped:	07/17/1998
Date Received:	08/03/1998
Last modified date:	04/26/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Year:	1998

US V A MEDICALENTER (Continued) **S109721988**

Manifest Id:	NYB2768940
Waste Occurence:	1
UNNA:	3077
Hazard Class:	9
US Dot Description:	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID
No of Containers:	006
Container Type:	DF
Quantity:	800
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-26 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D008
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00

Detail:

Year:	1996
Manifest Id:	NYB1286685
EPA ID:	CT5000001545
TSDF EPA ID:	NY0000343889
TSDF Name:	ID NOT ON FILE
TSDF Address:	Not reported
TSDF City,St,Zip:	Not reported
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	10/31/1996
Transporter EPA ID:	CTD983883745
Transporter Name:	AMERICAN ENVIRONMENTAL TECH
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	8039333817
Generator Mailing Addr:	950 CAMPBELL AVE BLDG 15
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	10/31/1996
Date Received:	10/31/1996
Last modified date:	04/26/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Year:	1996

US V A MEDICALENTER (Continued) **S109721988**

Manifest Id:	NYB1286685
Waste Occurence:	1
UNNA:	3077
Hazard Class:	9
US Dot Description:	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID
No of Containers:	002
Container Type:	DF
Quantity:	600
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-26 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D009
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00

A38 Target Property **VA CONNECTICUT HEALTHCARE SYSTEM** **CT UST** **U002025101**
950 CAMPBELL AVE **N/A**
WEST HAVEN, CT 06516

Site 38 of 41 in cluster A

Actual: 127 ft.

UST:

Facility State:	CT
Facility Id:	156-7885
Latitude:	41.283388
Longitude:	-72.961680

Contact:

Owner Name:	VA CONNECTICUT HEALTHCARE SYSTEM
Owner Address:	950 CAMPBELL AVE
Owner City/State/Zip:	WEST HAVEN, CT 065162770
Owner Phone:	(203) 932-5711
Owner Phone Ext:	Not reported
Affiliation Type:	Billing Contact
Contact Name:	ALFRED MONTOYA
Contact Title:	Not reported
Contact EMail:	ALFRED.MONTOYA@VA.GOV
Owner Name:	Thomas Hemenway
Owner Address:	950 Campbell Ave
Owner City/State/Zip:	West Haven, CT
Owner Phone:	(203) 932-5711
Owner Phone Ext:	2767
Affiliation Type:	Class A Operator
Contact Name:	.
Contact Title:	Not reported
Contact EMail:	Thomas.hemenway@va.gov
Owner Name:	Thomas Hemenway
Owner Address:	950 Campbell Ave
Owner City/State/Zip:	West Haven, CT
Owner Phone:	(203) 932-5711
Owner Phone Ext:	2767
Affiliation Type:	Class B Operator
Contact Name:	.

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **U002025101**

Contact Title: Not reported
Contact EMail: Thomas.hemenway@va.gov

Owner Name: VA CONNECTICUT HEALTHCARE SYSTEM
Owner Address: 950 CAMPBELL AVE
Owner City/State/Zip: WEST HAVEN, CT 065162770
Owner Phone: (203) 932-5711
Owner Phone Ext: Not reported
Affiliation Type: Operator
Contact Name: ALFRED MONTOYA
Contact Title: Not reported
Contact EMail: ALFRED.MONTOYA@VA.GOV

Owner Name: WOODARD & CURRAN, INC.
Owner Address: 1520 HIGHLAND AVE
Owner City/State/Zip: CHESHIRE, CT 064101228
Owner Phone: (203) 271-0379
Owner Phone Ext: Not reported
Affiliation Type: Other
Contact Name: JACK MARKEY
Contact Title: Not reported
Contact EMail: JMARKEY@WOODARDANDCURRAN.COM

Owner Name: VA CONNECTICUT HEALTHCARE SYSTEM
Owner Address: 950 CAMPBELL AVE
Owner City/State/Zip: WEST HAVEN, CT 065162770
Owner Phone: (203) 932-5711
Owner Phone Ext: Not reported
Affiliation Type: Owner
Contact Name: ALFRED MONTOYA
Contact Title: Not reported
Contact EMail: ALFRED.MONTOYA@VA.GOV

Owner Name: VA CONNECTICUT HEALTHCARE SYSTEM
Owner Address: 950 CAMPBELL AVE
Owner City/State/Zip: WEST HAVEN, CT 065162770
Owner Phone: (203) 932-5711
Owner Phone Ext: Not reported
Affiliation Type: Primary Contact
Contact Name: ALFRED MONTOYA
Contact Title: Not reported
Contact EMail: ALFRED.MONTOYA@VA.GOV

Owner Name: VA CONNECTICUT HEALTHCARE SYSTEM
Owner Address: 950 CAMPBELL AVE
Owner City/State/Zip: WEST HAVEN, CT 065162770
Owner Phone: (203) 932-5711
Owner Phone Ext: Not reported
Affiliation Type: Property Owner
Contact Name: ALFRED MONTOYA
Contact Title: Not reported
Contact EMail: ALFRED.MONTOYA@VA.GOV

Owner Name: VA CONNECTICUT HEALTHCARE SYSTEM
Owner Address: 950 CAMPBELL AVE
Owner City/State/Zip: WEST HAVEN, CT 065162770
Owner Phone: (203) 932-5711

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **U002025101**

Owner Phone Ext:	Not reported
Affiliation Type:	Registrant
Contact Name:	ALFRED MONTOYA
Contact Title:	Not reported
Contact EMail:	ALFRED.MONTOYA@VA.GOV

Tank ID:	A
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Composite - Steel with Fiberglass (ACT 100)
Secondary Material:	Not reported
Capacity:	550
Substance:	Diesel
Date Installed:	05/01/1991
Date Last Used:	04/01/1997
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Rigid Fiberglass Reinforced Plastic
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	41.283583
Tank Longitude:	-72.961473

Tank ID:	A-1
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Coated & Cathodically Protected Steel (sti-P3)
Secondary Material:	Not reported
Capacity:	500
Substance:	Gasoline
Date Installed:	02/01/1989
Date Last Used:	05/01/1991
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	A1
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Asphalt Coated or Bare Steel
Secondary Material:	Not reported
Capacity:	15000
Substance:	Heating Oil(on-site consumption)
Date Installed:	01/01/1963
Date Last Used:	01/01/1967
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **U002025101**

Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	A2
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Asphalt Coated or Bare Steel
Secondary Material:	Not reported
Capacity:	25000
Substance:	Heating Oil(on-site consumption)
Date Installed:	01/01/1967
Date Last Used:	01/01/1977
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	A3
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Fiberglass Reinforced Plastic
Secondary Material:	Not reported
Capacity:	20000
Substance:	Heating Oil(on-site consumption)
Date Installed:	01/01/1977
Date Last Used:	05/01/1991
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	A4
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Fiberglass Reinforced Plastic
Secondary Material:	Not reported
Capacity:	20000
Substance:	Heating Oil(on-site consumption)
Date Installed:	01/01/1977
Date Last Used:	05/01/1991
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **U002025101**

Tank ID:	A5
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Composite - Steel with Fiberglass (ACT 100)
Secondary Material:	Not reported
Capacity:	550
Substance:	Diesel
Date Installed:	05/01/1991
Date Last Used:	Not reported
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Rigid Fiberglass Reinforced Plastic
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	A6
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Coated & Cathodically Protected Steel (sti-P3)
Secondary Material:	Double Walled
Capacity:	1500
Substance:	Gasoline
Date Installed:	04/01/1997
Date Last Used:	Not reported
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Other (Specify)
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	B
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Composite - Steel with Fiberglass (ACT 100)
Secondary Material:	Not reported
Capacity:	20000
Substance:	Heating Oil(on-site consumption)
Date Installed:	05/01/1991
Date Last Used:	11/01/2005
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Rigid Fiberglass Reinforced Plastic
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	B-2
Compartment ID:	a
Tank Status:	**Permanently Closed**

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **U002025101**

Tank Material:	Fiberglass Reinforced Plastic
Secondary Material:	Not reported
Capacity:	20000
Substance:	Heating Oil(on-site consumption)
Date Installed:	01/01/1975
Date Last Used:	05/01/1991
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	B5
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Asphalt Coated or Bare Steel
Secondary Material:	Not reported
Capacity:	3000
Substance:	Heating Oil(on-site consumption)
Date Installed:	01/01/1952
Date Last Used:	01/01/1975
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	C
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Composite - Steel with Fiberglass (ACT 100)
Secondary Material:	Not reported
Capacity:	20000
Substance:	Heating Oil(on-site consumption)
Date Installed:	05/01/1991
Date Last Used:	11/01/2005
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Rigid Fiberglass Reinforced Plastic
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	C-3
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Fiberglass Reinforced Plastic
Secondary Material:	Not reported
Capacity:	20000

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **U002025101**

Substance:	Heating Oil(on-site consumption)
Date Installed:	01/01/1975
Date Last Used:	01/01/1989
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	C6
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Fiberglass Reinforced Plastic
Secondary Material:	Not reported
Capacity:	10000
Substance:	Heating Oil(on-site consumption)
Date Installed:	01/01/1984
Date Last Used:	01/01/1989
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Other (Specify)
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	D-4
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Asphalt Coated or Bare Steel
Secondary Material:	Not reported
Capacity:	3400
Substance:	Heating Oil(on-site consumption)
Date Installed:	01/01/1952
Date Last Used:	03/01/1989
Closure Status:	**Tank Filled with Inert Material**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	D7
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Asphalt Coated or Bare Steel
Secondary Material:	Not reported
Capacity:	1000
Substance:	Gasoline
Date Installed:	01/01/1953
Date Last Used:	01/01/1989

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **U002025101**

Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	E
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Composite - Steel with Fiberglass (ACT 100)
Secondary Material:	Not reported
Capacity:	20000
Substance:	Heating Oil(on-site consumption)
Date Installed:	05/01/1991
Date Last Used:	Not reported
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Rigid Fiberglass Reinforced Plastic
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	E-5
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Asphalt Coated or Bare Steel
Secondary Material:	Not reported
Capacity:	25000
Substance:	Heating Oil(on-site consumption)
Date Installed:	01/01/1969
Date Last Used:	03/01/1989
Closure Status:	**Tank Filled with Inert Material**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	F
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Composite - Steel with Fiberglass (ACT 100)
Secondary Material:	Not reported
Capacity:	20000
Substance:	Heating Oil(on-site consumption)
Date Installed:	05/01/1991
Date Last Used:	Not reported
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Rigid Fiberglass Reinforced Plastic
Pipe Mode Description:	Not reported

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **U002025101**

Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	F-6
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Asphalt Coated or Bare Steel
Secondary Material:	Not reported
Capacity:	15000
Substance:	Heating Oil(on-site consumption)
Date Installed:	01/01/1962
Date Last Used:	03/01/1989
Closure Status:	**Tank Filled with Inert Material**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	G
Compartment ID:	Not reported
Tank Status:	**Permanently Closed**
Tank Material:	Coated & Cathodically Protected Steel (sti-P3)
Secondary Material:	Double Walled
Capacity:	550
Substance:	Diesel
Date Installed:	05/01/1991
Date Last Used:	08/05/2015
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Rigid Fiberglass Reinforced Plastic
Pipe Mode Description:	Containment Sumps @ Tanks,Double Walled,Metallic fittings isolated from soil and water,Metallic piping isolated from soil and water
Spill Installed:	Spill Bucket
Overfill Installed:	Audible Alarm,Flapper Device
Tank Latitude:	41.283388
Tank Longitude:	-72.961680

Tank ID:	G-7
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Asphalt Coated or Bare Steel
Secondary Material:	Not reported
Capacity:	550
Substance:	Heating Oil(on-site consumption)
Date Installed:	01/01/1950
Date Last Used:	05/01/1991
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **U002025101**

Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	H-8
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Asphalt Coated or Bare Steel
Secondary Material:	Not reported
Capacity:	2000
Substance:	Heating Oil(on-site consumption)
Date Installed:	01/01/1978
Date Last Used:	01/01/1991
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	I
Compartment ID:	Not reported
Tank Status:	**Currently In Use**
Tank Material:	Coated & Cathodically Protected Steel (sti-P3)
Secondary Material:	Double Walled
Capacity:	10000
Substance:	Diesel
Date Installed:	05/01/1991
Date Last Used:	Not reported
Closure Status:	**Not reported**
Pipe Material:	Rigid Fiberglass Reinforced Plastic
Pipe Mode Description:	Containment Sumps @ Tanks,Metallic fittings isolated from soil and water,Unknown
Spill Installed:	Spill Bucket
Overfill Installed:	Audible Alarm,Flapper Device
Tank Latitude:	41.283388
Tank Longitude:	-72.961680

Tank ID:	I-9
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Fiberglass Reinforced Plastic
Secondary Material:	Not reported
Capacity:	10000
Substance:	Heating Oil(on-site consumption)
Date Installed:	01/01/1984
Date Last Used:	01/01/1991
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Other (Specify)
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **U002025101**

Tank ID:	J
Compartment ID:	Not reported
Tank Status:	**Currently In Use**
Tank Material:	Coated & Cathodically Protected Steel (sti-P3)
Secondary Material:	Double Walled
Capacity:	2000
Substance:	Diesel
Date Installed:	05/01/1991
Date Last Used:	Not reported
Closure Status:	**Not reported**
Pipe Material:	Rigid Fiberglass Reinforced Plastic
Pipe Mode Description:	Containment Sumps @ Tanks,Metallic fittings isolated from soil and water,Unknown
Spill Installed:	Spill Bucket
Overfill Installed:	Audible Alarm,Flapper Device
Tank Latitude:	41.283388
Tank Longitude:	-72.961680

Tank ID:	J-10
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Asphalt Coated or Bare Steel
Secondary Material:	Not reported
Capacity:	1000
Substance:	Gasoline
Date Installed:	01/01/1983
Date Last Used:	03/01/1989
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	K
Compartment ID:	Not reported
Tank Status:	**Currently In Use**
Tank Material:	Fiberglass Reinforced Plastic
Secondary Material:	Double Walled
Capacity:	12000
Substance:	Diesel
Date Installed:	09/01/1996
Date Last Used:	Not reported
Closure Status:	**Not reported**
Pipe Material:	Rigid Fiberglass Reinforced Plastic
Pipe Mode Description:	Containment Sumps @ Tanks,Metallic fittings isolated from soil and water,Unknown
Spill Installed:	Spill Bucket
Overfill Installed:	Audible Alarm,Flapper Device
Tank Latitude:	41.283388
Tank Longitude:	-72.961680

Tank ID:	L

VA CONNECTICUT HEALTHCARE SYSTEM (Continued) **U002025101**

Compartment ID:	Not reported
Tank Status:	**Currently In Use**
Tank Material:	Fiberglass Reinforced Plastic
Secondary Material:	Double Walled
Capacity:	12000
Substance:	Diesel
Date Installed:	09/01/1996
Date Last Used:	Not reported
Closure Status:	**Not reported**
Pipe Material:	Rigid Fiberglass Reinforced Plastic
Pipe Mode Description:	Containment Sumps @ Tanks,Metallic fittings isolated from soil and water,Unknown
Spill Installed:	Spill Bucket
Overfill Installed:	Audible Alarm,Flapper Device
Tank Latitude:	41.283388
Tank Longitude:	-72.961680

A39 **CT SPILLS** **S109166041**
Target Property **950 CAMPBELL AVENUE, BUILDING 2 LOADING DOCK** **N/A**
WEST HAVEN, CT

Site 39 of 41 in cluster A

Actual: 127 ft.

SPILLS:

Year of Database:	2008
Case Number:	200804517
Who Took Spill:	203
Assigned To:	0
Report Date:	07/18/2008
Report Time:	13:52:50
Date Release:	07/18/2008
Time Responded:	Not reported
Reported By:	Ron Roberts
Phone:	203 9325711
Representing:	Veteran's Hospital
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	HYDRAULIC OIL
Qty:	1 (Gallons)
Emergency Measure:	Speedy-dry and contained, contracted.
Water Body:	Not reported
Discharger:	Not reported
Telephone:	Not reported
Responsible Party:	YES
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2008-07-18 16:32:58
Sr Inspector:	SUSAN CAMBELL
At Inspctor:	**NO RESPONSE
User Stamp:	cguzman
Comments:	Not reported
Action:	Contained
Other Action:	Not reported

(Continued) **S109166041**

Action:	Contracted
Other Action:	Not reported
Action:	Sanded
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Hose Failure
Other Cause:	Not reported
Media ID:	Ground Surface
Other Media:	Not reported
Class ID:	Governmental
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported
Release Type:	other
Other Release:	Hydraulic Fluid

A40
Target
Property

VA HOSPITAL
950 CAMPBELL AVE
WEST HAVEN, CT 06516

CT MANIFEST **S109747448**
N/A

Site 40 of 41 in cluster A

Actual:
127 ft.

CT MANIFEST:

Detail:

Year:	1996
Manifest Id:	MAJ177148
EPA ID:	CTP000019252
TSDF EPA ID:	MAD019371079
TSDF Name:	GENERAL CHEMICAL
TSDF Address:	1602 CONCORD ST
TSDF City,St,Zip:	FRAMINGHAM, MA 01701
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	10/29/1996
Transporter EPA ID:	MAD019371079
Transporter Name:	GENERAL CHEMICAL
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	Not reported
Generator Mailing Addr:	950 CAMPBELL AVE
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	10/29/1996

VA HOSPITAL (Continued) **S109747448**

Date Received:	11/04/1996
Last modified date:	04/26/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Year:	1996
Manifest Id:	MAJ177148
Waste Occurence:	1
UNNA:	3077
Hazard Class:	9
US Dot Description:	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID
No of Containers:	001
Container Type:	DM
Quantity:	200
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-26 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D008
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00

A41 Target Property **VA MEDICAL CTR**
950 CAMPBELL AVE
WEST HAVEN, CT 06516

CT LUST **S109745942**
CT SPILLS **N/A**
CT MANIFEST
CT NPDES

Site 41 of 41 in cluster A

Actual: 127 ft.

LUST:

LUST Id:	0
UST Facility Id:	7885
LUST Case Id:	59219
Lust Status:	RSRs Reached
Processing Status:	Not reported
EPA Reportable:	True
Motor Fuel:	True
Diesel:	True
Gasoline:	True
Other:	False
Other Release:	Not reported
No Release:	False
Leak:	False
Tank:	True
Piping:	False
Overfill:	False
Removal:	True
Incident Date:	06/01/2009
Entry Date:	07/01/2009
Site Case Id:	200902648
UST Site Id:	0
Cost Recovery Spill Case #:	0
Old SITS Number:	0
Case Log Id:	0
Monthly Report Id:	0

VA MEDICAL CTR (Continued) **S109745942**

UST Owner Id:	7403
LUST Owner Id:	Not reported
UST Event Id:	0
Contact Info:	Not reported
Contact EMail:	Not reported
Site Contact City,St,Zip:	UNKNOWN
2nd Contact:	Jack Markley (Woodard & Curran)
2nd Contact EMail:	Not reported
2nd Contact Address:	1520 Highland Avenue
2nd Contact City,St,Zip:	25, CT 06410
2nd Contact Address 2:	Not reported
2nd Contact City 2:	Cheshire
2nd Contact Phone Number:	2032710379
2nd Contact Fax Number:	2032717952
2nd Contact Type:	Project Manager
Facility City Num:	156
Site Contact:	Lemelin Environmental
Site Contact Address:	Not reported
Site Contact Add 2:	Not reported
Site Contact City 2:	Not reported
Site Contact Phone:	Not reported
Site Contact Fax:	Not reported
Site Contact Type:	Not reported
Department Contact 1:	Not reported
Department Contact 2:	Not reported
Referral Source:	Not reported
Offsite Source:	False
Date Referred:	Not reported
Emergency:	False
Private Heating Fuel:	False
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	False
Cost Recvry Prgm Candidate:	False
OCSRD Complete:	False
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported
Resp Party Name:	VA Connecticut Healthcare System
Resp Party Address:	950 Campbell Avenue
Resp Party City,St,Zip:	West Haven, CT 065162770
Resp Party Town Number:	156
Resp Party Phone:	2036406498
Resp Party Fax:	Not reported
Resp Party Name 2:	Darlene Powell
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	0
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported

VA MEDICAL CTR (Continued) **S109745942**

Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	GB
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	0
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	True
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	True
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	True
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	0
Lph Wells:	0
User Stamp:	Allison Forrest/ForrestA

VA MEDICAL CTR (Continued) **S109745942**

Date Stamp: 05/16/2012
Correspondence: Not reported
Environmental Impact: Not reported
FollowUp: Not reported
GW Comments: Not reported
Location Desc: Not reported
NOV Comments: Not reported
Release Desc: Not reported
Running Comments: Spills Files, UST Enforcement Files, and LUST Files
Work Performed: Not reported

SPILLS:
Year of Database: 2011
Case Number: 201108227
Who Took Spill: 212
Assigned To: 0
Report Date: 12/23/2011
Report Time: 15:35:52
Date Release: 12/23/2011
Time Responded: Not reported
Reported By: Darlene Powell
Phone: 203 6406498
Representing: West Haven VA
Terminated: NO
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: WATER & ADDITIVES
Qty: 20000 (Gallons)
Emergency Measure: Leak from steam heating system going into catcombs beneath building. Currently they are pumping it out into sanitary sewer.
Water Body: NONE
Discharger: SAA
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2012-01-09 10:14:01
Sr Inspector: JOHNSTON, ALEXANDER
At Inspctor: **NO RESPONSE
User Stamp: mgranill
Comments: 934 notified. On1/5/2012 at 1:25 p.m. per 934 the release to be 13000000 gallons over the past two years. The RP is working with water to eliminate the discharge. The original report should remain as is per 934.
Action: Pumped Out
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Other
Other Cause: Pipe Failure
Media ID: Ground Surface

VA MEDICAL CTR (Continued) **S109745942**

Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: chemical
Other Release: Not reported

Year of Database: 2012
Case Number: 201206976
Who Took Spill: 202
Assigned To: 0
Report Date: 11/29/2012
Report Time: 13:11:22
Date Release: 11/29/2012
Time Responded: Not reported
Reported By: ling xu
Phone: 203 9325711
Representing: safety office of VA hospital
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: MOTOR OIL
Qty: 0.25 (Gallons)
Emergency Measure: Not reported
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2012-12-04 10:39:04
Sr Inspector: Landry, Robin
At Inspctor: **NO RESPONSE
User Stamp: GuzmanCa
Comments: Not reported
Action: Sanded
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Container Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2011
Case Number: 201107685

VA MEDICAL CTR (Continued) **S109745942**

Who Took Spill: 202
Assigned To: 0
Report Date: 11/29/2011
Report Time: 10:13:07
Date Release: 11/29/2011
Time Responded: Not reported
Reported By: darlene powell
Phone: 203 6406498
Representing: west haven VA health care
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: SEWAGE LINE
Qty: 4 (Gallons)
Emergency Measure: Caller has questions for clean up requirements.
Water Body: Not reported
Discharger: M M holdings
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2011-12-01 10:20:55
Sr Inspector: Landry, Robin
At Inspctor: **NO RESPONSE
User Stamp: mgranill
Comments: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Hose Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Private
Other Class: Not reported
Release Type: sewage related
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2011
Case Number: 201106633
Who Took Spill: 205
Assigned To: 0
Report Date: 10/24/2011
Report Time: 12:49:18
Date Release: 10/24/2011
Time Responded: Not reported
Reported By: ling xu ext. 4197
Phone: 203 9325711
Representing: Va Hospital
Terminated: YES

VA MEDICAL CTR (Continued) **S109745942**

Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: FORMALIN
Qty: 0 (Gallons)
Emergency Measure: 250ML
Water Body: n/
Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2011-10-25 11:48:34
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: cguzman
Comments: Not reported
Action: Cleaned
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Container Failure
Other Cause: Not reported
Media ID: Inside Building
Other Media: Not reported
Class ID: Private
Other Class: Not reported
Release Type: chemical
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2011
Case Number: 201106663
Who Took Spill: 202
Assigned To: 0
Report Date: 10/25/2011
Report Time: 13:36:50
Date Release: 10/25/2011
Time Responded: Not reported
Reported By: ling xu ext 4197
Phone: 203 9325711
Representing: safety office
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: HYDRAULIC OIL
Qty: 1 (Gallons)
Emergency Measure: Not reported
Water Body: Not reported

VA MEDICAL CTR (Continued) **S109745942**

Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2011-10-28 15:13:06
Sr Inspector: Landry, Robin
At Inspctor: **NO RESPONSE
User Stamp: cguzman
Comments: Not reported
Action: Contained
Other Action: Not reported
Action: Sanded
Other Action: Not reported
Action: Cleaned
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Hose Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Private
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2012
Case Number: 201200180
Who Took Spill: 202
Assigned To: 0
Report Date: 01/11/2012
Report Time: 09:45:51
Date Release: 01/11/2012
Time Responded: Not reported
Reported By: darlene powell
Phone: 203 9325711
Representing: west haven VA ext 2767
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: FIXER & FILM DEVELOPER
Qty: 1 (Gallons)
Emergency Measure: fixer and developer-film developer, 2 liters
Water Body: Not reported
Discharger: Not reported
Telephone: Not reported
Responsible Party: Not reported
RP Address 1: Not reported

VA MEDICAL CTR (Continued) **S109745942**

RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	2012-01-11 17:33:05
Sr Inspector:	Landry, Robin
At Inspctor:	**NO RESPONSE
User Stamp:	cguzman
Comments:	Not reported
Action:	Contained
Other Action:	Not reported
Action:	Cleaned
Other Action:	Not reported
Agency ID:	DEP Dispatch
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Agency ID:	LOCAL FIRE DEPARTMENT
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Other
Other Cause:	equip failure
Media ID:	Inside Building
Other Media:	Not reported
Class ID:	Commercial
Other Class:	Not reported
Release Type:	chemical
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

Year of Database:	2013
Case Number:	201300082
Who Took Spill:	205
Assigned To:	0
Report Date:	01/07/2013
Report Time:	11:11:26
Date Release:	01/06/2013
Time Responded:	02:15:00
Reported By:	Darlene Powell
Phone:	203 9325711
Representing:	ext 2767 VA
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	CLOSED
Continuous Spill:	False
Released Substance:	R-22
Qty:	0 (Gallons)
Emergency Measure:	Not reported
Water Body:	n/a
Discharger:	VA CT Health Care System
Telephone:	Not reported
Responsible Party:	YES
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False

VA MEDICAL CTR (Continued) **S109745942**

Waterbody: False
Time Stamp: 2013-01-08 11:14:15
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: GuzmanCa
Comments: Not reported
Action: Repaired Line
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Valve Failure
Other Cause: Not reported
Media ID: Air
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: gas emission
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2012
Case Number: 201205625
Who Took Spill: 205
Assigned To: 0
Report Date: 10/15/2012
Report Time: 08:08:19
Date Release: 10/15/2012
Time Responded: 08:00:00
Reported By: Ling Xu
Phone: 203 9325711
Representing: Va Hospital ext 4197
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: DIESEL FUEL
Qty: 0.25 (Gallons)
Emergency Measure: speedi dry, absorbant pads
Water Body: n/a
Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2012-10-24 18:26:29
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: GuzmanCa
Comments: Not reported
Action: Contained
Other Action: Not reported

VA MEDICAL CTR (Continued) **S109745942**

Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Blow Back
Other Cause: Not reported
Cause ID: Other
Other Cause: unknown
Media ID: Ground Surface
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2012
Case Number: 201205635
Who Took Spill: 205
Assigned To: 0
Report Date: 10/15/2012
Report Time: 13:29:21
Date Release: 10/15/2012
Time Responded: Not reported
Reported By: ling xu
Phone: 203 9325711
Representing: ext 4197 VA Hospital
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: HYDRAULIC OIL
Qty: 1 (Gallons)
Emergency Measure: Not reported
Water Body: n/a
Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2012-10-22 13:30:12
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: GuzmanCa
Comments: Not reported
Action: Repaired Line
Other Action: Not reported
Action: Other
Other Action: speedi dry
Action: Investigated
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported

VA MEDICAL CTR (Continued) **S109745942**

DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Hose Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Governmental
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported
Waterbody: Other
Other Wtrbody: none

Year of Database: 2013
Case Number: 201300318
Who Took Spill: 205
Assigned To: 0
Report Date: 01/22/2013
Report Time: 13:16:13
Date Release: 01/22/2013
Time Responded: 13:00:00
Reported By: Ling Xu
Phone: 203 9325711
Representing: ext. 4197 V.A. Medical Center
Terminated: NO
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: GASOLINE
Qty: 4 (Gallons)
Emergency Measure: sand
Water Body: n/a
Discharger: saa
Telephone: Not reported
Responsible Party: YES
RP Address 1: Not reported
RP City,St,Zip: CT
Historic: False
Waterbody: False
Time Stamp: 2013-01-23 11:04:13
Sr Inspector: Cox, Michael
At Inspctor: **NO RESPONSE
User Stamp: GuzmanCa
Comments: Not reported
Action: Sanded
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Other
Other Cause: leaking motor vehicle
Media ID: Ground Surface
Other Media: Not reported
Class ID: Transportation
Other Class: Not reported

VA MEDICAL CTR (Continued) **S109745942**

Class ID:	Private
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	none

CT MANIFEST:

Detail:

Year:	2011
Manifest Id:	004196340FLE
EPA ID:	CT5000001545
TSDF EPA ID:	KYD053348108
TSDF Name:	SAFETY-KLEEN SYSTEMS, INC.
TSDF Address:	3700 LAGRANGE ROAD
TSDF City,St,Zip:	SMITHFIELD, KY 40068
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	03/16/2011
Transporter EPA ID:	MAD985286988
Transporter Name:	TRIUMVIRATE ENVIRONMENTAL INC
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	04/01/2011
Trans 2 EPA ID:	NYD982792814
Trans 2 Name:	FRANK‘S VACUUM TRUCK SERVICE, INC
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	2039325711
Generator Mailing Addr:	950 CAMPBELL AVE
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	03/16/2011
Date Received:	04/04/2011
Last modified date:	04/19/2011
Last modified by:	DPW
Comments:	Not reported

Waste:

Year:	2011
Manifest Id:	004196340FLE
Waste Occurence:	1
UNNA:	1993
Hazard Class:	3
US Dot Description:	UN1993, WASTE FLAMMABLE LIQUIDS, N.O.S.,
No of Containers:	001
Container Type:	DM
Quantity:	450
Weight/Volume:	P
Additional Description:	Not reported

VA MEDICAL CTR (Continued) **S109745942**

Handling Code:	Not reported
Date Record Was Last Modified:	2011-04-19 00:00:00
DEO Who Last Modified Record:	DPW
EPA Waste Code:	F003
Recycled Waste?:	False
Date Record Was Last Modified:	2011-04-19 00:00:00

EPA Waste Code:	F003
Recycled Waste?:	False
Date Record Was Last Modified:	2011-04-19 00:00:00

Year:	2011
Manifest Id:	004196340FLE
Waste Occurence:	2
UNNA:	1993
Hazard Class:	3
US Dot Description:	UN1993, WASTE FLAMMABLE LIQUIDS, N.O.S.,
No of Containers:	001
Container Type:	DM
Quantity:	250
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2011-04-19 00:00:00
DEO Who Last Modified Record:	DPW
EPA Waste Code:	F003
Recycled Waste?:	False
Date Record Was Last Modified:	2011-04-19 00:00:00

EPA Waste Code:	F003
Recycled Waste?:	False
Date Record Was Last Modified:	2011-04-19 00:00:00

Detail:

Year:	2010
Manifest Id:	003569588fle
EPA ID:	CT5000001545
TSDF EPA ID:	KYD053348108
TSDF Name:	SAFETY-KLEEN SYSTEMS, INC.
TSDF Address:	3700 LAGRANGE ROAD
TSDF City,St,Zip:	SMITHFIELD, KY 40068
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	11/03/2010
Transporter EPA ID:	MAD985286988
Transporter Name:	TRIUMVIRATE ENVIRONMENTAL INC
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	11/09/2010
Trans 2 EPA ID:	NJD071629976
Trans 2 Name:	S J TRANSPORTATION CO INC
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA

VA MEDICAL CTR (Continued) **S109745942**

Trans 2 Phone:	Not reported
Generator Phone:	2039325711
Generator Mailing Addr:	950 CAMPBELL AVE
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	11/03/2010
Date Received:	11/14/2010
Last modified date:	01/11/2011
Last modified by:	DPW
Comments:	Not reported

Waste:

Year:	2010
Manifest Id:	003569588fle
Waste Occurence:	1
UNNA:	1993
Hazard Class:	3
US Dot Description:	UN1993, WASTE FLAMMABLE LIQUIDS, N.O.S.,
No of Containers:	001
Container Type:	DM
Quantity:	450
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2011-01-11 00:00:00
DEO Who Last Modified Record:	DPW
EPA Waste Code:	F003
Recycled Waste?:	False
Date Record Was Last Modified:	2011-01-11 00:00:00

EPA Waste Code:	F003
Recycled Waste?:	False
Date Record Was Last Modified:	2011-01-11 00:00:00

Year:	2010
Manifest Id:	003569588fle
Waste Occurence:	2
UNNA:	1993
Hazard Class:	3
US Dot Description:	UN1993, WASTE FLAMMABLE LIQUIDS, N.O.S.,
No of Containers:	001
Container Type:	DM
Quantity:	425
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2011-01-11 00:00:00
DEO Who Last Modified Record:	DPW
EPA Waste Code:	F003
Recycled Waste?:	False
Date Record Was Last Modified:	2011-01-11 00:00:00

EPA Waste Code:	F003
Recycled Waste?:	False
Date Record Was Last Modified:	2011-01-11 00:00:00

VA MEDICAL CTR (Continued) **S109745942**

Detail:

Year:	1995
Manifest Id:	NJA2066344
EPA ID:	CTP000017522
TSDF EPA ID:	NJD002200046
TSDF Name:	CYCLE CHEM INC
TSDF Address:	217 SOUTH FIRST ST
TSDF City,St,Zip:	ELIZABETH, NJ 07206
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	03/29/1995
Transporter EPA ID:	NJD982281016
Transporter Name:	CLEAN VENTURE INC
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	Not reported
Generator Mailing Addr:	950 CAMPBELL AVE
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	Not reported
Date Shipped:	03/29/1995
Date Received:	Not reported
Last modified date:	04/26/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Year:	1995
Manifest Id:	NJA2066344
Waste Occurence:	1
UNNA:	2811
Hazard Class:	6.1
US Dot Description:	WASTE POISONOUS SOLID NOS
No of Containers:	001
Container Type:	DF
Quantity:	10
Weight/Volume:	P
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-26 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D016
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-26 00:00:00

VA MEDICAL CTR (Continued) **S109745942**

NPDES:

Town Id:	Not reported
Company Name:	Not reported
Permit Number:	GPH000841
Permit Issued Date:	02/01/2012
Permit Expiration Date:	01/31/2022
Application Received Date:	Not reported
Affiliation Type:	Permittee
Permit EI Type:	Photographic Processing Wastewater-GP
App Id:	201200272
Site Address Description:	Not reported
Site Address Line 2:	Not reported
Permit Description:	Not reported
Status:	Active
Affiliate Address Line 1:	950 CAMPBELL AVE
Affiliate Address Line 2:	Not reported
Affiliate City/State/Zip:	WEST HAVEN, CT 06516-2770
Contact Name:	Gary Boucher
Contact Title:	Chief of FMS
Contact EMail:	Not reported

Town Id:	Not reported
Company Name:	Not reported
Permit Number:	GWT000320
Permit Issued Date:	02/06/2013
Permit Expiration Date:	03/29/2016
Application Received Date:	Not reported
Affiliation Type:	Registrant
Permit EI Type:	Water Treatment Wastewater-GP
App Id:	201300365
Site Address Description:	Not reported
Site Address Line 2:	Not reported
Permit Description:	Not reported
Status:	Active
Affiliate Address Line 1:	950 CAMPBELL AVE
Affiliate Address Line 2:	Safety Unit - 138S
Affiliate City/State/Zip:	WEST HAVEN, CT 06516-2770
Contact Name:	GARY BOUCHER
Contact Title:	CHIEF - FMS
Contact EMail:	GARY.BOUCHER@VA.GOV

Town Id:	Not reported
Company Name:	Not reported
Permit Number:	CTMIU0131
Permit Issued Date:	02/27/2015
Permit Expiration Date:	10/30/2018
Application Received Date:	Not reported
Affiliation Type:	Registrant
Permit EI Type:	Miscellaneous Sewer Discharges-GP
App Id:	201500153
Site Address Description:	Not reported
Site Address Line 2:	Not reported
Permit Description:	VACHS WEST HAVEN, 950 CAMPBELL AVE., WEST HAVEN
Status:	Active
Affiliate Address Line 1:	950 CAMPBELL AVE
Affiliate Address Line 2:	C/O VA CT HEALTHCARE SYSTEM
Affiliate City/State/Zip:	WEST HAVEN, CT 06516-2770

VA MEDICAL CTR (Continued) **S109745942**

Contact Name: JOSEPH SIMONETTA
Contact Title: Not reported
Contact EMail: joseph.simonetta2@va.gov

B42
NE
1/8-1/4
0.184 mi.
972 ft.

MARSHALL'S GARAGE & TIRE COMPANY **CT UST** **U004008712**
990 CAMPBELL AVE **N/A**
WEST HAVEN, CT 06516

Site 1 of 7 in cluster B

Relative:
Lower

Actual:
61 ft.

UST:
Facility State: CT
Facility Id: 156-10290
Latitude: 41.285600
Longitude: -72.957901

Contact:
Owner Name: MARSHALL CARBONI
Owner Address: 25 PISCITELLO DR
Owner City/State/Zip: BRANFORD, CT 064052413
Owner Phone: (203) 488-2079
Owner Phone Ext: Not reported
Affiliation Type: Owner
Contact Name: Not reported
Contact Title: Not reported
Contact EMail: Not reported

Owner Name: MARSHALL CARBONI
Owner Address: 25 PISCITELLO DR
Owner City/State/Zip: BRANFORD, CT 064052413
Owner Phone: Not reported
Owner Phone Ext: Not reported
Affiliation Type: Registrant
Contact Name: Not reported
Contact Title: Not reported
Contact EMail: Not reported

Tank ID: A1
Compartment ID: a
Tank Status: **Permanently Closed**
Tank Material: Asphalt Coated or Bare Steel
Secondary Material: Not reported
Capacity: 5000
Substance: Gasoline
Date Installed: 05/01/1969
Date Last Used: 05/01/1979
Closure Status: **Tank Filled with Inert Material**
Pipe Material: Bare Steel
Pipe Mode Description: Not reported
Spill Installed: Not reported
Overfill Installed: Not reported
Tank Latitude: Not reported
Tank Longitude: Not reported

B43 NE 1/8-1/4 0.188 mi. 994 ft. | **ANDRADE MOTOR CAR, INC.**
975 CAMPBELL AVE
WEST HAVEN, CT 06516

CT UST | **U002175668**
N/A

Site 2 of 7 in cluster B

Relative: Lower

Actual: 65 ft.

UST:

Facility State:	CT
Facility Id:	156-7821
Latitude:	41.285183
Longitude:	-72.957372

Contact:

Owner Name:	JOHN RODIA
Owner Address:	31 BUTTERCUP LN
Owner City/State/Zip:	SHELTON, CT 064845723
Owner Phone:	(203) 929-5000
Owner Phone Ext:	Not reported
Affiliation Type:	Owner
Contact Name:	Not reported
Contact Title:	Not reported
Contact EMail:	Not reported

Owner Name:	JOHN RODIA
Owner Address:	31 BUTTERCUP LN
Owner City/State/Zip:	SHELTON, CT 064845723
Owner Phone:	Not reported
Owner Phone Ext:	Not reported
Affiliation Type:	Registrant
Contact Name:	Not reported
Contact Title:	Not reported
Contact EMail:	Not reported

Tank ID:	A1
Compartment ID:	a
Tank Status:	**Currently In Use**
Tank Material:	Asphalt Coated or Bare Steel
Secondary Material:	Not reported
Capacity:	1000
Substance:	Used Oil
Date Installed:	01/01/1955
Date Last Used:	Not reported
Closure Status:	**Not reported**
Pipe Material:	Not reported
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	B2
Compartment ID:	a
Tank Status:	**Currently In Use**
Tank Material:	Asphalt Coated or Bare Steel
Secondary Material:	Not reported
Capacity:	1000
Substance:	Used Oil
Date Installed:	01/01/1950

ANDRADE MOTOR CAR, INC. (Continued) **U002175668**

Date Last Used:	Not reported
Closure Status:	**Not reported**
Pipe Material:	Not reported
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

B44 **ANDRODE MOTOR CAR** **CT MANIFEST** **S109751879**
NE **975 CAMPBELL AVE** **N/A**
1/8-1/4 **WEST HAVEN, CT 06516**
0.188 mi.
994 ft. **Site 3 of 7 in cluster B**

Relative:
Lower

Actual:
65 ft.

CT MANIFEST:

Detail:

Year:	2001
Manifest Id:	CTF0961147
EPA ID:	CTP000025518
TSDF EPA ID:	CTD021816889
TSDF Name:	UNITED OIL RECOVERY INC
TSDF Address:	136 GRACEY AVE
TSDF City,St,Zip:	MERIDEN, CT 06450
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	03/28/2001
Transporter EPA ID:	CTD021816889
Transporter Name:	UNITED OIL RECOVERY INC
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	2039317575
Generator Mailing Addr:	975 CAMPBELL AVE
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Not reported
Discrepancies:	No
Date Shipped:	03/28/2001
Date Received:	03/28/2001
Last modified date:	04/27/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Year:	2001
Manifest Id:	CTF0961147
Waste Occurence:	1
UNNA:	3082

ANDRODE MOTOR CAR (Continued) **S109751879**

Hazard Class:	9
US Dot Description:	env. Hazardous substance liquid nos
No of Containers:	001
Container Type:	TT
Quantity:	125
Weight/Volume:	G
Additional Description:	Not reported
Handling Code:	Not reported
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	F002
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00

B45 **WEST HAVEN CHRYSLER-PLYMOUTH/ANDRADE MOT** **CT CPCS** **S108305506**
NE **975 CAMPBELL AVENUE** **N/A**
1/8-1/4 **WEST HAVEN, CT 06516**
0.188 mi.
994 ft. **Site 4 of 7 in cluster B**

Relative:
Lower

Actual:
65 ft.

CPCS:

Site Type:	Projects
Lust Status code:	Not reported
Lust Status:	Not reported
PTP Form:	III
Program:	Property Transfer Program
Comments:	Projects
Site Type Definition:	Property Transfer Form III

B46 **ANDRADE MOTOR CAR, INC.** **CT PROPERTY** **S109729611**
NE **975 CAMPBELL AVE** **CT MANIFEST** **N/A**
1/8-1/4 **WEST HAVEN, CT 06516** **CT NPDES**
0.188 mi.
994 ft. **Site 5 of 7 in cluster B**

Relative:
Lower

Actual:
65 ft.

CT Property:

Seller Name:	CTB Campbell Avenue Inc.
Buyer Name:	Robert Andrade, LLC
Certifying Party:	Robert B. Andrade
Certifying Attention Person:	Robert Andrade
Title Of Certifying Person:	Not reported
Certifying Person Address:	975 Campbell Ave
Certifying Person City,St,Zip:	West Haven, CT 06516
Property Transfer Forms:	Form III (DEP-PERD-PTP-203) when a discharge, spillage, uncontrolled loss, seepage or filtration of hazardous waste has occurred at the parcel that has not been fully remediated or the environmental conditions at the parcel are unknown. The person signing the Form III certification agrees to investigate and remediate the site in accordance with the remediation standards. The statute does not require completion of remediation before the parcel is transferred. Any person submitting a Form III shall simultaneously submit a completed Environmental Condition Assessment Form (ECAF)(DEP-PERD-PTP-200).
Date Recieved:	11/22/1995
Ackn Date:	01/09/1996

ANDRADE MOTOR CAR, INC. (Continued) **S109729611**

Determination Date:	01/31/1996
LEP Verified/DEP Approval Date:	Not reported
Rem Id:	3329
Remediation Location Id:	2581
Date Entered:	Not reported
Program:	Property Transfer Program
GAO Site:	False
Staff Full Name:	Ryan Santos
Super/Date:	Not reported
Stage Of Project:	Not reported
RP Level Of Activity:	Not reported
RP Needed Level Of Activity:	Not reported
Staff Level Of Activity:	Not reported
Staff Needed Level Of Activity:	Not reported
Public Intrest:	Not reported
PRP Cooperation:	Not reported
Enforcement Status:	Not reported
Level Of Complexity:	Not reported
Complex Eng Or Sci:	False
Complex Due To Public Involvement:	False
Politically Complex:	False
Complex Enforcement:	False
Coordination With Other Bureaus:	False
EPA Involvement:	False
Staff Prefrence:	Not reported
Readiness For Transfer:	Not reported
Project Transfer Time:	Not reported
Transfer Comments:	Not reported
Staff As Of July 2000:	Robinson Rob
Initial Staff:	RHR
Type Of Transfer:	Not reported
Salutation:	Mr. Andrade
Relationship To Transfer:	transferee
Audit Date:	Not reported
Verif Type:	Not reported
Audit Outcome:	Not reported
GW:	GB
Basin:	Not reported
1st Payment:	2000
Pay Tag1:	Not reported
2nd Payment:	Not reported
Pay Tag2:	Not reported
RTN:	12/04/1995
Revised:	01/04/1996
ECAF Received:	Not reported
Old Determination Date:	LEP-96/01/31
Redeterminationdate:	Not reported
Previous Determination:	Not reported
Monitoringoption:	Not reported
Postremedialmonitoring:	Not reported
Schedule Of I/R:	06/04/1996
Schedule Overdue:	Not reported
Aprvl Sched:	Not reported
Yr 1 Report:	Not reported
Yr 2 Report:	Not reported
Report Overdue:	Not reported
Ext Aprvl Sched:	Not reported

ANDRADE MOTOR CAR, INC. (Continued) **S109729611**

License #:	Not reported
Project Phase:	Not reported
PT Comments:	NOV issued 7/98 for lack of reporting
EPA Id Number:	Not reported
GW Class:	Not reported
SW Class:	Not reported
AO/C0:	Not reported
Water Lead(Y Or N):	Not reported
Priority:	Not reported
Project Status(A, I Or D):	Not reported
Last Updated:	Not reported
SR Comments:	Not reported
Priority Or Work-Load:	Not reported
Status:	Not reported
Notes:	Not reported
Special Project Name:	Not reported
Special Project Comments:	Not reported
DOT Project:	Not reported
Pt Counter:	Not reported
Project Complete:	False
Project Inactive:	False
Int Deposit #:	Not reported
Deposit #:	Not reported
Spill Case #:	Not reported
Diversion Id:	Not reported
Public Notice:	Not reported
RAP Received:	Not reported
RAP Approved:	Not reported
Compliance Category:	A
Delete Record:	False
ECAF Reviewed By:	Not reported
Not Locatable:	False
Primary Address:	True
AKA Site Name:	False
Primary Site Name:	True
AKA Site Address:	False
Lead:	LEP

CT MANIFEST:

Detail:

Year:	1992
Manifest Id:	CTF0155019
EPA ID:	CTD174336370
TSDF EPA ID:	CTD980667927
TSDF Name:	SAFETY KLEEN CORP 2-112-01
TSDF Address:	11 TIPPING DR LOT #4
TSDF City,St,Zip:	BRANFORD, CT 06405
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	01/14/1992
Transporter EPA ID:	ILD051060408
Transporter Name:	SAFETY KLEEN CORP (TRANSP)
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported

ANDRADE MOTOR CAR, INC. (Continued) **S109729611**

Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	2039343455
Generator Mailing Addr:	975 CAMPBELL AVE
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Yes
Discrepancies:	No
Date Shipped:	01/14/1992
Date Received:	01/14/1992
Last modified date:	04/27/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Year:	1992
Manifest Id:	CTF0155019
Waste Occurence:	1
UNNA:	1255
Hazard Class:	COMBUSTIBL
US Dot Description:	WASTE PETROLEUM NAPHTHA LIQUID
No of Containers:	004
Container Type:	DM
Quantity:	262
Weight/Volume:	P
Additional Description:	Y
Handling Code:	S02
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D001
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D006
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
Year:	1992
Manifest Id:	CTF0155019
Waste Occurence:	2
UNNA:	1760
Hazard Class:	CORROSIVE
US Dot Description:	WASTE COMPOUND CLEANING LIQUID MATERIAL
No of Containers:	001
Container Type:	DF
Quantity:	36
Weight/Volume:	P
Additional Description:	Y

ANDRADE MOTOR CAR, INC. (Continued) **S109729611**

Handling Code:	S01
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D001
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D006
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
Year:	1992
Manifest Id:	CTF0155019
Waste Occurence:	3
UNNA:	1255
Hazard Class:	COMBUSTIBL
US Dot Description:	WASTE PETROLEUM NAPHTHA LIQUID
No of Containers:	001
Container Type:	DF
Quantity:	27
Weight/Volume:	P
Additional Description:	Y
Handling Code:	S02
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D001
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D006
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00

Detail:

Year:	1991
Manifest Id:	CTF0066721
EPA ID:	CTD174336370
TSDF EPA ID:	CTD980667927
TSDF Name:	SAFETY KLEEN CORP 2-112-01
TSDF Address:	11 TIPPING DR LOT #4
TSDF City,St,Zip:	BRANFORD, CT 06405
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	05/08/1991
Transporter EPA ID:	ILD051060408
Transporter Name:	SAFETY-KLEEN CORP (TRANSPORTER ONLY)
Transporter Address:	Not reported
Transporter City,St,Zip:	CT

ANDRADE MOTOR CAR, INC. (Continued) **S109729611**

Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	2039343455
Generator Mailing Addr:	975 CAMPBELL AVE
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	No
Discrepancies:	No
Date Shipped:	05/08/1991
Date Received:	05/08/1991
Last modified date:	04/27/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Year:	1991
Manifest Id:	CTF0066721
Waste Occurence:	1
UNNA:	1255
Hazard Class:	COMBUSTIBL
US Dot Description:	WASTE PETRO NAPHTHA LIQ
No of Containers:	003
Container Type:	DM
Quantity:	217
Weight/Volume:	P
Additional Description:	N
Handling Code:	S02
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D006
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00
Year:	1991
Manifest Id:	CTF0066721
Waste Occurence:	2
UNNA:	1760
Hazard Class:	CORROSIVE
US Dot Description:	WASTE COMPOUND CLEANING LIQUID MATERIAL
No of Containers:	001
Container Type:	DM
Quantity:	36

ANDRADE MOTOR CAR, INC. (Continued) **S109729611**

Weight/Volume:	P
Additional Description:	N
Handling Code:	S01W
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00

EPA Waste Code:	D006
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00

EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00

Year:	1991
Manifest Id:	CTF0066721
Waste Occurence:	3
UNNA:	1255
Hazard Class:	COMBUSTIBL
US Dot Description:	WASTE PETRO NAPHTHA LIQ
No of Containers:	001
Container Type:	DF
Quantity:	27
Weight/Volume:	P
Additional Description:	N
Handling Code:	S02
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00

EPA Waste Code:	D006
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00

EPA Waste Code:	D001
Recycled Waste?:	False
Date Record Was Last Modified:	2004-04-27 00:00:00

NPDES:

Town Id:	Not reported
Company Name:	Not reported
Permit Number:	GVM000815
Permit Issued Date:	04/13/2011
Permit Expiration Date:	01/23/2021
Application Received Date:	Not reported
Affiliation Type:	Permittee
Permit EI Type:	Vehicle Maintenance Wastewater-GP
App Id:	201102510
Site Address Description:	Not reported
Site Address Line 2:	Not reported
Permit Description:	Not reported

ANDRADE MOTOR CAR, INC. (Continued) **S109729611**

Status:	Active
Affiliate Address Line 1:	975 CAMPBELL AVE
Affiliate Address Line 2:	Not reported
Affiliate City/State/Zip:	WEST HAVEN, CT 06516-2707
Contact Name:	KEN ANDRADE
Contact Title:	Not reported
Contact EMail:	Not reported

B47 **WEST HAVEN CHRYSLER PLYM INC** **CT MANIFEST** **S109729609**
NE **975 CAMPBELL AVE** **N/A**
1/8-1/4 **WEST HAVEN, CT 06516**
0.188 mi.
994 ft. **Site 6 of 7 in cluster B**

Relative:
Lower

Actual:
65 ft.

CT MANIFEST:

Detail:

Year:	1991
Manifest Id:	MAF621690
EPA ID:	CTD173436370
TSDF EPA ID:	CTD980667927
TSDF Name:	SAFETY KLEEN CORP 2-112-01
TSDF Address:	11 TIPPING DR LOT #4
TSDF City,St,Zip:	BRANFORD, CT 06405
TSDF Country:	USA
TSDF Telephone:	Not reported
Transport Date:	10/23/1991
Transporter EPA ID:	ILD051060408
Transporter Name:	SAFETY-KLEEN CORP (TRANSPORTER ONLY)
Transporter Address:	Not reported
Transporter City,St,Zip:	CT
Transporter Country:	USA
Transporter Phone:	Not reported
Trans 2 Date:	Not reported
Trans 2 EPA ID:	Not reported
Trans 2 Name:	Not reported
Trans 2 Address:	Not reported
Trans 2 City,St,Zip:	CT
Trans 2 Country:	USA
Trans 2 Phone:	Not reported
Generator Phone:	2039343455
Generator Mailing Addr:	975 CAMPBELL AVE
Generator Mailing City/State/Zip:	06516
Generator Mailing Country:	USA
Special Handling:	Yes
Discrepancies:	No
Date Shipped:	10/23/1991
Date Received:	10/23/1991
Last modified date:	04/27/2004
Last modified by:	IG
Comments:	Not reported

Waste:

Year:	1991
Manifest Id:	MAF621690
Waste Occurence:	1
UNNA:	1255
Hazard Class:	COMBUSTIBL

WEST HAVEN CHRYSLER PLYM INC (Continued) **S109729609**

US Dot Description:	WASTE PETROLEUM NAPHTHA
No of Containers:	003
Container Type:	DM
Quantity:	227
Weight/Volume:	P
Additional Description:	Y
Handling Code:	S02
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D001
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D006
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
Year:	1991
Manifest Id:	MAF621690
Waste Occurence:	2
UNNA:	1760
Hazard Class:	CORROSIVE
US Dot Description:	WASTE COMPOUND CLEANIMG LIQUID
No of Containers:	001
Container Type:	DM
Quantity:	36
Weight/Volume:	P
Additional Description:	Y
Handling Code:	S01
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D001
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D006
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
Year:	1991
Manifest Id:	MAF621690
Waste Occurence:	3
UNNA:	1255
Hazard Class:	COMBUSTIBL
US Dot Description:	WASTE PETROLEUM NAPHTHA
No of Containers:	001
Container Type:	DF
Quantity:	27
Weight/Volume:	P

WEST HAVEN CHRYSLER PLYM INC (Continued) **S109729609**

Additional Description:	Not reported
Handling Code:	S02
Date Record Was Last Modified:	2004-04-27 00:00:00
DEO Who Last Modified Record:	IG
EPA Waste Code:	D001
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D006
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00
EPA Waste Code:	D001
Recycled Waste?:	True
Date Record Was Last Modified:	2004-04-27 00:00:00

B48 **WEST HAVEN CHRYSLER PLYMOUTH INC** **CT SDADB** **1000392163**
NE **975 CAMPBELL AVE** **RCRA NonGen / NLR** **CTD174336370**
1/8-1/4 **WEST HAVEN, CT 06516**
0.188 mi.
994 ft. **Site 7 of 7 in cluster B**

Relative:
Lower

Actual:
65 ft.

Site Discovery and Assessment:

Facility ID:	2779
Rem Master ID:	3166
PTP Id:	Not reported
WPC Number:	Not reported
Postal District:	Not reported
Latitude:	Not reported
Longitude:	Not reported
Lat/Long Determined By:	Not reported
Ground Water Quality Classification:	Not reported
Surface Water Quality Classification:	Not reported
Waste Type:	HYDRO/OIL
Disposal:	UST
Sample Data Available:	False
Updated By:	ROBINSON, R.
Update Program:	PTP
Updated:	4/25/1996
Date Created:	Not reported
Duplicate:	False

SDA Federal:

EPA CERCLIS Id:	Not reported
Number EPA RCRIS Id:	Not reported
Site on EPA's CERCLIS:	Not reported
Site Archived from CERCLIS:	Not reported
Archive Date:	Not reported
EPA's Removal at Site:	Not reported
Deferred to another EPA Program:	Not reported
EPA Env Priority Initiative Site:	Not reported
Federal Facility:	Not reported
Site on EPA's National Priority List:	Not reported
Part of an NPL site:	Not reported
RCRA Generator Status:	Not reported
RCRA Permit Status:	Not reported

WEST HAVEN CHRYSLER PLYMOUTH INC (Continued) **1000392163**

SDA Referral:

Referral Id:	2592
Source of referral:	PTP
Date Received:	4/25/1996
Staff Assigned:	Not reported
Remediation Program:	Not reported
Date dt_assigned:	Not reported
Remediation Complete Approved DEP/Verified by LEP:	4/29/1996
Outcome:	PTP

SDA Remedial:

Remedial Id:	Not reported
PTP Id:	Not reported
Remediation Program:	Not reported
Remediation Program Entered:	Not reported
Staff Assigned:	Not reported
Remediation Program:	Not reported
Date dt_assign:	Not reported
Project Phase:	Not reported
Order issued:	Not reported
Order Number:	Not reported
Date order issued:	Not reported
Remedial Investigation Start:	Not reported
Remedial Investigation Completed:	Not reported
Remedial Design Start:	Not reported
Remedial Design complet:	Not reported
Remedial Action Start:	Not reported
Remedial Action Completed:	Not reported
Date Oper/ maintenance Started:	Not reported
GW monitoring:	Not reported
Remediation complete Approved DEP/Verified by LEP:	Not reported

SDA Orders:

Order Id:	Not reported
Order Number:	Not reported
Date order issued:	Not reported
Staff Assigned:	Not reported
Type of Order:	Not reported
Order Respondent:	Not reported
Admin Appeal Date:	Not reported
Date of Admin Appeal Ruling:	Not reported
Date of Admin Appeal Ruling:	Not reported
Date of Final Order:	Not reported
Date of Court Appeal:	Not reported
Date of Court Ruling:	Not reported
Date of Court Ruling:	Not reported
Date Order Modified:	Not reported
Date Referred to AG:	Not reported
Judgement:	Not reported
Date of AGR judgement:	Not reported
Penalty assessed:	Not reported
Order Complete:	Not reported
In compliance:	Not reported
Comments:	Not reported

SDADB:

SDA Waste:

Waste Id:	11

WEST HAVEN CHRYSLER PLYMOUTH INC (Continued) **1000392163**

Waste Type: HYDRO/OIL
Description: Hydrocarbons and/or Fuel Oil

RCRA NonGen / NLR:
Date form received by agency: 07/19/1988
Facility name: WEST HAVEN CHRYSLER PLYMOUTH INC
Facility address: 975 CAMPBELL AVE
WEST HAVEN, CT 06516
EPA ID: CTD174336370
Mailing address: CAMPBELL AVE
WEST HAVEN, CT 06516
Contact: JOSEPH JARVSINSKY JR
Contact address: 975 CAMPBELL AVE
WEST HAVEN, CT 06516
Contact country: US
Contact telephone: (203) 934-3455
Contact email: Not reported
EPA Region: 01
Land type: Private
Classification: Non-Generator
Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:
Owner/operator name: RODIA JOHN A SR
Owner/operator address: OWNERSTREET
OWNERCITY, CT 99999
Owner/operator country: Not reported
Owner/operator telephone: (203) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler Activities Summary:
U.S. importer of hazardous waste: No
Mixed waste (haz. and radioactive): No
Recycler of hazardous waste: No
Transporter of hazardous waste: No
Treater, storer or disposer of HW: No
Underground injection activity: No
On-site burner exemption: No
Furnace exemption: No
Used oil fuel burner: No
Used oil processor: No
User oil refiner: No
Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

. Waste code: D000
. Waste name: Not Defined

. Waste code: D002
. Waste name: CORROSIVE WASTE

WEST HAVEN CHRYSLER PLYMOUTH INC (Continued) **1000392163**

Violation Status: No violations found

Evaluation Action Summary:

Evaluation date:	03/25/1998
Evaluation:	FOCUSED COMPLIANCE INSPECTION
Area of violation:	Not reported
Date achieved compliance:	Not reported
Evaluation lead agency:	State

C49 South 1/8-1/4 0.205 mi. 1081 ft. **NAZARRO RES.** **CT LUST** **S105840402**
18 KING PLACE **CT SPILLS** **N/A**
WEST HAVEN, CT 06516 **CT CPCS**

Site 1 of 2 in cluster C

Relative: Lower

Actual: 114 ft.

LUST:

LUST Id:	7350
UST Facility Id:	Not reported
LUST Case Id:	35425
Lust Status:	Investigation
Processing Status:	Not reported
EPA Reportable:	False
Motor Fuel:	False
Diesel:	False
Gasoline:	False
Other:	False
Other Release:	Not reported
No Release:	False
Leak:	False
Tank:	False
Piping:	False
Overfill:	False
Removal:	False
Incident Date:	01/29/1999
Entry Date:	Not reported
Site Case Id:	9900727
UST Site Id:	Not reported
Cost Recovery Spill Case #:	Not reported
Old SITS Number:	Not reported
Case Log Id:	Not reported
Monthly Report Id:	0
UST Owner Id:	Not reported
LUST Owner Id:	Not reported
UST Event Id:	7466
Contact Info:	Not reported
Contact EMail:	Not reported
Site Contact City,St,Zip:	UNKNOWN
2nd Contact:	Not reported
2nd Contact EMail:	Not reported
2nd Contact Address:	Not reported
2nd Contact City,St,Zip:	UNKNOWN
2nd Contact Address 2:	Not reported
2nd Contact City 2:	Not reported
2nd Contact Phone Number:	Not reported
2nd Contact Fax Number:	Not reported
2nd Contact Type:	Not reported
Facility City Num:	156
Site Contact:	Not reported

NAZARRO RES. (Continued) **S105840402**

Site Contact Address:	Not reported
Site Contact Add 2:	Not reported
Site Contact City 2:	Not reported
Site Contact Phone:	Not reported
Site Contact Fax:	Not reported
Site Contact Type:	Not reported
Department Contact 1:	Not reported
Department Contact 2:	Not reported
Referral Source:	OCSRD
Offsite Source:	False
Date Referred:	1999-02-17 00:00:00
Emergency:	False
Private Heating Fuel:	True
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	False
Cost Recvry Prgm Candidate:	False
OCSRD Complete:	True
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported
Resp Party Name:	Not reported
Resp Party Address:	Not reported
Resp Party City,St,Zip:	Not reported
Resp Party Town Number:	UNKNOWN
Resp Party Phone:	Not reported
Resp Party Fax:	Not reported
Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	35
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No

NAZARRO RES. (Continued) **S105840402**

Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	Not reported
Date Stamp:	Not reported
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	release type: petroleumrelease substance: #2 fuel oilMedia: soil sub surface.
Running Comments:	#2 fuel oil, Private, sample results pending-750 UST AREA ON CITY WATER99-00727
Work Performed:	Not reported

SPILLS:

Year of Database:	1999
Case Number:	9900727
Who Took Spill:	917

NAZARRO RES. (Continued) **S105840402**

Assigned To:	0
Report Date:	01/29/1999
Report Time:	11:14:34
Date Release:	01/29/1999
Time Responded:	Not reported
Reported By:	tina ostrowski
Phone:	203 3781066
Representing:	tec
Terminated:	YES
Recovd (Total):	0
Total (Water):	0
Facility Status:	Closed
Continuous Spill:	False
Released Substance:	#2 fuel oil
Qty:	0 (Gallons)
Emergency Measure:	sample results pending-750 UST AREA ON CITY WATER
Water Body:	na
Discharger:	nazarro res.
Telephone:	203 9377709
Responsible Party:	YES
RP Address 1:	Not reported
RP City,St,Zip:	CT
Historic:	False
Waterbody:	False
Time Stamp:	1999-02-18 09:00:15
Sr Inspector:	Emanuelson, Brian
At Inspctor:	**NO RESPONSE
User Stamp:	Not reported
Comments:	Not reported
Agency ID:	DEP
Other Agency:	Not reported
DEP Bureau:	BUREAU OF WASTE MANAGEMENT
DEP Agency:	OIL AND CHEMICAL SPILL RESPONSE
Cause ID:	Inground Tank Failure
Other Cause:	Not reported
Media ID:	Other
Other Media:	soil sub surface
Class ID:	Private
Other Class:	Not reported
Release Type:	petroleum
Other Release:	Not reported
Waterbody:	Other
Other Wtrbody:	na

CPCS:

Site Type:	LUST
Lust Status code:	2
Lust Status:	Investigation
PTP Form:	Not reported
Program:	Not reported
Comments:	#2 Fuel Oil, Private, Sample Results Pending-750 Ust Area On City Water
Site Type Definition:	Leaking Underground Storage Tanks Investigation

C50 South 1/8-1/4 0.206 mi. 1090 ft. | **JAMES DINELLO**
23 KING PLACE
WEST HAVEN, CT 06516

CT LUST | **S103159001**
CT SPILLS | **N/A**
CT CPCS

Site 2 of 2 in cluster C

Relative: Lower

Actual: 118 ft.

LUST:

LUST Id:	4736
UST Facility Id:	Not reported
LUST Case Id:	32861
Lust Status:	Lust Completed
Processing Status:	Not reported
EPA Reportable:	False
Motor Fuel:	False
Diesel:	False
Gasoline:	False
Other:	False
Other Release:	Not reported
No Release:	False
Leak:	False
Tank:	False
Piping:	False
Overfill:	False
Removal:	False
Incident Date:	04/08/1997
Entry Date:	Not reported
Site Case Id:	9701680
UST Site Id:	Not reported
Cost Recovery Spill Case #:	Not reported
Old SITS Number:	Not reported
Case Log Id:	Not reported
Monthly Report Id:	0
UST Owner Id:	Not reported
LUST Owner Id:	Not reported
UST Event Id:	4845
Contact Info:	Not reported
Contact EMail:	Not reported
Site Contact City,St,Zip:	UNKNOWN
2nd Contact:	Not reported
2nd Contact EMail:	Not reported
2nd Contact Address:	Not reported
2nd Contact City,St,Zip:	UNKNOWN
2nd Contact Address 2:	Not reported
2nd Contact City 2:	Not reported
2nd Contact Phone Number:	Not reported
2nd Contact Fax Number:	Not reported
2nd Contact Type:	Not reported
Facility City Num:	156
Site Contact:	Not reported
Site Contact Address:	Not reported
Site Contact Add 2:	Not reported
Site Contact City 2:	Not reported
Site Contact Phone:	Not reported
Site Contact Fax:	Not reported
Site Contact Type:	Not reported
Department Contact 1:	Not reported
Department Contact 2:	Not reported
Referral Source:	Not reported
Offsite Source:	False

JAMES DINELLO (Continued) **S103159001**

Date Referred:	Not reported
Emergency:	False
Private Heating Fuel:	True
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	False
Cost Recvry Prgm Candidate:	False
OCSRD Complete:	True
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported
Resp Party Name:	Not reported
Resp Party Address:	Not reported
Resp Party City,St,Zip:	Not reported
Resp Party Town Number:	UNKNOWN
Resp Party Phone:	Not reported
Resp Party Fax:	Not reported
Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	35
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False

JAMES DINELLO (Continued) **S103159001**

Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	Not reported
Date Stamp:	Not reported
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	Not reported
Running Comments:	#2 HEATING OIL, , removed 1-550 gallon tank and 5yards of contamination
Work Performed:	Not reported

SPILLS:

Year of Database:	1997
Case Number:	9701680
Who Took Spill:	913
Assigned To:	0
Report Date:	04/08/1997
Report Time:	14:10:00
Date Release:	04/08/1997
Time Responded:	13:58:00
Reported By:	rob reihl
Phone:	203 6998265
Representing:	centry site services
Terminated:	YES
Recovd (Total):	0
Total (Water):	0

JAMES DINELLO (Continued) **S103159001**

Facility Status:	closed
Continuous Spill:	False
Released Substance:	#2 FUEL OIL
Qty:	0 (Gallons)
Emergency Measure:	removed 1-550 gallon tank and 5yards of contiamation
Water Body:	Not reported
Discharger:	james dinello
Telephone:	203 7775747
Responsible Party:	YES
RP Address 1:	23 king place
RP City,St,Zip:	WEST HAVEN, CT 06516
Historic:	False
Waterbody:	False
Time Stamp:	1997-04-08 14:08:36
Sr Inspector:	Alexander, Ed
At Inspctor:	**NO RESPONSE
User Stamp:	Not reported
Comments:	Not reported
Action:	Removed
Other Action:	Not reported
Action:	Contained
Other Action:	Not reported
Action:	Removed Tank
Other Action:	Not reported
Agency ID:	DEP
Other Agency:	Not reported
DEP Bureau:	BUREAU OF WASTE MANAGEMENT
DEP Agency:	OIL AND CHEMICAL SPILL RESPONSE
Agency ID:	LOCAL FIRE DEPARTMENT
Other Agency:	Not reported
DEP Bureau:	Not reported
DEP Agency:	Not reported
Cause ID:	Inground Tank Failure
Other Cause:	Not reported
Media ID:	Ground Surface
Other Media:	Not reported
Release Type:	petroleum
Other Release:	Not reported

CPCS:

Site Type:	LUST
Lust Status code:	4
Lust Status:	Lust Completed (DEP's significant hazard definition)
PTP Form:	Not reported
Program:	Not reported
Comments:	#2 Heating Oil, , Removed 1-550 Gallon Tank And 5yards Of Contamination
Site Type Definition:	Leaking Underground Storage Tanks Completed

D51 North 1/8-1/4 0.229 mi. 1207 ft. | **NOTRE DAME HIGH SCHOOL**
63 TERRACE AVE
WEST HAVEN, CT 06516

CT UST | **U004136470**
N/A

Site 1 of 2 in cluster D

Relative: Lower

Actual: 121 ft.

UST:

Facility State:	CT
Facility Id:	156-7881
Latitude:	41.286926
Longitude:	-72.960776

Contact:

Owner Name:	BROTHERS OF HOLY CROSS
Owner Address:	24 RICARDO ST
Owner City/State/Zip:	WEST HAVEN, CT 065162446
Owner Phone:	(203) 933-1673
Owner Phone Ext:	Not reported
Affiliation Type:	Owner
Contact Name:	Not reported
Contact Title:	Not reported
Contact EMail:	Not reported

Owner Name:	BROTHERS OF HOLY CROSS
Owner Address:	24 RICARDO ST
Owner City/State/Zip:	WEST HAVEN, CT 065162446
Owner Phone:	Not reported
Owner Phone Ext:	Not reported
Affiliation Type:	Registrant
Contact Name:	Not reported
Contact Title:	Not reported
Contact EMail:	Not reported

Tank ID:	A1
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Asphalt Coated or Bare Steel
Secondary Material:	Not reported
Capacity:	10000
Substance:	Heating Oil(on-site consumption)
Date Installed:	01/01/1950
Date Last Used:	Not reported
Closure Status:	**Tank was Abandoned in Ground**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

Tank ID:	A1R1
Compartment ID:	a
Tank Status:	**Currently In Use**
Tank Material:	Coated & Cathodically Protected Steel (sti-P3)
Secondary Material:	Not reported
Capacity:	8000
Substance:	Heating Oil(on-site consumption)
Date Installed:	08/01/1989

NOTRE DAME HIGH SCHOOL (Continued) **U004136470**

Date Last Used:	Not reported
Closure Status:	**Not reported**
Pipe Material:	Not reported
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

D52 **SOUND VIEW SPECIALIZED CARE CENTER** **CT UST** **U002175647**
North **CARE LN** **N/A**
1/8-1/4 **WEST HAVEN, CT 06516**
0.235 mi.
1240 ft. **Site 2 of 2 in cluster D**

Relative:
Lower

Actual:
118 ft.

UST:

Facility State:	CT
Facility Id:	156-7784
Latitude:	41.286463
Longitude:	-72.960074

Contact:

Owner Name:	SOUND VIEW MANOR, INC.
Owner Address:	CARE LN
Owner City/State/Zip:	WEST HAVEN, CT 065162699
Owner Phone:	(203) 934-7955
Owner Phone Ext:	Not reported
Affiliation Type:	Owner
Contact Name:	Not reported
Contact Title:	Not reported
Contact EMail:	Not reported

Owner Name:	SOUND VIEW MANOR, INC.
Owner Address:	CARE LN
Owner City/State/Zip:	WEST HAVEN, CT 065162699
Owner Phone:	Not reported
Owner Phone Ext:	Not reported
Affiliation Type:	Registrant
Contact Name:	Not reported
Contact Title:	Not reported
Contact EMail:	Not reported

Tank ID:	A1
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Asphalt Coated or Bare Steel
Secondary Material:	Not reported
Capacity:	5000
Substance:	Heating Oil(on-site consumption)
Date Installed:	06/01/1965
Date Last Used:	Not reported
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported

SOUND VIEW SPECIALIZED CARE CENTER (Continued) **U002175647**

Tank Longitude:	Not reported

Tank ID:	A2
Compartment ID:	a
Tank Status:	**Permanently Closed**
Tank Material:	Asphalt Coated or Bare Steel
Secondary Material:	Not reported
Capacity:	550
Substance:	Diesel
Date Installed:	06/01/1965
Date Last Used:	05/01/1996
Closure Status:	**Tank was Removed From Ground**
Pipe Material:	Bare Steel
Pipe Mode Description:	Not reported
Spill Installed:	Not reported
Overfill Installed:	Not reported
Tank Latitude:	Not reported
Tank Longitude:	Not reported

---

53 SSW 1/4-1/2 0.257 mi. 1355 ft. | **RESIDENTIAL PROPERTY** | **CT LUST** | **S112805517**
165 WEST SPRING STREET | **CT SPILLS** | **N/A**
WEST HAVEN, CT

Relative: Higher

Actual: 127 ft.

LUST:

LUST Id:	0
UST Facility Id:	0
LUST Case Id:	60380
Lust Status:	Lust Completed
Processing Status:	Not reported
EPA Reportable:	False
Motor Fuel:	False
Diesel:	False
Gasoline:	False
Other:	False
Other Release:	Not reported
No Release:	False
Leak:	False
Tank:	True
Piping:	False
Overfill:	False
Removal:	True
Incident Date:	11/20/2012
Entry Date:	02/14/2013
Site Case Id:	201206801
UST Site Id:	0
Cost Recovery Spill Case #:	0
Old SITS Number:	0
Case Log Id:	0
Monthly Report Id:	0
UST Owner Id:	0
LUST Owner Id:	Not reported
UST Event Id:	0
Contact Info:	Not reported
Contact EMail:	Not reported
Site Contact City,St,Zip:	UNKNOWN

RESIDENTIAL PROPERTY (Continued) **S112805517**

2nd Contact:	Charles Merritt (Merritt Environmental Consulting Corp)
2nd Contact EMail:	Not reported
2nd Contact Address:	77 Arkay Drive
2nd Contact City,St,Zip:	NY 11788
2nd Contact Address 2:	Suite D
2nd Contact City 2:	Hauppauge
2nd Contact Phone Number:	6316176200
2nd Contact Fax Number:	6316176201
2nd Contact Type:	President
Facility City Num:	156
Site Contact:	Not reported
Site Contact Address:	Not reported
Site Contact Add 2:	Not reported
Site Contact City 2:	Not reported
Site Contact Phone:	Not reported
Site Contact Fax:	Not reported
Site Contact Type:	Not reported
Department Contact 1:	Not reported
Department Contact 2:	Not reported
Referral Source:	Not reported
Offsite Source:	False
Date Referred:	Not reported
Emergency:	False
Private Heating Fuel:	True
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	False
Cost Recvry Prgm Candidate:	False
OCSRD Complete:	False
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported
Resp Party Name:	165 West Spring Street
Resp Party Address:	165 West Spring Street
Resp Party City,St,Zip:	West Haven, CT
Resp Party Town Number:	156
Resp Party Phone:	Not reported
Resp Party Fax:	Not reported
Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	56
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	GB

RESIDENTIAL PROPERTY (Continued) **S112805517**

Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	0
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	True
Ground Water Sample:	False
Soil Sample:	True
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	True
Soil Venting:	False
Active:	True
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	0
Lph Wells:	0
User Stamp:	allison forrest/ForrestA
Date Stamp:	02/14/2013
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Site and surrounding properties are serviced by municipial water supplies.

RESIDENTIAL PROPERTY (Continued) **S112805517**

Location Desc: Not reported
NOV Comments: Not reported
Release Desc: Not reported
Running Comments: Spills Files and LUST Files
Work Performed: Not reported

SPILLS:
Year of Database: 2012
Case Number: 201206801
Who Took Spill: 208
Assigned To: 928
Report Date: 11/20/2012
Report Time: 10:15:37
Date Release: 11/20/2012
Time Responded: Not reported
Reported By: Tom
Phone: 203 2233182
Representing: sunshine Environmental Services
Terminated: YES
Recovd (Total): 0
Total (Water): 0
Facility Status: CLOSED
Continuous Spill: False
Released Substance: #4 fuel oil
Qty: 25 (Gallons)
Emergency Measure: 2500g lust. Free Product. Possible Ground Water.
Water Body: Not reported
Discharger: Kimberly Gardens (contact Alex Stiener)
Telephone: 845 4255470
Responsible Party: Not reported
RP Address 1: po box 881
RP City,St,Zip: MONSEY, NY
Historic: False
Waterbody: False
Time Stamp: 2013-04-02 14:52:57
Sr Inspector: Monarca, Vincent
At Inspctor: POYNTON, DAVE
User Stamp: GranilloM
Comments: Not reported
Action: Contracted
Other Action: Not reported
Action: Other
Other Action: SUNSHINE ENVIRONMENTAL SERVICES
Action: Investigated
Other Action: Not reported
Agency ID: DEP Dispatch
Other Agency: Not reported
DEP Bureau: Not reported
DEP Agency: Not reported
Cause ID: Inground Tank Failure
Other Cause: Not reported
Media ID: Ground Surface
Other Media: Not reported
Class ID: Commercial
Other Class: Not reported
Release Type: petroleum
Other Release: Not reported

54 SW 1/4-1/2 0.257 mi. 1356 ft.

WEST HAVEN HOUSING AUTHORITY
GLACLE ST.
WEST HAVEN, CT 06516

CT LUST **S101408134**
CT CPCS **N/A**

Relative: Lower

Actual: 125 ft.

LUST:

LUST Id:	2644
UST Facility Id:	Not reported
LUST Case Id:	30715
Lust Status:	Investigation
Processing Status:	Not reported
EPA Reportable:	False
Motor Fuel:	False
Diesel:	False
Gasoline:	False
Other:	False
Other Release:	Not reported
No Release:	False
Leak:	False
Tank:	False
Piping:	False
Overfill:	False
Removal:	False
Incident Date:	03/23/1990
Entry Date:	Not reported
Site Case Id:	Not reported
UST Site Id:	Not reported
Cost Recovery Spill Case #:	Not reported
Old SITS Number:	Not reported
Case Log Id:	Not reported
Monthly Report Id:	0
UST Owner Id:	Not reported
LUST Owner Id:	Not reported
UST Event Id:	2643
Contact Info:	Not reported
Contact EMail:	Not reported
Site Contact City,St,Zip:	UNKNOWN
2nd Contact:	Not reported
2nd Contact EMail:	Not reported
2nd Contact Address:	Not reported
2nd Contact City,St,Zip:	UNKNOWN
2nd Contact Address 2:	Not reported
2nd Contact City 2:	Not reported
2nd Contact Phone Number:	Not reported
2nd Contact Fax Number:	Not reported
2nd Contact Type:	Not reported
Facility City Num:	156
Site Contact:	Not reported
Site Contact Address:	Not reported
Site Contact Add 2:	Not reported
Site Contact City 2:	Not reported
Site Contact Phone:	Not reported
Site Contact Fax:	Not reported
Site Contact Type:	Not reported
Department Contact 1:	Not reported
Department Contact 2:	Not reported
Referral Source:	Not reported
Offsite Source:	False

WEST HAVEN HOUSING AUTHORITY (Continued) **S101408134**

Date Referred:	Not reported
Emergency:	False
Private Heating Fuel:	True
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	False
Cost Recvry Prgm Candidate:	False
OCSRD Complete:	False
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported
Resp Party Name:	Not reported
Resp Party Address:	Not reported
Resp Party City,St,Zip:	Not reported
Resp Party Town Number:	UNKNOWN
Resp Party Phone:	Not reported
Resp Party Fax:	Not reported
Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	28
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False

WEST HAVEN HOUSING AUTHORITY (Continued) **S101408134**

Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	Not reported
Date Stamp:	Not reported
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	Not reported
Running Comments:	Should be Registered Facility
Work Performed:	Not reported

CPCS:

Site Type:	LUST
Lust Status code:	2
Lust Status:	Investigation
PTP Form:	Not reported
Program:	Not reported
Comments:	Should Be Registered Facility
Site Type Definition:	Leaking Underground Storage Tanks Investigation

55 NNE 1/4-1/2 0.364 mi. 1922 ft. | **SOLI'S GARAGE**
965 FIRST AVENUE
WEST HAVEN, CT | **CT LUST** | **S110280401**
N/A

Relative: Lower

Actual: 55 ft.

LUST:

LUST Id:	0
UST Facility Id:	7727
LUST Case Id:	48742
Lust Status:	Lust Completed
Processing Status:	Not reported
EPA Reportable:	True
Motor Fuel:	False
Diesel:	False
Gasoline:	False
Other:	False
Other Release:	Not reported
No Release:	False
Leak:	False
Tank:	False
Piping:	False
Overfill:	False
Removal:	False
Incident Date:	01/04/2007
Entry Date:	05/09/2007
Site Case Id:	200700076
UST Site Id:	0
Cost Recovery Spill Case #:	0
Old SITS Number:	0
Case Log Id:	0
Monthly Report Id:	0
UST Owner Id:	2373
LUST Owner Id:	PCC
UST Event Id:	0
Contact Info:	Not reported
Contact EMail:	Not reported
Site Contact City,St,Zip:	8, CT
2nd Contact:	Not reported
2nd Contact EMail:	Not reported
2nd Contact Address:	Not reported
2nd Contact City,St,Zip:	UNKNOWN
2nd Contact Address 2:	Not reported
2nd Contact City 2:	Not reported
2nd Contact Phone Number:	Not reported
2nd Contact Fax Number:	Not reported
2nd Contact Type:	Not reported
Facility City Num:	156
Site Contact:	Curt Otto
Site Contact Address:	Complete Excavating Services, llc
Site Contact Add 2:	po box 163
Site Contact City 2:	Bethany
Site Contact Phone:	2033937397
Site Contact Fax:	Not reported
Site Contact Type:	Not reported
Department Contact 1:	Not reported
Department Contact 2:	Not reported
Referral Source:	Not reported
Offsite Source:	False

SOLI'S GARAGE (Continued) **S110280401**

Date Referred:	Not reported
Emergency:	False
Private Heating Fuel:	False
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	False
Cost Recvry Prgm Candidate:	False
OCSRD Complete:	False
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported
Resp Party Name:	Frank Pinto
Resp Party Address:	Not reported
Resp Party City,St,Zip:	Not reported
Resp Party Town Number:	UNKNOWN
Resp Party Phone:	2034675146
Resp Party Fax:	Not reported
Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	0
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	0
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False

SOLI'S GARAGE (Continued) **S110280401**

Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	0
Lph Wells:	0
User Stamp:	forresta/forresta
Date Stamp:	10/16/2014
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	Not reported
Running Comments:	Spills Files, UST Enforcement Files, and LUST Files
Work Performed:	Not reported

56
ENE
1/4-1/2
0.392 mi.
2070 ft.

FIRST FUEL, LLC **CT LUST** **S115593482**
810 1ST AVENUE (810 FIRST AVENUE) **N/A**
WEST HAVEN, CT 06516

Relative:
Lower

Actual:
41 ft.

LUST:

LUST Id:	0
UST Facility Id:	7828
LUST Case Id:	60566
Lust Status:	RSRs Reached
Processing Status:	Not reported
EPA Reportable:	False
Motor Fuel:	False
Diesel:	False
Gasoline:	False
Other:	False

FIRST FUEL, LLC (Continued) **S115593482**

Other Release:	Not reported
No Release:	False
Leak:	False
Tank:	False
Piping:	False
Overfill:	False
Removal:	False
Incident Date:	12/06/2013
Entry Date:	12/10/2013
Site Case Id:	201306508
UST Site Id:	0
Cost Recovery Spill Case #:	0
Old SITS Number:	0
Case Log Id:	0
Monthly Report Id:	0
UST Owner Id:	5803
LUST Owner Id:	Not reported
UST Event Id:	0
Contact Info:	Not reported
Contact EMail:	Not reported
Site Contact City,St,Zip:	UNKNOWN
2nd Contact:	Not reported
2nd Contact EMail:	Not reported
2nd Contact Address:	Not reported
2nd Contact City,St,Zip:	UNKNOWN
2nd Contact Address 2:	Not reported
2nd Contact City 2:	Not reported
2nd Contact Phone Number:	Not reported
2nd Contact Fax Number:	Not reported
2nd Contact Type:	Not reported
Facility City Num:	156
Site Contact:	Not reported
Site Contact Address:	Not reported
Site Contact Add 2:	Not reported
Site Contact City 2:	Not reported
Site Contact Phone:	Not reported
Site Contact Fax:	Not reported
Site Contact Type:	Not reported
Department Contact 1:	Not reported
Department Contact 2:	Not reported
Referral Source:	Not reported
Offsite Source:	False
Date Referred:	Not reported
Emergency:	False
Private Heating Fuel:	False
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	False
Cost Recvry Prgm Candidate:	False
OCSRD Complete:	False
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported

FIRST FUEL, LLC (Continued) **S115593482**

Resp Party Name:	First Fuel LLC
Resp Party Address:	50 Summer Lane
Resp Party City,St,Zip:	North Haven, CT 064733673
Resp Party Town Number:	101
Resp Party Phone:	Not reported
Resp Party Fax:	Not reported
Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	0
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	GB
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	0
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	True
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False

FIRST FUEL, LLC (Continued) **S115593482**

Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	0
Lph Wells:	0
User Stamp:	allison forrest/ForrestA
Date Stamp:	12/10/2013
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	Not reported
Running Comments:	Spills Files and UST Enforcement Files
Work Performed:	Not reported

---

57 **ORCHARD HILLS CONDOMINIUMS** **CT LUST** **S105739173**
West **309 TERRACE AVENUE** **CT CPCS** **N/A**
1/4-1/2 **WEST HAVEN, CT 06516**
0.421 mi.
2222 ft.

Relative:
Lower

Actual:
113 ft.

LUST:

LUST Id:	0
UST Facility Id:	0
LUST Case Id:	45618
Lust Status:	Pending
Processing Status:	on-going
EPA Reportable:	False
Motor Fuel:	False
Diesel:	False
Gasoline:	False
Other:	True
Other Release:	natural gas
No Release:	False
Leak:	False
Tank:	False
Piping:	False
Overfill:	False
Removal:	False
Incident Date:	Not reported
Entry Date:	Not reported
Site Case Id:	0
UST Site Id:	0
Cost Recovery Spill Case #:	0
Old SITS Number:	0
Case Log Id:	851
Monthly Report Id:	0

ORCHARD HILLS CONDOMINIUMS (Continued) **S105739173**

UST Owner Id:	0
LUST Owner Id:	TMB
UST Event Id:	0
Contact Info:	Tim Baird - LUST
Contact EMail:	Not reported
Site Contact City,St,Zip:	UNKNOWN
2nd Contact:	Not reported
2nd Contact EMail:	Not reported
2nd Contact Address:	Not reported
2nd Contact City,St,Zip:	UNKNOWN
2nd Contact Address 2:	Not reported
2nd Contact City 2:	Not reported
2nd Contact Phone Number:	Not reported
2nd Contact Fax Number:	Not reported
2nd Contact Type:	Not reported
Facility City Num:	156
Site Contact:	Not reported
Site Contact Address:	Not reported
Site Contact Add 2:	Not reported
Site Contact City 2:	Not reported
Site Contact Phone:	Not reported
Site Contact Fax:	Not reported
Site Contact Type:	Not reported
Department Contact 1:	Not reported
Department Contact 2:	Not reported
Referral Source:	DEP OCSRD
Offsite Source:	False
Date Referred:	2002-09-01 00:00:00
Emergency:	False
Private Heating Fuel:	False
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	True
Cost Recvry Prgm Candidate:	False
OCSRD Complete:	False
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported
Resp Party Name:	Not reported
Resp Party Address:	Not reported
Resp Party City,St,Zip:	Not reported
Resp Party Town Number:	UNKNOWN
Resp Party Phone:	Not reported
Resp Party Fax:	Not reported
Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported
Investigator Id:	0
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported

ORCHARD HILLS CONDOMINIUMS (Continued) **S105739173**

Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	True
Survey:	False
Potable Well Sample:	True
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False
Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	allison forrest/ForrestA

ORCHARD HILLS CONDOMINIUMS (Continued) **S105739173**

Date Stamp:	06/11/2014
Correspondence:	Not reported
Environmental Impact:	Collect environmental samples @ condo explosion site due to SCG results @ #6 sump pit.
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	8/15/02 & 9/10/02: Paul Clark LUST Program: Emergency response to complaints of home wells smelling like smoke soon after a natural gas explosion at Condo Complex. Eleven home wells sampled and geoprobe investigation on condo complex looking for other accelerants.
Running Comments:	Emergency response to complaints of home wells smelling like smoke soon after a natural gas explosion at Condo Complex. Eleven home wells sampled and geoprobe investigation on condo complex looking for other accelerants.
Work Performed:	Collect environmental samples @ condo explosion site due to SCG results @ #6 sump pit.

CPCS:

Site Type:	LUST
Lust Status code:	1
Lust Status:	Pending
PTP Form:	Not reported
Program:	Not reported
Comments:	Emergency Response To Complaints Of Home Wells Smelling Like Smoke Soon After A Natural Gas Explosion At Condo Complex. Eleven Home Wells Sampled And Geoprobe Investigation On Condo Complex Looking For Other Accelerants.
Site Type Definition:	Leaking Underground Storage Tanks Pending

---

58 **CLASSIC CAR CARE** **CT LUST** **S105456417**
SE **48 WHARTON STREET** **CT CPCS** **N/A**
1/4-1/2 **WEST HAVEN, CT 06516**
0.481 mi.
2541 ft.

Relative:
Lower

Actual:
42 ft.

LUST:

LUST Id:	858
UST Facility Id:	10292
LUST Case Id:	28524
Lust Status:	Lust Completed
Processing Status:	Not reported
EPA Reportable:	True
Motor Fuel:	False
Diesel:	False
Gasoline:	False
Other:	False
Other Release:	Not reported
No Release:	False
Leak:	False
Tank:	False
Piping:	False
Overfill:	False
Removal:	False
Incident Date:	09/28/1989
Entry Date:	Not reported

CLASSIC CAR CARE (Continued) **S105456417**

Site Case Id:	Not reported
UST Site Id:	Not reported
Cost Recovery Spill Case #:	Not reported
Old SITS Number:	Not reported
Case Log Id:	Not reported
Monthly Report Id:	0
UST Owner Id:	4269
LUST Owner Id:	Not reported
UST Event Id:	857
Contact Info:	Not reported
Contact EMail:	Not reported
Site Contact City,St,Zip:	UNKNOWN
2nd Contact:	Not reported
2nd Contact EMail:	Not reported
2nd Contact Address:	Not reported
2nd Contact City,St,Zip:	UNKNOWN
2nd Contact Address 2:	Not reported
2nd Contact City 2:	Not reported
2nd Contact Phone Number:	Not reported
2nd Contact Fax Number:	Not reported
2nd Contact Type:	Not reported
Facility City Num:	156
Site Contact:	Not reported
Site Contact Address:	Not reported
Site Contact Add 2:	Not reported
Site Contact City 2:	Not reported
Site Contact Phone:	Not reported
Site Contact Fax:	Not reported
Site Contact Type:	Not reported
Department Contact 1:	Not reported
Department Contact 2:	Not reported
Referral Source:	Not reported
Offsite Source:	False
Date Referred:	Not reported
Emergency:	False
Private Heating Fuel:	False
Commercial Heating Fuel:	False
Commercial HF < 2100 Gal.:	False
Commercial HF > 2100 Gal.:	False
Commercial HF - Size Unk:	False
No LUST Site:	False
Cost Recvry Prgm Candidate:	False
OCSRD Complete:	False
Follow Up Flag:	False
Alternate Water Supply:	False
Relocation:	False
Responsible Party:	False
Responsible EMail:	Not reported
Resp Party Name:	Mark Montesi
Resp Party Address:	66 West Prospect Street
Resp Party City,St,Zip:	West Haven, CT 065163547
Resp Party Town Number:	156
Resp Party Phone:	2039344858
Resp Party Fax:	Not reported
Resp Party Name 2:	Not reported
Resp Party Address 2:	Not reported
Resp Party Phone 2:	Not reported

CLASSIC CAR CARE (Continued) **S105456417**

Investigator Id:	28
Follow Update:	Not reported
Area Lextent:	Not reported
Annual Precipitation:	Not reported
Affected Population:	Not reported
Population Setting:	Not reported
Ground Water Direction:	Not reported
Ground Water Gradient:	Not reported
Hydro Basin:	Not reported
Drastic:	Not reported
Geo Setting:	Not reported
Ground Water Classification:	Not reported
Receptor:	Not reported
Ground Water Flow Direction:	Not reported
Ground Water Depth:	Not reported
Areas Of Concern:	Not reported
Free Product Inches:	Not reported
Fund Date:	Not reported
Fund Planned:	No
Fund Obligated:	No
Fund Outlayed:	No
Fund Judgment:	No
Fund Recovered:	No
Cellar Borings:	False
Install Micro Wells:	False
Ground Water Sample:	False
Soil Sample:	False
Soil Gas:	False
Site Inspect:	False
Soil Excavate:	False
Geo Probe:	False
Survey:	False
Potable Well Sample:	False
Sample MWS:	False
Ground Water Gauging:	False
Soil Venting:	False
Active:	False
NOV Action:	None
NOV Issued:	Not reported
NOV Due:	Not reported
NOV Received:	Not reported
NOV Closed:	Not reported
NOV Disc Date:	Not reported
NOV Issued Date:	Not reported
NOV Compliance Sched:	Not reported
NOV Admin Order:	Not reported
NOV Referred To Ag:	Not reported
Stop All NOV Actions:	False
Release Invest Rpt:	False
DEP App Letter 1:	False
Correct Action Plan:	False
DEP App Letter 2:	False
Rem Sys Install:	False
Rem Sys Install Date:	Not reported
Closure Date:	Not reported
Rem Sys Monitoring Rpt:	False
Qrtly Gwater Mon Rpts:	False

CLASSIC CAR CARE (Continued) **S105456417**

Closure Req Rpt:	False
DEP Closure Letter:	False
Referred To:	Not reported
No Wells:	Not reported
Lph Wells:	Not reported
User Stamp:	allison forrest/forresta
Date Stamp:	08/15/2013
Correspondence:	Not reported
Environmental Impact:	Not reported
FollowUp:	Not reported
GW Comments:	Not reported
Location Desc:	Not reported
NOV Comments:	Not reported
Release Desc:	Not reported
Running Comments:	Spills Files and UST Enforcement Files
Work Performed:	Not reported

CPCS:

Site Type:	LUST
Lust Status code:	4
Lust Status:	Lust Completed (DEP's significant hazard definition)
PTP Form:	Not reported
Program:	Not reported
Comments:	Not reported
Site Type Definition:	Leaking Underground Storage Tanks Completed

Count: 4 records.

ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
WEST HAVEN	S105739171	RESIDENTIAL NEIGHBORHOOD	COLLINS DRIVE	06516	CT LUST, CT CPCS
WEST HAVEN	S104255408	WEST HAVEN LANDFILL	HELM AND SPRING STREETS		CT SDADB
WEST HAVEN	S106660585		SPRING STREET	06516	CT SWF/LF
WEST HAVEN	S117039062	ROLLING RIDGE APARTMENTS	WEST SPRING STREET	06516	CT LUST

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

) HGHLDO13 / VLWMOVW

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 03/07/2016
Date Data Arrived at EDR: 04/05/2016
Date Made Active in Reports: 04/15/2016
Number of Days to Update: 10

Source: EPA
Telephone: N/A
Last EDR Contact: 04/05/2016
Next Scheduled EDR Contact: 04/18/2016
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources:

EPA's Environmental Photographic Interpretation Center (EPIC)
Telephone: 202-564-7333

EPA Region 1
Telephone 617-918-1143

EPA Region 6
Telephone: 214-655-6659

EPA Region 3
Telephone 215-814-5418

EPA Region 7
Telephone: 913-551-7247

EPA Region 4
Telephone 404-562-8033

EPA Region 8
Telephone: 303-312-6774

EPA Region 5
Telephone 312-886-6686

EPA Region 9
Telephone: 415-947-4246

EPA Region 10
Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 03/07/2016
Date Data Arrived at EDR: 04/05/2016
Date Made Active in Reports: 04/15/2016
Number of Days to Update: 10

Source: EPA
Telephone: N/A
Last EDR Contact: 04/05/2016
Next Scheduled EDR Contact: 04/18/2016
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991
Date Data Arrived at EDR: 02/02/1994
Date Made Active in Reports: 03/30/1994
Number of Days to Update: 56

Source: EPA
Telephone: 202-564-4267
Last EDR Contact: 08/15/2011
Next Scheduled EDR Contact: 11/28/2011
Data Release Frequency: No Update Planned

) HGHUDO' HOLVWMG 1 3 / VLWH OLVW

Delisted NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 03/07/2016
Date Data Arrived at EDR: 04/05/2016
Date Made Active in Reports: 04/15/2016
Number of Days to Update: 10

Source: EPA
Telephone: N/A
Last EDR Contact: 04/05/2016
Next Scheduled EDR Contact: 04/18/2016
Data Release Frequency: Quarterly

) HGHUDO&(5&/ ,6 OLVW

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPA Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 03/26/2015
Date Data Arrived at EDR: 04/08/2015
Date Made Active in Reports: 06/11/2015
Number of Days to Update: 64

Source: Environmental Protection Agency
Telephone: 703-603-8704
Last EDR Contact: 04/08/2016
Next Scheduled EDR Contact: 07/18/2016
Data Release Frequency: Varies

SEMS: Superfund Enterprise Management System

SEMS (Superfund Enterprise Management System) tracks hazardous waste sites, potentially hazardous waste sites, and remedial activities performed in support of EPA's Superfund Program across the United States. The list was formerly know as CERCLIS, renamed to SEMS by the EPA in 2015. The list contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). This dataset also contains sites which are either proposed to or on the National Priorities List (NPL) and the sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 03/07/2016
Date Data Arrived at EDR: 04/05/2016
Date Made Active in Reports: 04/15/2016
Number of Days to Update: 10

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 04/05/2016
Next Scheduled EDR Contact: 08/01/2016
Data Release Frequency: Quarterly

) HGHUDO&(5&/ ,6 1) 5$3 VLWH OLVW

SEMS-ARCHIVE: Superfund Enterprise Management System Archive

SEMS-ARCHIVE (Superfund Enterprise Management System Archive) tracks sites that have no further interest under the Federal Superfund Program based on available information. The list was formerly known as the CERCLIS-NFRAP, renamed to SEMS ARCHIVE by the EPA in 2015. EPA may perform a minimal level of assessment work at a site while it is archived if site conditions change and/or new information becomes available. Archived sites have been removed and archived from the inventory of SEMS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list the site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. The decision does not necessarily mean that there is no hazard associated with a given site; it only means that. based upon available information, the location is not judged to be potential NPL site.

Date of Government Version: 03/07/2016
Date Data Arrived at EDR: 04/05/2016
Date Made Active in Reports: 04/15/2016
Number of Days to Update: 10

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 04/05/2016
Next Scheduled EDR Contact: 08/01/2016
Data Release Frequency: Quarterly

) HGHUDO5&5$&2 55$&76 IDFLOMHV OMW

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 12/09/2015
Date Data Arrived at EDR: 03/02/2016
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 34

Source: EPA
Telephone: 800-424-9346
Last EDR Contact: 03/30/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Quarterly

) HGHUDO5&5$ QRQ&2 55$&76 76' IDFLOMHV OMW

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 12/09/2015
Date Data Arrived at EDR: 03/02/2016
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 34

Source: Environmental Protection Agency
Telephone: (888) 372-7341
Last EDR Contact: 03/30/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Quarterly

) HGHUDO5&5$ JHQHUDWRUV OMW

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/09/2015
Date Data Arrived at EDR: 03/02/2016
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 34

Source: Environmental Protection Agency
Telephone: (888) 372-7341
Last EDR Contact: 03/30/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 12/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/02/2016	Telephone: (888) 372-7341
Date Made Active in Reports: 04/05/2016	Last EDR Contact: 03/30/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 12/09/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/02/2016	Telephone: (888) 372-7341
Date Made Active in Reports: 04/05/2016	Last EDR Contact: 03/30/2016
Number of Days to Update: 34	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Varies

) HGHUDOOLQVWLWXWLRQDOFRQWUROV HQJLQHHULQJ FRQWUROV UHJLVWULHV

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 05/28/2015	Source: Department of the Navy
Date Data Arrived at EDR: 05/29/2015	Telephone: 843-820-7326
Date Made Active in Reports: 06/11/2015	Last EDR Contact: 05/16/2016
Number of Days to Update: 13	Next Scheduled EDR Contact: 08/29/2016
	Data Release Frequency: Varies

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 09/10/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/11/2015	Telephone: 703-603-0695
Date Made Active in Reports: 11/03/2015	Last EDR Contact: 02/29/2016
Number of Days to Update: 53	Next Scheduled EDR Contact: 06/13/2016
	Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 09/10/2015	Source: Environmental Protection Agency
Date Data Arrived at EDR: 09/11/2015	Telephone: 703-603-0695
Date Made Active in Reports: 11/03/2015	Last EDR Contact: 02/29/2016
Number of Days to Update: 53	Next Scheduled EDR Contact: 06/13/2016
	Data Release Frequency: Varies

) HGHUDO (5 1 6 0LVW

ERNS: Emergency Response Notification System
Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 06/22/2015
Date Data Arrived at EDR: 06/26/2015
Date Made Active in Reports: 09/16/2015
Number of Days to Update: 82

Source: National Response Center, United States Coast Guard
Telephone: 202-267-2180
Last EDR Contact: 03/30/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Annually

6WDWH DQG WUDEDO HTXLYDOHQW&(5&/ ,6

SHWS: Inventory of Hazardous Disposal Sites
State Hazardous Waste Sites. State hazardous waste site records are the states' equivalent to CERCLIS. These sites may or may not already be listed on the federal CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are identified along with sites where cleanup will be paid for by potentially responsible parties. Available information varies by state.

Date of Government Version: 04/23/2010
Date Data Arrived at EDR: 04/23/2010
Date Made Active in Reports: 05/25/2010
Number of Days to Update: 32

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3705
Last EDR Contact: 04/04/2016
Next Scheduled EDR Contact: 07/18/2016
Data Release Frequency: No Update Planned

SDADB: Site Discovery and Assessment Database
All sites reported to Permitting, Enforcement, and Remediation Division where it is suspected that hazardous waste may have been disposed or sites that are eligible for listing on the State Inventory of Hazardous Waste Disposal Sites.

Date of Government Version: 04/23/2010
Date Data Arrived at EDR: 04/23/2010
Date Made Active in Reports: 05/25/2010
Number of Days to Update: 32

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3705
Last EDR Contact: 04/04/2016
Next Scheduled EDR Contact: 07/18/2016
Data Release Frequency: No Update Planned

6WDWH DQG WUDEDODQGILOODQG RUVRODG Z DVWH GLVSRVDO/1WH 0LVW

SWF/LF: List of Landfills/Transfer Stations
Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

Date of Government Version: 07/02/2015
Date Data Arrived at EDR: 07/28/2015
Date Made Active in Reports: 08/05/2015
Number of Days to Update: 8

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3366
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Annually

6WDWH DQG WUDEDODHDNLQJ VWRUDJH WDQN 0LVW

LUST: Leaking Underground Storage Tank List
Leaking Underground Storage Tank Incident Reports. LUST records contain an inventory of reported leaking underground storage tank incidents. Not all states maintain these records, and the information stored varies by state.

Date of Government Version: 01/28/2016
Date Data Arrived at EDR: 02/12/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 49

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3376
Last EDR Contact: 04/04/2016
Next Scheduled EDR Contact: 07/18/2016
Data Release Frequency: Semi-Annually

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land
Leaking underground storage tanks located on Indian Land in Michigan, Minnesota and Wisconsin.

Date of Government Version: 11/04/2015
Date Data Arrived at EDR: 11/13/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 52

Source: EPA, Region 5
Telephone: 312-886-7439
Last EDR Contact: 04/27/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 01/07/2016
Date Data Arrived at EDR: 01/08/2016
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 41

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Quarterly

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 01/08/2015
Date Data Arrived at EDR: 01/08/2015
Date Made Active in Reports: 02/09/2015
Number of Days to Update: 32

Source: Environmental Protection Agency
Telephone: 415-972-3372
Last EDR Contact: 04/27/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Quarterly

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 10/13/2015
Date Data Arrived at EDR: 10/23/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 118

Source: EPA Region 8
Telephone: 303-312-6271
Last EDR Contact: 04/27/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Quarterly

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 03/30/2015
Date Data Arrived at EDR: 04/28/2015
Date Made Active in Reports: 06/22/2015
Number of Days to Update: 55

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 08/20/2015
Date Data Arrived at EDR: 10/30/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 111

Source: EPA Region 6
Telephone: 214-665-6597
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land
LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 11/24/2015
Date Data Arrived at EDR: 12/01/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 34

Source: EPA Region 4
Telephone: 404-562-8677
Last EDR Contact: 04/26/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Semi-Annually

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 10/27/2015
Date Data Arrived at EDR: 10/29/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 67

Source: EPA Region 1
Telephone: 617-918-1313
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

6 WDWH DQG WUHDOWHG VWRUDJH WDQN GDWD

FEMA UST: Underground Storage Tank Listing
A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010
Date Data Arrived at EDR: 02/16/2010
Date Made Active in Reports: 04/12/2010
Number of Days to Update: 55

Source: FEMA
Telephone: 202-646-5797
Last EDR Contact: 04/11/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Varies

UST: Underground Storage Tank Data
Registered Underground Storage Tanks. UST's are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA) and must be registered with the state department responsible for administering the UST program. Available information varies by state program.

Date of Government Version: 02/23/2016
Date Data Arrived at EDR: 03/01/2016
Date Made Active in Reports: 04/06/2016
Number of Days to Update: 36

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3376
Last EDR Contact: 02/29/2016
Next Scheduled EDR Contact: 06/13/2016
Data Release Frequency: Semi-Annually

AST: Marine Terminals and Tank Information
A listing of bulk petroleum facilities that receive petroleum by a vessel.

Date of Government Version: 07/01/2015
Date Data Arrived at EDR: 08/04/2015
Date Made Active in Reports: 09/01/2015
Number of Days to Update: 28

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3233
Last EDR Contact: 04/04/2016
Next Scheduled EDR Contact: 07/18/2016
Data Release Frequency: Varies

INDIAN UST R6: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 08/20/2015
Date Data Arrived at EDR: 10/30/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 111

Source: EPA Region 6
Telephone: 214-665-7591
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Semi-Annually

INDIAN UST R7: Underground Storage Tanks on Indian Land
The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 09/23/2014
Date Data Arrived at EDR: 11/25/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 65

Source: EPA Region 7
Telephone: 913-551-7003
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 10/20/2015
Date Data Arrived at EDR: 10/29/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 67

Source: EPA, Region 1
Telephone: 617-918-1313
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 12/14/2014
Date Data Arrived at EDR: 02/13/2015
Date Made Active in Reports: 03/13/2015
Number of Days to Update: 28

Source: EPA Region 9
Telephone: 415-972-3368
Last EDR Contact: 04/27/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Quarterly

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 01/07/2016
Date Data Arrived at EDR: 01/08/2016
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 41

Source: EPA Region 10
Telephone: 206-553-2857
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Quarterly

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 11/05/2015
Date Data Arrived at EDR: 11/13/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 52

Source: EPA Region 5
Telephone: 312-886-6136
Last EDR Contact: 04/27/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 11/24/2015
Date Data Arrived at EDR: 12/01/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 34

Source: EPA Region 4
Telephone: 404-562-9424
Last EDR Contact: 04/26/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Semi-Annually

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 10/13/2015
Date Data Arrived at EDR: 10/23/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 118

Source: EPA Region 8
Telephone: 303-312-6137
Last EDR Contact: 04/29/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Quarterly

6 VDWH DQG WUDFNLQJ VLWXDWLRQDO FRQWUROO HQJLQHHULQJ FRQWUROV VLWHV

ENG CONTROLS: Engineering Controls Listing

An Engineered Control is a permanent physical structure designed to safely isolate pollutants which would otherwise not comply with the self-implementing remedial options allowed in the Connecticut Remediation Standard Regulations (RSRs). The ECGD includes a description of what is eligible to be considered as an Engineered Control under section 22a-133k-2(f)(2) of the RSRs, a description of the information necessary for the preparation of complete and approvable applications, a step-by-step outline of the review and approval process, and supplemental resources provided in the appendices.

Date of Government Version: 03/05/2013
Date Data Arrived at EDR: 05/07/2013
Date Made Active in Reports: 06/19/2013
Number of Days to Update: 43

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3000
Last EDR Contact: 05/06/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Varies

AUL: ELUR Sites

Environmental Land Use Restriction sites.

Date of Government Version: 02/09/2016
Date Data Arrived at EDR: 02/10/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 51

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3912
Last EDR Contact: 05/09/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Varies

6 VDWH DQG WUDFNLQJ VLWXDWLRQDO FRQWUROO VLWHV

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008
Date Data Arrived at EDR: 04/22/2008
Date Made Active in Reports: 05/19/2008
Number of Days to Update: 27

Source: EPA, Region 7
Telephone: 913-551-7365
Last EDR Contact: 04/20/2009
Next Scheduled EDR Contact: 07/20/2009
Data Release Frequency: Varies

VCP: Voluntary Remediation Sites

Sites involved in the Voluntary Remediation Program.

Date of Government Version: 02/09/2016
Date Data Arrived at EDR: 02/10/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 51

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3705
Last EDR Contact: 05/09/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Varies

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 07/27/2015
Date Data Arrived at EDR: 09/29/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 142

Source: EPA, Region 1
Telephone: 617-918-1102
Last EDR Contact: 04/01/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Varies

6 VDWH DQG WUDFNLQJ VLWXDWLRQDO %URZ QILHOGV VLWHV

BROWNFIELDS: Brownfields Inventory

CBRA has identified over 200 brownfield sites eligible for redevelopment. In most cases these are prime properties for commercial or industrial use. CBRA's grants, assistance and financing lower the financial risks and eliminate the legal, regulatory and environmental risks of redevelopment.

Date of Government Version: 12/23/2015
Date Data Arrived at EDR: 12/28/2015
Date Made Active in Reports: 02/17/2016
Number of Days to Update: 51

Source: Connecticut Brownfields Redevelopment Authority
Telephone: 860-258-7833
Last EDR Contact: 03/21/2016
Next Scheduled EDR Contact: 07/04/2016
Data Release Frequency: Varies

BROWNFIELDS 2: Brownfields Inventory

A brownfield site is generally defined as "real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant or contaminanta?|"

Date of Government Version: 11/30/2004
Date Data Arrived at EDR: 06/26/2009
Date Made Active in Reports: 07/09/2009
Number of Days to Update: 13

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3705
Last EDR Contact: 03/22/2016
Next Scheduled EDR Contact: 07/04/2016
Data Release Frequency: Varies

ADDITIONAL ENVIRONMENTAL RECORDS

/ RFDO%URZ QILHOG &OXVW

US BROWNFIELDS: A Listing of Brownfields Sites

Brownfields are real property, the expansion, redevelopment, or reuse of which may be complicated by the presence or potential presence of a hazardous substance, pollutant, or contaminant. Cleaning up and reinvesting in these properties takes development pressures off of undeveloped, open land, and both improves and protects the environment. Assessment, Cleanup and Redevelopment Exchange System (ACRES) stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions. A listing of ACRES Brownfield sites is obtained from Cleanups in My Community. Cleanups in My Community provides information on Brownfields properties for which information is reported back to EPA, as well as areas served by Brownfields grant programs.

Date of Government Version: 12/22/2015
Date Data Arrived at EDR: 12/23/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 57

Source: Environmental Protection Agency
Telephone: 202-566-2777
Last EDR Contact: 03/22/2016
Next Scheduled EDR Contact: 07/04/2016
Data Release Frequency: Semi-Annually

***/ RFDO' LVW RI / DQGILOO &RQG &RQW &RQW &RQW

Date of Government Version: 06/30/1985
Date Data Arrived at EDR: 08/09/2004
Date Made Active in Reports: 09/17/2004
Number of Days to Update: 39

Source: Environmental Protection Agency
Telephone: 800-424-9346
Last EDR Contact: 06/09/2004
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations
A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009
Date Data Arrived at EDR: 05/07/2009
Date Made Active in Reports: 09/21/2009
Number of Days to Update: 137

Source: EPA, Region 9
Telephone: 415-947-4219
Last EDR Contact: 04/21/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: No Update Planned

/ RFDO' LVW RI + D] DUGRXV Z DVWH &RQWDP LQDWHG 6LWHV

US HIST CDL: National Clandestine Laboratory Register
A listing of clandestine drug lab locations that have been removed from the DEAs National Clandestine Laboratory Register.

Date of Government Version: 09/17/2015
Date Data Arrived at EDR: 12/04/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 76

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/01/2016
Next Scheduled EDR Contact: 06/13/2016
Data Release Frequency: No Update Planned

CDL: Clandestine Drug Lab Listing
A listing of clandestine drug lab locations included in the Spills database.

Date of Government Version: 01/28/2016
Date Data Arrived at EDR: 02/02/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 59

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3361
Last EDR Contact: 04/04/2016
Next Scheduled EDR Contact: 07/18/2016
Data Release Frequency: Quarterly

US CDL: Clandestine Drug Labs
A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/17/2015
Date Data Arrived at EDR: 12/04/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 76

Source: Drug Enforcement Administration
Telephone: 202-307-1000
Last EDR Contact: 03/01/2016
Next Scheduled EDR Contact: 06/13/2016
Data Release Frequency: Quarterly

/ RFDO' DQG 5HFRUGV

CT PROPERTY: Property Transfer Filings
A listing of sites that meet the definition of a hazardous waste establishment. They can be generators, dry cleaners, furniture strippers, etc. These sites have been sold to another owner.

Date of Government Version: 02/09/2016
Date Data Arrived at EDR: 02/10/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 51

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3705
Last EDR Contact: 05/09/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Semi-Annually

LIENS: Environmental Liens Listing

A listing of environmental liens placed by the Cost Recovery Program.

Date of Government Version: 10/23/2015	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 11/20/2015	Telephone: 860-424-3120
Date Made Active in Reports: 12/18/2015	Last EDR Contact: 05/13/2016
Number of Days to Update: 28	Next Scheduled EDR Contact: 08/29/2016
	Data Release Frequency: Varies

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 02/18/2014	Source: Environmental Protection Agency
Date Data Arrived at EDR: 03/18/2014	Telephone: 202-564-6023
Date Made Active in Reports: 04/24/2014	Last EDR Contact: 04/26/2016
Number of Days to Update: 37	Next Scheduled EDR Contact: 08/08/2016
	Data Release Frequency: Varies

5 HFRUGV RI (P HUJHQF\ 5 HOHDVH 5 HSRUWV

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 06/24/2015	Source: U.S. Department of Transportation
Date Data Arrived at EDR: 06/26/2015	Telephone: 202-366-4555
Date Made Active in Reports: 09/02/2015	Last EDR Contact: 03/30/2016
Number of Days to Update: 68	Next Scheduled EDR Contact: 07/11/2016
	Data Release Frequency: Annually

SPILLS: Oil & Chemical Spill Database

Oil and Chemical Spill Data.

Date of Government Version: 01/28/2016	Source: Department of Energy & Environmental Protection
Date Data Arrived at EDR: 02/02/2016	Telephone: 860-424-3024
Date Made Active in Reports: 04/01/2016	Last EDR Contact: 04/04/2016
Number of Days to Update: 59	Next Scheduled EDR Contact: 07/18/2016
	Data Release Frequency: Semi-Annually

SPILLS 90: SPILLS90 data from FirstSearch

Spills 90 includes those spill and release records available exclusively from FirstSearch databases. Typically, they may include chemical, oil and/or hazardous substance spills recorded after 1990. Duplicate records that are already included in EDR incident and release records are not included in Spills 90.

Date of Government Version: 10/15/2012	Source: FirstSearch
Date Data Arrived at EDR: 01/03/2013	Telephone: N/A
Date Made Active in Reports: 02/11/2013	Last EDR Contact: 01/03/2013
Number of Days to Update: 39	Next Scheduled EDR Contact: N/A
	Data Release Frequency: No Update Planned

2 WKHU$ VFHUWDLQDE0H 5 HFRUGV

RCRA NonGen / NLR: RCRA - Non Generators / No Longer Regulated

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

Date of Government Version: 12/09/2015
Date Data Arrived at EDR: 03/02/2016
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 34

Source: Environmental Protection Agency
Telephone: (888) 372-7341
Last EDR Contact: 03/30/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Varies

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 01/31/2015
Date Data Arrived at EDR: 07/08/2015
Date Made Active in Reports: 10/13/2015
Number of Days to Update: 97

Source: U.S. Army Corps of Engineers
Telephone: 202-528-4285
Last EDR Contact: 03/11/2016
Next Scheduled EDR Contact: 06/20/2016
Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 11/10/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 62

Source: USGS
Telephone: 888-275-8747
Last EDR Contact: 04/15/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Semi-Annually

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 02/06/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 339

Source: U.S. Geological Survey
Telephone: 888-275-8747
Last EDR Contact: 04/15/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: N/A

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 03/07/2011
Date Data Arrived at EDR: 03/09/2011
Date Made Active in Reports: 05/02/2011
Number of Days to Update: 54

Source: Environmental Protection Agency
Telephone: 615-532-8599
Last EDR Contact: 02/19/2016
Next Scheduled EDR Contact: 05/30/2016
Data Release Frequency: Varies

US FIN ASSUR: Financial Assurance Information

All owners and operators of facilities that treat, store, or dispose of hazardous waste are required to provide proof that they will have sufficient funds to pay for the clean up, closure, and post-closure care of their facilities.

Date of Government Version: 09/01/2015
Date Data Arrived at EDR: 09/03/2015
Date Made Active in Reports: 11/03/2015
Number of Days to Update: 61

Source: Environmental Protection Agency
Telephone: 202-566-1917
Last EDR Contact: 02/16/2016
Next Scheduled EDR Contact: 05/30/2016
Data Release Frequency: Quarterly

EPA WATCH LIST: EPA WATCH LIST

EPA maintains a "Watch List" to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. Being on the Watch List does not mean that the facility has actually violated the law only that an investigation by EPA or a state or local environmental agency has led those organizations to allege that an unproven violation has in fact occurred. Being on the Watch List does not represent a higher level of concern regarding the alleged violations that were detected, but instead indicates cases requiring additional dialogue between EPA, state and local agencies - primarily because of the length of time the alleged violation has gone unaddressed or unresolved.

Date of Government Version: 08/30/2013
Date Data Arrived at EDR: 03/21/2014
Date Made Active in Reports: 06/17/2014
Number of Days to Update: 88

Source: Environmental Protection Agency
Telephone: 617-520-3000
Last EDR Contact: 05/09/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Quarterly

2020 COR ACTION: 2020 Corrective Action Program List

The EPA has set ambitious goals for the RCRA Corrective Action program by creating the 2020 Corrective Action Universe. This RCRA cleanup baseline includes facilities expected to need corrective action. The 2020 universe contains a wide variety of sites. Some properties are heavily contaminated while others were contaminated but have since been cleaned up. Still others have not been fully investigated yet, and may require little or no remediation. Inclusion in the 2020 Universe does not necessarily imply failure on the part of a facility to meet its RCRA obligations.

Date of Government Version: 04/22/2013
Date Data Arrived at EDR: 03/03/2015
Date Made Active in Reports: 03/09/2015
Number of Days to Update: 6

Source: Environmental Protection Agency
Telephone: 703-308-4044
Last EDR Contact: 05/12/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Varies

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2012
Date Data Arrived at EDR: 01/15/2015
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 14

Source: EPA
Telephone: 202-260-5521
Last EDR Contact: 03/24/2016
Next Scheduled EDR Contact: 07/04/2016
Data Release Frequency: Every 4 Years

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 11/24/2015
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 133

Source: EPA
Telephone: 202-566-0250
Last EDR Contact: 02/24/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Annually

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009
Date Data Arrived at EDR: 12/10/2010
Date Made Active in Reports: 02/25/2011
Number of Days to Update: 77

Source: EPA
Telephone: 202-564-4203
Last EDR Contact: 04/25/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Annually

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 11/25/2013
Date Data Arrived at EDR: 12/12/2013
Date Made Active in Reports: 02/24/2014
Number of Days to Update: 74

Source: EPA
Telephone: 703-416-0223
Last EDR Contact: 03/08/2016
Next Scheduled EDR Contact: 06/20/2016
Data Release Frequency: Annually

RMP: Risk Management Plans

When Congress passed the Clean Air Act Amendments of 1990, it required EPA to publish regulations and guidance for chemical accident prevention at facilities using extremely hazardous substances. The Risk Management Program Rule (RMP Rule) was written to implement Section 112(r) of these amendments. The rule, which built upon existing industry codes and standards, requires companies of all sizes that use certain flammable and toxic substances to develop a Risk Management Program, which includes a(n): Hazard assessment that details the potential effects of an accidental release, an accident history of the last five years, and an evaluation of worst-case and alternative accidental releases; Prevention program that includes safety precautions and maintenance, monitoring, and employee training measures; and Emergency response program that spells out emergency health care, employee training measures and procedures for informing the public and response agencies (e.g the fire department) should an accident occur.

Date of Government Version: 08/01/2015
Date Data Arrived at EDR: 08/26/2015
Date Made Active in Reports: 11/03/2015
Number of Days to Update: 69

Source: Environmental Protection Agency
Telephone: 202-564-8600
Last EDR Contact: 04/25/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995
Date Data Arrived at EDR: 07/03/1995
Date Made Active in Reports: 08/07/1995
Number of Days to Update: 35

Source: EPA
Telephone: 202-564-4104
Last EDR Contact: 06/02/2008
Next Scheduled EDR Contact: 09/01/2008
Data Release Frequency: No Update Planned

PRP: Potentially Responsible Parties

A listing of verified Potentially Responsible Parties

Date of Government Version: 10/25/2013
Date Data Arrived at EDR: 10/17/2014
Date Made Active in Reports: 10/20/2014
Number of Days to Update: 3

Source: EPA
Telephone: 202-564-6023
Last EDR Contact: 05/12/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 07/01/2014
Date Data Arrived at EDR: 10/15/2014
Date Made Active in Reports: 11/17/2014
Number of Days to Update: 33

Source: EPA
Telephone: 202-566-0500
Last EDR Contact: 04/12/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Annually

ICIS: Integrated Compliance Information System
The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 01/23/2015
Date Data Arrived at EDR: 02/06/2015
Date Made Active in Reports: 03/09/2015
Number of Days to Update: 31

Source: Environmental Protection Agency
Telephone: 202-564-5088
Last EDR Contact: 04/08/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Quarterly

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances
Telephone: 202-566-1667
Last EDR Contact: 02/22/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)
A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009
Date Data Arrived at EDR: 04/16/2009
Date Made Active in Reports: 05/11/2009
Number of Days to Update: 25

Source: EPA
Telephone: 202-566-1667
Last EDR Contact: 02/22/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Quarterly

MLTS: Material Licensing Tracking System
MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 03/07/2016
Date Data Arrived at EDR: 03/18/2016
Date Made Active in Reports: 04/15/2016
Number of Days to Update: 28

Source: Nuclear Regulatory Commission
Telephone: 301-415-7169
Last EDR Contact: 05/06/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Quarterly

COAL ASH DOE: Steam-Electric Plant Operation Data
A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 08/07/2009
Date Made Active in Reports: 10/22/2009
Number of Days to Update: 76

Source: Department of Energy
Telephone: 202-586-8719
Last EDR Contact: 04/15/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List
A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 07/01/2014
Date Data Arrived at EDR: 09/10/2014
Date Made Active in Reports: 10/20/2014
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: N/A
Last EDR Contact: 03/11/2016
Next Scheduled EDR Contact: 06/20/2016
Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database
The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 02/01/2011
Date Data Arrived at EDR: 10/19/2011
Date Made Active in Reports: 01/10/2012
Number of Days to Update: 83

Source: Environmental Protection Agency
Telephone: 202-566-0517
Last EDR Contact: 04/26/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

RADINFO: Radiation Information Database
The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 07/07/2015
Date Data Arrived at EDR: 07/09/2015
Date Made Active in Reports: 09/16/2015
Number of Days to Update: 69

Source: Environmental Protection Agency
Telephone: 202-343-9775
Last EDR Contact: 04/08/2016
Next Scheduled EDR Contact: 07/18/2016
Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing
A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2007
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing
A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006
Date Data Arrived at EDR: 03/01/2007
Date Made Active in Reports: 04/10/2007
Number of Days to Update: 40

Source: Environmental Protection Agency
Telephone: 202-564-2501
Last EDR Contact: 12/17/2008
Next Scheduled EDR Contact: 03/17/2008
Data Release Frequency: No Update Planned

DOT OPS: Incident and Accident Data
Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 07/31/2012
Date Data Arrived at EDR: 08/07/2012
Date Made Active in Reports: 09/18/2012
Number of Days to Update: 42

Source: Department of Transporation, Office of Pipeline Safety
Telephone: 202-366-4595
Last EDR Contact: 05/04/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees
Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 04/17/2015
Date Made Active in Reports: 06/02/2015
Number of Days to Update: 46

Source: Department of Justice, Consent Decree Library
Telephone: Varies
Last EDR Contact: 03/24/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Varies

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 02/24/2015
Date Made Active in Reports: 09/30/2015
Number of Days to Update: 218

Source: EPA/NTIS
Telephone: 800-424-9346
Last EDR Contact: 02/26/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Biennially

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005
Date Data Arrived at EDR: 12/08/2006
Date Made Active in Reports: 01/11/2007
Number of Days to Update: 34

Source: USGS
Telephone: 202-208-3710
Last EDR Contact: 04/15/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Semi-Annually

FUSRAP: Formerly Utilized Sites Remedial Action Program

DOE established the Formerly Utilized Sites Remedial Action Program (FUSRAP) in 1974 to remediate sites where radioactive contamination remained from Manhattan Project and early U.S. Atomic Energy Commission (AEC) operations.

Date of Government Version: 11/23/2015
Date Data Arrived at EDR: 11/24/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 86

Source: Department of Energy
Telephone: 202-586-3559
Last EDR Contact: 05/09/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Varies

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010
Date Data Arrived at EDR: 10/07/2011
Date Made Active in Reports: 03/01/2012
Number of Days to Update: 146

Source: Department of Energy
Telephone: 505-845-0011
Last EDR Contact: 03/28/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Varies

LEAD SMELTER 1: Lead Smelter Sites

A listing of former lead smelter site locations.

Date of Government Version: 11/25/2014
Date Data Arrived at EDR: 11/26/2014
Date Made Active in Reports: 01/29/2015
Number of Days to Update: 64

Source: Environmental Protection Agency
Telephone: 703-603-8787
Last EDR Contact: 04/07/2016
Next Scheduled EDR Contact: 07/18/2016
Data Release Frequency: Varies

LEAD SMELTER 2: Lead Smelter Sites

A list of several hundred sites in the U.S. where secondary lead smelting was done from 1931and 1964. These sites may pose a threat to public health through ingestion or inhalation of contaminated soil or dust

Date of Government Version: 04/05/2001
Date Data Arrived at EDR: 10/27/2010
Date Made Active in Reports: 12/02/2010
Number of Days to Update: 36

Source: American Journal of Public Health
Telephone: 703-305-6451
Last EDR Contact: 12/02/2009
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

US AIRS (AFS): Aerometric Information Retrieval System Facility Subsystem (AFS)

The database is a sub-system of Aerometric Information Retrieval System (AIRS). AFS contains compliance data on air pollution point sources regulated by the U.S. EPA and/or state and local air regulatory agencies. This information comes from source reports by various stationary sources of air pollution, such as electric power plants, steel mills, factories, and universities, and provides information about the air pollutants they produce. Action, air program, air program pollutant, and general level plant data. It is used to track emissions and compliance data from industrial plants.

Date of Government Version: 10/20/2015
Date Data Arrived at EDR: 10/27/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 69

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 03/24/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Annually

US AIRS MINOR: Air Facility System Data

A listing of minor source facilities.

Date of Government Version: 10/20/2015
Date Data Arrived at EDR: 10/27/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 69

Source: EPA
Telephone: 202-564-2496
Last EDR Contact: 03/24/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Annually

US MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 02/09/2016
Date Data Arrived at EDR: 03/02/2016
Date Made Active in Reports: 04/15/2016
Number of Days to Update: 44

Source: Department of Labor, Mine Safety and Health Administration
Telephone: 303-231-5959
Last EDR Contact: 03/02/2016
Next Scheduled EDR Contact: 06/13/2016
Data Release Frequency: Semi-Annually

US MINES 2: Ferrous and Nonferrous Metal Mines Database Listing

This map layer includes ferrous (ferrous metal mines are facilities that extract ferrous metals, such as iron ore or molybdenum) and nonferrous (Nonferrous metal mines are facilities that extract nonferrous metals, such as gold, silver, copper, zinc, and lead) metal mines in the United States.

Date of Government Version: 12/05/2005
Date Data Arrived at EDR: 02/29/2008
Date Made Active in Reports: 04/18/2008
Number of Days to Update: 49

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 03/04/2016
Next Scheduled EDR Contact: 06/13/2016
Data Release Frequency: Varies

US MINES 3: Active Mines & Mineral Plants Database Listing

Active Mines and Mineral Processing Plant operations for commodities monitored by the Minerals Information Team of the USGS.

Date of Government Version: 04/14/2011
Date Data Arrived at EDR: 06/08/2011
Date Made Active in Reports: 09/13/2011
Number of Days to Update: 97

Source: USGS
Telephone: 703-648-7709
Last EDR Contact: 03/04/2016
Next Scheduled EDR Contact: 06/13/2016
Data Release Frequency: Varies

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 07/20/2015
Date Data Arrived at EDR: 09/09/2015
Date Made Active in Reports: 11/03/2015
Number of Days to Update: 55

Source: EPA
Telephone: (617) 918-1111
Last EDR Contact: 03/08/2016
Next Scheduled EDR Contact: 06/20/2016
Data Release Frequency: Quarterly

UXO: Unexploded Ordnance Sites

A listing of unexploded ordnance site locations

Date of Government Version: 10/25/2015
Date Data Arrived at EDR: 01/29/2016
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 67

Source: Department of Defense
Telephone: 571-373-0407
Last EDR Contact: 04/18/2016
Next Scheduled EDR Contact: 07/04/2016
Data Release Frequency: Varies

DOCKET HWC: Hazardous Waste Compliance Docket Listing

A complete list of the Federal Agency Hazardous Waste Compliance Docket Facilities.

Date of Government Version: 03/01/2016
Date Data Arrived at EDR: 03/03/2016
Date Made Active in Reports: 04/05/2016
Number of Days to Update: 33

Source: Environmental Protection Agency
Telephone: 202-564-0527
Last EDR Contact: 02/24/2016
Next Scheduled EDR Contact: 06/13/2016
Data Release Frequency: Varies

AIRS: Permitted Air Sources Listing

A listing of permitted air sources in Connecticut.

Date of Government Version: 02/01/2016
Date Data Arrived at EDR: 02/05/2016
Date Made Active in Reports: 04/06/2016
Number of Days to Update: 61

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3026
Last EDR Contact: 04/25/2016
Next Scheduled EDR Contact: 08/08/2016
Data Release Frequency: Varies

CPCS: Contaminated or Potentially Contaminated Sites

A list of Contaminated or Potentially Contaminated Sites within Connecticut. This list represents the "Hazardous Waste Facilities," as defined in Section 22a-134f of the Connecticut General Statutes (CGS). The list contains the following types of sites: Sites listed on the Inventory of Hazardous Waste Disposal Sites; Sites subject to the Property Transfer Act; Sites at which underground storage tanks are known to have leaked; Sites at which hazardous waste subject to the RCRA; Sites that are included in EPA's (CERCLIS); Sites that are the subject of an order issued by the Commissioner of DEP that requires investigation and remediation of a potential or known source of pollution; and Sites that have entered into one of the Department's Voluntary Remediation Programs.

Date of Government Version: 03/01/2016
Date Data Arrived at EDR: 03/03/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 29

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3766
Last EDR Contact: 05/09/2016
Next Scheduled EDR Contact: 08/22/2016
Data Release Frequency: Quarterly

DRYCLEANERS: Drycleaner Facilities

A listing of drycleaner facility locations.

Date of Government Version: 07/18/2008
Date Data Arrived at EDR: 08/08/2008
Date Made Active in Reports: 08/27/2008
Number of Days to Update: 19

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3026
Last EDR Contact: 03/14/2016
Next Scheduled EDR Contact: 06/27/2016
Data Release Frequency: Varies

ENFORCEMENT: Enforcement Case Listing

The types of enforcement actions included are administrative consent orders, final unilateral orders and final dispositions of civil cases through the Attorney General's Office.

Date of Government Version: 01/20/2016
Date Data Arrived at EDR: 01/22/2016
Date Made Active in Reports: 04/01/2016
Number of Days to Update: 70

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3265
Last EDR Contact: 04/18/2016
Next Scheduled EDR Contact: 08/01/2016
Data Release Frequency: Varies

Financial Assurance 1: Financial Assurance Information Listing

A listing containing RCRA financial assurance information submitted on behalf of the CT DEP's Program Analysis Group of the Waste Engineering and Enforcement Division.

Date of Government Version: 12/17/2015
Date Data Arrived at EDR: 12/23/2015
Date Made Active in Reports: 02/17/2016
Number of Days to Update: 56

Source: Department of Energy & Environmental Protection
Telephone: 860-418-5930
Last EDR Contact: 03/21/2016
Next Scheduled EDR Contact: 07/04/2016
Data Release Frequency: Varies

Financial Assurance 2: Financial Assurance Information Listing

A listing of financial assurance information for solid waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 12/17/2015
Date Data Arrived at EDR: 12/23/2015
Date Made Active in Reports: 02/17/2016
Number of Days to Update: 56

Source: Department of Energy & Environmental Protection
Telephone: 860-418-5930
Last EDR Contact: 03/21/2016
Next Scheduled EDR Contact: 07/04/2016
Data Release Frequency: Varies

LEAD: Lead Inspection Database

The Lead Poisoning Prevention and Control Program lead inspection database.

Date of Government Version: 03/26/2014
Date Data Arrived at EDR: 03/27/2014
Date Made Active in Reports: 05/08/2014
Number of Days to Update: 42

Source: Department of Public Health
Telephone: 860-509-7299
Last EDR Contact: 03/03/2016
Next Scheduled EDR Contact: 06/20/2016
Data Release Frequency: Varies

LWDS: Connecticut Leachate and Wastewater Discharge Sites

The Leachate and Waste Water Discharge Inventory Data Layer (LWDS) includes point locations digitized from Leachate and Wastewater Discharge Source maps compiled by the Connecticut DEP. These maps locate surface and groundwater discharges that (1) have received a waste water discharge permit from the state or (2) are historic and now defunct waste sites or (3) are locations of accidental spills, leaks, or discharges of a variety of liquid or solid wastes.

Date of Government Version: 07/17/2009
Date Data Arrived at EDR: 10/21/2009
Date Made Active in Reports: 10/30/2009
Number of Days to Update: 9

Source: Department of Energy & Environmental Protection
Telephone: N/A
Last EDR Contact: 10/15/2014
Next Scheduled EDR Contact: 01/26/2015
Data Release Frequency: Varies

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 07/30/2013
Date Data Arrived at EDR: 08/19/2013
Date Made Active in Reports: 10/03/2013
Number of Days to Update: 45

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3375
Last EDR Contact: 05/13/2016
Next Scheduled EDR Contact: 08/29/2016
Data Release Frequency: No Update Planned

NPDES: Wastewater Permit Listing

A listing of permits issued by the DEP.

Date of Government Version: 10/16/2015
Date Data Arrived at EDR: 10/20/2015
Date Made Active in Reports: 11/06/2015
Number of Days to Update: 17

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3832
Last EDR Contact: 04/11/2016
Next Scheduled EDR Contact: 07/11/2016
Data Release Frequency: Varies

SEH: List of Significant Environmental Hazards Report to DEEP

The Significant Environmental Hazard Statute is intended to identify and abate short-term risks associated with specific environmental conditions identified in the statute. After abatement of short-term risks (meaning abatement of the significant environmental hazard condition), there may still be potential long-term risks associated with the release. However, a significant environmental hazard can be considered abated under the statute even though potential long-term risks may not have been addressed.

Date of Government Version: 06/30/2015
Date Data Arrived at EDR: 07/24/2015
Date Made Active in Reports: 08/05/2015
Number of Days to Update: 12

Source: Department of Energy & Environmental Protection
Telephone: 860-424-3766
Last EDR Contact: 04/18/2016
Next Scheduled EDR Contact: 08/01/2016
Data Release Frequency: Varies

FUELS PROGRAM: EPA Fuels Program Registered Listing

This listing includes facilities that are registered under the Part 80 (Code of Federal Regulations) EPA Fuels Programs. All companies now are required to submit new and updated registrations.

Date of Government Version: 11/23/2015
Date Data Arrived at EDR: 11/24/2015
Date Made Active in Reports: 02/18/2016
Number of Days to Update: 86

Source: EPA
Telephone: 800-385-6164
Last EDR Contact: 02/24/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Quarterly

ECHO: Enforcement & Compliance History Information

ECHO provides integrated compliance and enforcement information for about 800,000 regulated facilities nationwide.

Date of Government Version: 09/20/2015
Date Data Arrived at EDR: 09/23/2015
Date Made Active in Reports: 01/04/2016
Number of Days to Update: 103

Source: Environmental Protection Agency
Telephone: 202-564-2280
Last EDR Contact: 03/23/2016
Next Scheduled EDR Contact: 07/04/2016
Data Release Frequency: Quarterly

EDR HIGH RISK HISTORICAL RECORDS

(' 5 ([FDXVLYH 5 HFRUGV

EDR MGP: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: No Update Planned

EDR Hist Auto: EDR Exclusive Historic Gas Stations

EDR has searched selected national collections of business directories and has collected listings of potential gas station/filling station/service station sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include gas station/filling station/service station establishments. The categories reviewed included, but were not limited to gas, gas station, gasoline station, filling station, auto, automobile repair, auto service station, service station, etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR Hist Cleaner: EDR Exclusive Historic Dry Cleaners

EDR has searched selected national collections of business directories and has collected listings of potential dry cleaner sites that were available to EDR researchers. EDR's review was limited to those categories of sources that might, in EDR's opinion, include dry cleaning establishments. The categories reviewed included, but were not limited to dry cleaners, cleaners, laundry, laundromat, cleaning/laundry, wash & dry etc. This database falls within a category of information EDR classifies as "High Risk Historical Records", or HRHR. EDR's HRHR effort presents unique and sometimes proprietary data about past sites and operations that typically create environmental concerns, but may not show up in current government records searches.

Date of Government Version: N/A
Date Data Arrived at EDR: N/A
Date Made Active in Reports: N/A
Number of Days to Update: N/A

Source: EDR, Inc.
Telephone: N/A
Last EDR Contact: N/A
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

EDR RECOVERED GOVERNMENT ARCHIVES

([FOXVLYH 5 HFRYHUHG * RYW$ UFKLYHV

RGA HWS: Recovered Government Archive State Hazardous Waste Facilities List

The EDR Recovered Government Archive State Hazardous Waste database provides a list of SHWS incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Energy & Environmental Protection formerly know as the DEP which changes in July 2011 in Connecticut.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/02/2014
Number of Days to Update: 185

Source: Department of Energy & Environmental Protection
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

RGA LUST: Recovered Government Archive Leaking Underground Storage Tank

The EDR Recovered Government Archive Leaking Underground Storage Tank database provides a list of LUST incidents derived from historical databases and includes many records that no longer appear in current government lists. Compiled from Records formerly available from the Department of Energy & Environmental Protection formerly know as the DEP which changes in July 2011 in Connecticut.

Date of Government Version: N/A
Date Data Arrived at EDR: 07/01/2013
Date Made Active in Reports: 01/02/2014
Number of Days to Update: 185

Source: Department of Energy & Environmental Protection
Telephone: N/A
Last EDR Contact: 06/01/2012
Next Scheduled EDR Contact: N/A
Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

NJ MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 07/17/2015
Date Made Active in Reports: 08/12/2015
Number of Days to Update: 26

Source: Department of Environmental Protection
Telephone: N/A
Last EDR Contact: 04/12/2016
Next Scheduled EDR Contact: 07/25/2016
Data Release Frequency: Annually

NY MANIFEST: Facility and Manifest Data
Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 02/01/2016
Date Data Arrived at EDR: 02/03/2016
Date Made Active in Reports: 03/22/2016
Number of Days to Update: 48

Source: Department of Environmental Conservation
Telephone: 518-402-8651
Last EDR Contact: 05/06/2016
Next Scheduled EDR Contact: 08/15/2016
Data Release Frequency: Annually

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 07/24/2015
Date Made Active in Reports: 08/18/2015
Number of Days to Update: 25

Source: Department of Environmental Protection
Telephone: 717-783-8990
Last EDR Contact: 04/18/2016
Next Scheduled EDR Contact: 08/01/2016
Data Release Frequency: Annually

RI MANIFEST: Manifest information
Hazardous waste manifest information

Date of Government Version: 12/31/2013
Date Data Arrived at EDR: 06/19/2015
Date Made Active in Reports: 07/15/2015
Number of Days to Update: 26

Source: Department of Environmental Management
Telephone: 401-222-2797
Last EDR Contact: 03/21/2016
Next Scheduled EDR Contact: 06/06/2016
Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data
Hazardous waste manifest information.

Date of Government Version: 03/16/2016
Date Data Arrived at EDR: 03/29/2016
Date Made Active in Reports: 04/19/2016
Number of Days to Update: 21

Source: Department of Environmental Conservation
Telephone: 802-241-3443
Last EDR Contact: 04/18/2016
Next Scheduled EDR Contact: 08/01/2016
Data Release Frequency: Annually

WI MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2014
Date Data Arrived at EDR: 03/19/2015
Date Made Active in Reports: 04/07/2015
Number of Days to Update: 19

Source: Department of Natural Resources
Telephone: N/A
Last EDR Contact: 03/14/2016
Next Scheduled EDR Contact: 06/27/2016
Data Release Frequency: Annually

Oil/Gas Pipelines
Source: PennWell Corporation
Petroleum Bundle (Crude Oil, Refined Products, Petrochemicals, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)) N = Natural Gas Bundle (Natural Gas, Gas Liquids (LPG/NGL), and Specialty Gases (Miscellaneous)). This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Electric Power Transmission Line Data
Source: PennWell Corporation
This map includes information copyrighted by PennWell Corporation. This information is provided on a best effort basis and PennWell Corporation does not guarantee its accuracy nor warrant its fitness for any particular purpose. Such information has been reprinted with the permission of PennWell.

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:
Source: American Hospital Association, Inc.
Telephone: 312-280-5991
The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing
Source: Centers for Medicare & Medicaid Services
Telephone: 410-786-3000
A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services, a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes
Source: National Institutes of Health
Telephone: 301-594-6248
Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on elementary and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are comparable across all states.

Private Schools
Source: National Center for Education Statistics
Telephone: 202-502-7300
The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Licensed Child Care Facilities
Source: Department of Public Health
Telephone: 860-509-8045

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Tidal Wetlands
Source: Department of Energy & Environmental Protection
Telephone: 860-424-4054

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

WEST HAVEN, CT, VA MEDICAL CENTER FISHER HOUSE
950 CAMPBELL AVENUE
WEST HAVEN, CT 06516

TARGET PROPERTY COORDINATES

Latitude (North):	41.283665 - 41˚ 17' 1.19''
Longitude (West):	72.960451 - 72˚ 57' 37.62''
Universal Tranverse Mercator:	Zone 18
UTM X (Meters):	670801.1
UTM Y (Meters):	4572041.0
Elevation:	127 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map:	5642445 NEW HAVEN, CT
Version Date:	2012

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principal investigative components:

1. Groundwater flow direction, and
2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).

TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General East

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES





Target Property Elevation: 127 ft.



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

Target Property County	FEMA Flood Electronic Data
NEW HAVEN, CT	YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property: 09009C - FEMA DFIRM Flood data

Additional Panels in search area: Not Reported

NATIONAL WETLAND INVENTORY

NWI Quad at Target Property	NWI Electronic Data Coverage
NEW HAVEN	YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

6LWH6SHFLILF+\GURJHRORJLFDO DWD

Search Radius: 1.25 miles
Status: Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

MAP ID	LOCATION FROM TP	GENERAL DIRECTION GROUNDWATER FLOW
Not Reported		

* ©1996 Site−specific hydrogeological data gathered by CERCLIS Alerts, Inc., Bainbridge Island, WA. All rights reserved. All of the information and opinions presented are those of the cited EPA report(s), which were completed under a Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS) investigation.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

Era:	Mesozoic
System:	Triassic
Series:	Triassic
Code:	Tr GHFRGHG DERYH DV (UD 6\VWHP 6HULHV

GEOLOGIC AGE IDENTIFICATION

Category: Stratified Sequence

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

SSURGO SOIL MAP - 4621761.2s



Target Property
SSURGO Soil
Water

0 1KM

SITE NAME:	West Haven, CT, VA Medical Center Fisher House	CLIENT:	Mabbett & Assoc.
ADDRESS:	950 Campbell Avenue West Haven CT 06516	CONTACT:	Michael Horton
		INQUIRY #:	4621761.2s
LAT/LONG:	41.283665 / 72.960451	DATE:	May 18, 2016 11:37 am

Copyright © 2016 EDR, Inc. © 2015 TomTom Rel. 2015.

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. The following information is based on Soil Conservation Service SSURGO data.

Soil Map ID: 1

Soil Component Name: Udorthents

Soil Surface Texture: loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	5 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 7.8 Min: 4.5
2	5 inches	21 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 0.01	Max: 7.8 Min: 4.5
3	21 inches	79 inches	very gravelly sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 0.01	Max: 7.8 Min: 4.5

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 2

Soil Component Name: Cheshire

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	7 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
2	7 inches	16 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
3	16 inches	25 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
4	25 inches	64 inches	gravelly sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 3

Soil Component Name: Cheshire

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 46 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	7 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
2	7 inches	16 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
3	16 inches	25 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
4	25 inches	64 inches	gravelly sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Soil Map ID: 4

Soil Component Name: Penwood

Soil Surface Texture: loamy sand

Hydrologic Group: Class A - High infiltration rates. Soils are deep, well drained to excessively drained sands and gravels.

Soil Drainage Class: Excessively drained

Hydric Status: Unknown

Corrosion Potential - Uncoated Steel: Low

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	7 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6 Min: 4.5
2	7 inches	18 inches	loamy sand	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6 Min: 4.5
3	18 inches	29 inches	sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6 Min: 4.5
4	29 inches	59 inches	sand	Granular materials (35 pct. or less passing No. 200), Stone Fragments, Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Clean Sands, Poorly graded sand. COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 42	Max: 6 Min: 4.5

Soil Map ID: 5

Soil Component Name: Udorthents

Soil Surface Texture: loam

Hydrologic Group: Class C - Slow infiltration rates. Soils with layers impeding downward movement of water, or soils with moderately fine or fine textures.

Soil Drainage Class: Well drained

Hydric Status: Not hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	5 inches	loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	FINE-GRAINED SOILS, Silts and Clays (liquid limit less than 50%), silt.	Max: 14 Min: 4	Max: 7.8 Min: 4.5
2	5 inches	21 inches	gravelly loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 0.01	Max: 7.8 Min: 4.5
3	21 inches	79 inches	very gravelly sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 703 Min: 0.01	Max: 7.8 Min: 4.5

Soil Map ID: 6

Soil Component Name: Cheshire

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Well drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 0 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	7 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
2	7 inches	16 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
3	16 inches	25 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5
4	25 inches	64 inches	gravelly sandy loam	Granular materials (35 pct. or less passing No. 200), Silty, or Clayey Gravel and Sand.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6 Min: 4.5

Soil Map ID: 7

Soil Component Name: Watchaug

Soil Surface Texture: fine sandy loam

Hydrologic Group: Class B - Moderate infiltration rates. Deep and moderately deep, moderately well and well drained soils with moderately coarse textures.

Soil Drainage Class: Moderately well drained

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

Hydric Status: Partially hydric

Corrosion Potential - Uncoated Steel: Moderate

Depth to Bedrock Min: > 0 inches

Depth to Watertable Min: > 61 inches

Soil Layer Information							
	Boundary			Classification		Saturated hydraulic conductivity micro m/sec	Soil Reaction (pH)
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil		
1	0 inches	7 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 14 Min: 4	Max: 6 Min: 4.5
2	7 inches	18 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 14 Min: 4	Max: 6 Min: 4.5
3	18 inches	24 inches	fine sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 14 Min: 4	Max: 6 Min: 4.5
4	24 inches	64 inches	gravelly sandy loam	Silt-Clay Materials (more than 35 pct. passing No. 200), Silty Soils.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand.	Max: 42 Min: 4	Max: 6.5 Min: 4.5

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE	SEARCH DISTANCE (miles)
Federal USGS	1.000
Federal FRDS PWS	Nearest PWS within 1 mile
State Database	1.000

GEOCHECK® - PHYSICAL SETTING SOURCE SUMMARY

FEDERAL USGS WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
1	USGS40000224702	1/4 - 1/2 Mile West
2	USGS40000224744	1/2 - 1 Mile NW
4	USGS40000224693	1/2 - 1 Mile WSW
5	USGS40000224677	1/2 - 1 Mile SW
6	USGS40000224691	1/2 - 1 Mile WSW

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No PWS System Found		

Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

MAP ID	WELL ID	LOCATION FROM TP
No Wells Found		

PHYSICAL SETTING SOURCE MAP - 4621761.2s



County Boundary
Major Roads
Contour Lines
Airports
Earthquake epicenter, Richter 5 or greater
Water Wells
Public Water Supply Wells
Cluster of Multiple Icons

0 1/4 1/2 1 Miles

Groundwater Flow Direction
Indeterminate Groundwater Flow at Location
Groundwater Flow Varies at Location
Closest Hydrogeological Data
EPA Designated Sole Src. Aq.

N

SITE NAME:	West Haven, CT, VA Medical Center Fisher House	CLIENT:	Mabbett & Assoc.
ADDRESS:	950 Campbell Avenue West Haven CT 06516	CONTACT:	Michael Horton
		INQUIRY #:	4621761.2s
LAT/LONG:	41.283665 / 72.960451	DATE:	May 18, 2016 11:37 am

Copyright © 2016 EDR, Inc. © 2015 TomTom Rel. 2015.

Map ID Direction Distance Elevation	Database	EDR ID Number
1 **West** **1/4 - 1/2 Mile** **Higher**	**FED USGS**	**USGS40000224702**

Org. Identifier:	USGS-CT		
Formal name:	USGS Connecticut Water Science Center		
Monloc Identifier:	USGS-411659072580401		
Monloc name:	CT-WHV 448		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	01100004	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	41.2831527
Longitude:	-72.9673255	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	100.00
Vert measure units:	feet	Vertacc measure val:	5.
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	Early Mesozoic basin aquifers		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	1970	Welldepth:	125
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1970-09-01	0.00	

2 **NW** **1/2 - 1 Mile** **Higher**	**FED USGS**	**USGS40000224744**

Org. Identifier:	USGS-CT		
Formal name:	USGS Connecticut Water Science Center		
Monloc Identifier:	USGS-411728072580501		
Monloc name:	CT-WHV 438		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	01100004	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	41.2912083
Longitude:	-72.9676033	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	148.00
Vert measure units:	feet	Vertacc measure val:	5.
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	New England crystalline-rock aquifers		
Formation type:	Non-Carbonate Crystalline Bedrock		

Aquifer type:	Not Reported		
Construction date:	1967	Welldepth:	280
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1967-03-01	60.00	

3
SSE
1/2 - 1 Mile
Lower

AQUIFLOW **18447**

Site ID:	Not Reported
Groundwater Flow:	Not Reported
Shallow Water Depth:	5
Deep Water Depth:	8
Average Water Depth:	Not Reported
Date:	Not Reported

4
WSW
1/2 - 1 Mile
Higher

FED USGS **USGS40000224693**

Org. Identifier:	USGS-CT		
Formal name:	USGS Connecticut Water Science Center		
Monloc Identifier:	USGS-411652072582801		
Monloc name:	CT-WHV 449		
Monloc type:	Well		
Monloc desc:	CONN NAWQA STUDY UNIT SURVEY-CRYSTALLINE BEDROCK		
Huc code:	01100004	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	41.2812083
Longitude:	-72.9739923	Sourcemap scale:	24000
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	125
Vert measure units:	feet	Vertacc measure val:	5
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	New England crystalline-rock aquifers		
Formation type:	Non-Carbonate Crystalline Bedrock		
Aquifer type:	Not Reported		
Construction date:	19870216	Welldepth:	123
Welldepth units:	ft	Wellholedepth:	123
Wellholedepth units:	ft		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1995-06-20	21.4	

5
SW
1/2 - 1 Mile
Higher

FED USGS **USGS40000224677**

Org. Identifier:	USGS-CT		
Formal name:	USGS Connecticut Water Science Center		
Monloc Identifier:	USGS-411629072582801		
Monloc name:	CT-WHV 446		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	01100004	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	41.2748194
Longitude:	-72.9739923	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	157.00
Vert measure units:	feet	Vertacc measure val:	5.
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	New England crystalline-rock aquifers		
Formation type:	Not Reported		
Aquifer type:	Not Reported		
Construction date:	1964	Welldepth:	97
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1964-07-01	18.00	

6
WSW
1/2 - 1 Mile
Higher

FED USGS **USGS40000224691**

Org. Identifier:	USGS-CT		
Formal name:	USGS Connecticut Water Science Center		
Monloc Identifier:	USGS-411651072584301		
Monloc name:	CT-WHV 445		
Monloc type:	Well		
Monloc desc:	Not Reported		
Huc code:	01100004	Drainagearea value:	Not Reported
Drainagearea Units:	Not Reported	Contrib drainagearea:	Not Reported
Contrib drainagearea units:	Not Reported	Latitude:	41.2809305
Longitude:	-72.9781591	Sourcemap scale:	Not Reported
Horiz Acc measure:	1	Horiz Acc measure units:	seconds
Horiz Collection method:	Interpolated from map		
Horiz coord refsys:	NAD83	Vert measure val:	182.00
Vert measure units:	feet	Vertacc measure val:	5.
Vert accmeasure units:	feet		
Vertcollection method:	Interpolated from topographic map		
Vert coord refsys:	NGVD29	Countrycode:	US
Aquifername:	New England crystalline-rock aquifers		
Formation type:	Not Reported		

Aquifer type:	Not Reported		
Construction date:	1965	Welldepth:	85
Welldepth units:	ft	Wellholedepth:	Not Reported
Wellholedepth units:	Not Reported		

Ground-water levels, Number of Measurements: 1

Date	Feet below Surface	Feet to Sealevel
1965-03-01	7.00	

GEOCHECK® - PHYSICAL SETTING SOURCE MAP FINDINGS
RADON

AREA RADON INFORMATION

State Database: CT Radon

Radon Test Results

City	# Sites	< 4 Pci/L	4 < 10 Pci/L	10 < 20 Pci/L	20 < 50 Pci/L	50 < 100 Pci/L	> 100 Pci/L
Wallingford	100	90 (90)	10 (10)	0 (0)	0 (0)	0 (0)	0 (0)
Waterbury	20	19 (95)	1 (5)	0 (0)	0 (0)	0 (0)	0 (0)
West Haven	14	14 (93.3)	1 (6.7)	0 (0)	0 (0)	0 (0)	0 (0)
Wolcott	7	3 (42.9)	4 (57.1)	0 (0)	0 (0)	0 (0)	0 (0)
Woodbridge	126	79 (62.7)	32 (25.4)	9 (7.1)	4 (3.2)	1 (.8)	0 (0)
Yalesville	3	3 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Ansonia	110	62 (56.4)	29 (26.4)	8 (7.3)	10 (1)	1 (9)	0 (0)
Beacon Falls	4	3 (75)	1 (25)	0 (0)	0 (0)	0 (0)	0 (0)
Bethany	3	2 (66.7)	1 (33.3)	0 (0)	0 (0)	0 (0)	0 (0)
Branford	196	126 (64.3)	40 (20.4)	13 (6.6)	14 (7.1)	13 (1.5)	0 (0)
Cheshire	16	10 (62.5)	4 (25)	2 (12.5)	0 (0)	0 (0)	0 (0)
Derby	11	4 (36.4)	6 (54.6)	1 (9)	0 (0)	0 (0)	0 (0)
East Haven	27	22 (81.5)	4 (14.8)	1 (3.7)	0 (0)	0 (0)	0 (0)
Guilford	138	95 (68.8)	22 (15.9)	13 (9.4)	7 (5.1)	0 (0)	1 (.7)
Hamden	39	29 (74.4)	10 (25.6)	0 (0)	0 (0)	0 (0)	0 (0)
Madison	133	84 (63.2)	32 (24)	9 (6.8)	6 (4.5)	2 (1.5)	0 (0)
Meriden	97	76 (78.4)	19 (19.6)	1 (1)	0 (0)	0 (0)	1 (1)
Middlebury	5	5 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Milford	20	15 (.75)	4 (20)	1 (5)	0 (0)	0 (0)	0 (0)
Naugatuck	9	8 (88.9)	1 (11.1)	0 (0)	0 (0)	0 (0)	0 (0)
New Haven	21	16 (76.2)	5 (23.8)	0 (0)	0 (0)	0 (0)	0 (0)
North Branford	13	11 (84.6)	2 (15.4)	0 (0)	0 (0)	0 (0)	0 (0)
North Haven	5	3 (0)	2 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Northford	7	5 (71.4)	0 (0)	1 (14.2)	0 (0)	0 (0)	1 (14.2)
Orange	16	14 (87.5)	2 (12.5)	0 (0)	0 (0)	0 (0)	0 (0)
Oxford	3	2 (0)	1 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Prospect	3	3 (100)	0 (0)	0 (0)	0 (0)	0 (0)	0 (0)
Seymour	9	5 (55.6)	3 (33.3)	1 (11.1)	0 (0)	0 (0)	0 (0)
Southbury	21	10 (47.6)	8 (38.1)	3 (14.3)	0 (0)	0 (0)	0 (0)

Federal EPA Radon Zone for NEW HAVEN County: 1

Note: Zone 1 indoor average level > 4 pCi/L.
: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.
: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for Zip Code: 06516

Number of sites tested: 7

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area - 1st Floor	0.100 pCi/L	100%	0%	0%
Living Area - 2nd Floor	1.200 pCi/L	100%	0%	0%
Basement	1.200 pCi/L	100%	0%	0%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)
Source: United States Geologic Survey
EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Current USGS 7.5 Minute Topographic Map
Source: U.S. Geological Survey

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2011 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002, 2005 and 2010 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Tidal Wetlands
Source: Department of Energy & Environmental Protection
Telephone: 860-424-4054

HYDROGEOLOGIC INFORMATION

AQUIFLOW[R] Information System
Source: EDR proprietary database of groundwater flow information
EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit
Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database
Source: Department of Agriculture, Natural Resources Conservation Service (NRCS)
Telephone: 800-672-5559
SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Service, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data
Source: EPA/Office of Drinking Water
Telephone: 202-564-3750
Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)
This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

Connecticut Leachate and Wastewater Discharge Sites
Source: Department of Environmental Protection
The Leachate and Waste Water Discharge Inventory Data Layer (LWDS) includes point locations digitized from Leachate and Wastewater Discharge Source maps compiled by the Connecticut DEP. These maps locate surface and groundwater discharges that (1) have received a waste water discharge permit from the state or (2) are historic and now defunct waste sites or (3) are locations of accidental spills, leaks, or discharges of a variety of liquid or solid wastes.

EPA-Approved Sole Source Aquifers in Connecticut
Source: EPA
Sole source aquifers are defined as an aquifer designated as the sole or principal source of drinking water for a given aquifer service area; that is, an aquifer which is needed to supply 50% or more of the drinking water for the area and for which there are no reasonable alternative sources should the aquifer become contaminated.

Community and Non-Community Water System Wells
Source: Department of Public Health, Water Supplies Section
Telephone: 860-509-7333
Active, emergency and inactive wells used for potable purposes that are owned and operated by active community and non-community water systems in Connecticut.

OTHER STATE DATABASE INFORMATION

RADON

State Database: CT Radon
Source: Department of Public Health
Telephone: 860-509-7367
Radon Statistical Summary

Area Radon Information
Source: USGS
Telephone: 703-356-4020
The National Radon Database has been developed by the U.S. Environmental Protection Agency (USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

EPA Radon Zones
Source: EPA
Telephone: 703-356-4020
Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities
Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater
Source: Department of Commerce, National Oceanic and Atmospheric Administration

Earthquake Fault Lines: The fault lines displayed on EDR's Topographic map are digitized quaternary faultlines, prepared in 1975 by the United State Geological Survey

STREET AND ADDRESS INFORMATION

© 2015 TomTom North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

APPENDIX D

ADDITIONAL EDR REPORTS

Sanborn Maps

Topographic Maps

Aerial Photos

City Directories

Fax To: Mabbett & Assoc.
Contact: Michael Horton
Fax : 000-000-0000
Date: 05/18/2016

Fax From: Beth Christensen
EDR
Phone: 1-800-352-0050

EDR PUR-IQ Report

WKH LQWHOOLJHQW DV VR FRQGXFWKLV RUHDOUHVHDUFK

for
West Haven, CT, VA Medical Center Fisher House
950 Campbell Avenue
West Haven, CT 06516
Lat./Long. 41.283665 / 72.960451
EDR Inquiry # 4621761.2s

The EDR PUR-IQ report facilitates historical research planning required to complete the Phase I ESA process. The report identifies the *QH-QKRRG* of prior use coverage by searching proprietary EDR-Prior Use Reports comprising nationwide information on: city directories, fire insurance maps, aerial photographs, historical topographic maps, flood maps and National Wetland Inventory maps.

Potential for EDR Historical (Prior Use) Coverage - Coverage in the following historical information sources may be used as a guide to develop your historical research strategy:

1. City Directory: Coverage may exist for portions of New Haven County, CT.

2. Fire Insurance Map: When you order online any EDR Package or the EDR Radius Map with EDR Sanborn Map Search/Print, you receive site specific Sanborn Map coverage information at no charge.

3. Aerial Photograph: Coverage exists for portions of New Haven County for 1970, 1980, 1950, 1940, 1960, 1990 Shipping time 3-5 business days.

4. Topographic Map: The USGS 7.5 min. quad topo sheet(s) associated with this site:

Historical: Coverage exists for NEW HAVEN County

Current: Target Property: TP | 2012 | 5642445 New Haven, CT

EDR's network of professional researchers, located throughout the United States, accesses the most extensive national collections of city directory, fire insurance maps, aerial photographs and historical topographic map resources available for West Haven, CT. These collections may be located in multiple libraries throughout the country. To ensure maximum coverage, EDR will often assign researchers at these multiple locations on your behalf. Please call or fax your EDR representative to authorize a search.

EDR™ Environmental Data Resources Inc

EDR - HISTORICAL SOURCE(S) ORDER FORM

Mabbett & Assoc.
Michael Horton
Account # 1010156

West Haven, CT, VA Medical Center Fisher House
950 Campbell Avenue
West Haven, CT 06516
NEW HAVEN County
Lat./Long. 41.283665 / 72.960451
EDR Inquiry # 4621761.2s

Should you wish to change or add to your order, fax this form to your EDR account executive:

Beth Christensen
Ph: 1-800-352-0050 Fax: 1-800-231-6802

Reports

___ EDR Sanborn Map® Search/Print

___ EDR Fire Insurance Map Abstract

___ EDR Multi-Tenant Retail Facility® Report

___ EDR City Directory Abstract

___ EDR Aerial Photo Decade Package

___ USGS Aerial 5 Package

___ USGS Aerial 3 Package

___ EDR Historical Topographic Maps

___ Paper Current USGS Topo (7.5 min.)

___ Environmental Lien Search

___ Chain of Title Search

___ NJ MacRaes Industrial Directory Report

___ EDR Telephone Interview

Shipping:

___ Email
___ Express, Next Day Delivery
___ Express, Second Day Delivery
___ Express, Next day Delivery Customer Account
___ Express, Second Day Delivery Customer Account
___ U.S. Mail

RUSH SERVICE IS AVAILABLE

Acct # _____
Acct # _____

7KDQN\ RX

West Haven, CT, VA Medical Center Fisher House

950 Campbell Avenue

West Haven, CT 06516

Inquiry Number: 4621761.3

May 17, 2016

Certified Sanborn® Map Report

$ UP VWRQ J 5 RDG VW IOBRU
6 KHOORQ &7
7 RO) UHH
ZZZ HGUQHWFRP

&HUWLLHG 6DQERUQ 0DS 5HSRUW

05/17/16

6LWH1DPH

West Haven, CT, VA Medical C
950 Campbell Avenue
West Haven, CT 06516
(' 5 ,QTXLU\ 4621761.3

&OLHQW1DPH

Mabbett & Assoc.
5 Alfred Circle
Bedford, MA 01730
&RQWDFW Michael Horton

The Sanborn Library has been searched by EDR and maps covering the target property location as provided by Mabbett & Assoc. were identified for the years listed below. The Sanborn Library is the largest, most complete collection of fire insurance maps. The collection includes maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow, and others. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by the Sanborn Library LLC, the copyright holder for the collection. Results can be authenticated by visiting www.edrnet.com/sanborn.

The Sanborn Library is continually enhanced with newly identified map archives. This report accesses all maps in the collection as of the day this report was generated.

&HUWLLHG6DQERUQ5HVXOWV

&HUWLLFDWRQ E16B-448F-8D47

32 5276

3URMHFW West Haven VAMC Fisher House

Maps Provided:

1973
1950
1924

Sanborn® Library search results

The Sanborn Library includes more than 1.2 million fire insurance maps from Sanborn, Bromley, Perris & Browne, Hopkins, Barlow and others which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

- ✔ Library of Congress
- ✔ University Publications of America
- ✔ EDR Private Collection

7KH6DQERUQ/LEUDU\ //&6LQFH

Limited Permission To Make Copies

Mabbett & Assoc. (the client) is permitted to make up to FIVE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

'LVFODLPHU &RS\ULJKWDQG7UDGHPDUN1RWLFH

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

(' 5 DQG LWV RJRV LQFOXGLQJ 6DQERUQ DQG 6DQERUQ 0DS DUH WUDGHPDUNV RI (QYLURQPHQWDO DWD 5HVRXUFHV ,QF RULWV DIILOLDWHV &RORUHGHPDUNV XVHG KHUHLQ DUH WKH SURSHUWY RI WKHLU UHVSHFWLYH RZQHUV

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.

1973 Source Sheets



Volume 4, Sheet 450
1973

1950 Source Sheets



Volume 4, Sheet 450
1950

1924 Source Sheets



Volume 4, Sheet 450
1924



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600



N



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

Certification #

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600



N

F16B1478BD47
Fisher House



The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by The Sanborn Library LLC, the copyright holder for the collection.

This Certified Sanborn Map combines the following sheets.
Outlined areas indicate map sheets within the collection.

0 Feet 150 300 600



N

page

West Haven, CT, VA Medical Center Fisher House

950 Campbell Avenue

West Haven, CT 06516

Inquiry Number: 4621761.4

May 17, 2016

EDR Historical Topo Map Report

with QuadMatch™

$ UP VWRQ 5 RDG WKIOR U
6 KHOORQ &7
7 RO) UHH
ZZZ HGUQHWFRP

(' 5 + LVWRULFDO7RSR0DS5HSRUW

6LWH1DPH

&OLHQW1DPH

(' 5 ,QTXLU\

&RQWDFW

6HDUFK5HVXOWV	*&RRUGLQDWHV*
3 2	**/DWLWXGH**
3URMHFW	**/RQJLWXGH**
	870 =RQH
	870 ; 0HWHUV
	870 < 0HWHUV
	(&HQWHUSRLQW
0DSV3URYLGHG	

2012
1984
1972
1967
1954
1943
1921
1892

'LVFODLPHU &RSYULJKWDQG7UDGHPDUN1RWLFH

EDR Topographic Map Library has been searched by EDR and maps covering the target property location as provided by Malbert & Assoc were identified for the years listed below. EDR's Historical Topo Map Report is designed to assist professionals in evaluating potential liability on a target property resulting from past activities. EDR's Historical Topo Map Report includes USGS 7.5' Topographic Maps, 1:24,000 scale, and where available, 1:25,000 scale, 1:63,360 scale, and 1:62,500 scale public and private color historical topographic maps, dating back to the late 1800s.

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. IN NO EVENT DOES ENVIRONMENTAL DATA RESOURCES, INC. ASSUME LIABILITY FOR ANY LOSS OR DAMAGE, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additional environmental record sources available for the property may identify releases or other conditions that could be material to the property. The information provided in this Report is not to be construed as legal advice.

Copyright 2016 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. prohibited without prior written permission.

SDJH

7RSR 6KHHW H\

7KLV(' 5 7RSR 0 DS 5 HSRUWV EDVHG XSRQ WKH IRO RZ LQJ 8 6* 6 VRXUFH PDS VKHHWV

2012 Source Sheets



New Haven
2012
7.5-minute, 24000

1984 Source Sheets

New Haven
1984
7.5-minute, 24000
Photo Revised 1984
Aerial Photo Revised 1982

1972 Source Sheets



New Haven
1972
7.5-minute, 24000
Photo Revised 1972
Aerial Photo Revised 1972

1967 Source Sheets

New Haven
1967
7.5-minute, 24000
Aerial Photo Revised 1966

7RSR 6KHHW H\

7KLV(' 5 7RSR0 DS5HSRUWV EDVHG XSRQ WKH IRO RZ LQJ 86* 6 VRXUFH PDS VKHHWV

1954 Source Sheets



New Haven
1954
7.5-minute, 24000
Aerial Photo Revised 1949

1943 Source Sheets

New Haven
1943
7.5-minute, 31680
Aerial Photo Revised 1943

1921 Source Sheets



New Haven
1921
15-minute, 62500

1892 Source Sheets



New Haven
1892
15-minute, 62500



7KLV UHSRUW LQFOXGHV LQIRUP DWLRQ IURP VXH IRQDZ LQJ P DS VKHHWV

1: 1 1(

TP, New Haven, 2012, 7.5-minute

: (

6: 6 6(

4621761

2012

6,7(1$0(

$' ' 5(66

&/ ,(17

N

SDJH

Medical Center Fisher House

EDR

+ LVWRUIFDO7 RSR 0 DS



7KLV UHSRUW LQFOXGHV LQIRUPDWLRQ IURP VXH
IRORZ LQJ P DS VKHHWV

1: 1 1(

TP, New Haven, 1984, 7.5-minute

: (

6: 6 6(

6,7(1$0(
$' ' 5(66

&/,(17

N

SDJH

4621761

1984

Medical Center Fisher House

EDR®

+ LVWRUIFDO7 RSR 0 DS



7KLV UHSRUW LQFOXGHV LQIRUPDWLRQ IURP VXH
IRQDZ LQJ P DS VKHHWV

1: 1 1(

TP, New Haven, 1972, 7.5-minute

: (

6: 6 6(

4621761

1972

6,7(1$0(

$' ' 5(66

&/ ,(17

N

SDJH

Medical Center Fisher House

EDR

+ LVWRUIFDO7 RSR 0 DS



7KLV UHSRUW LQFOXGHV LQIRUPDWLRQ IURP WKH IROORZLQJ PDSVKHHWV

1: 1 1(

TP, New Haven, 1967, 7.5-minute

: (

6: 6 6(

6,7(1$0(

$' ' 5(66

&/,(17

N

SDJH

4621761

1967

Medical Center Fisher House

EDR

+ LVWRUIFDO7 RSR 0 DS



7KLV UHSRUW&QFOXGHV LQIRUP DWRQ IURP VKH IRORZLQJ P DS VKHHWV

1: 1 1(

TP, New Haven, 1954, 7.5-minute

: (

6: 6 6(

6,7(1$0(

$' ' 5(66

&/,(17

N

SDJH

1954

10 0.35 1.55

EDR

+ LVWRUIFDO7 RSR 0 DS



7KLV UHSRUW LQFOXGHV LQIRUP DWLRQ IURP VKH IRORZLQJ P DS VKHHW V

1: 1 1(

TP, New Haven, 1943, 7.5-minute

: (

6: 6 6(

4621761

1943

6,7(1$0(

$' ' 5(66

&/,(17

N

SDJH

Medical Center Fisher House

7 KLV UHSRUWLQFOXGHV LQIRUP DWLRQ IURP VKH IRORZLQJ P DS VKHHWV

1: 1 1(

TP, New Haven, 1921, 15-minute

: (

6: 6 6(

6,7(1$0(

$' ' 5(66

&/ ,(17

N

SDJH

1921